

Delco Brush Holders

HD2306A

14/28 V

UP BH1001
CG 232306
IK 771771
DR 10492749



Freigliner

HD4308A

14 V

CG 234308
UP BH1447



Daewoo : 96206871, 96341300

HD4308B

14 V

CG 234308
UP BH1447



Daewoo : 96206871, 96341300

HD6599A

14 V

CG 136599
IK 771631, 771630
UP BH1407A



Denso Brush Holders

HN2084A

14 V



UP BH631
TR INB220
CG 132084
ND 0216202180
MB BHND01

Acura (1986-1999), Chevrolet (1985-1991), Caterpillar (1993-2014), Ford (1995-1998), Mazda (1997-2002), Suzuki - Europe (1993-2010), Toyota - Europe (1982-2010)

HN2556A

Capacitor : 0.47uF . 250V



ND 0216201240
CG 132556
WAI 6974591W

TOYOTA Land Cruiser 3.4 D 1981-1988 3B /
TOYOTA Dyna 150 2.4 D LY6.. 1986-1988

HN2556B



ND 0216201240
CG 132556
WAI 6974591W

TOYOTA Land Cruiser 3.4 D 1981-1988 3B /
TOYOTA Dyna 150 2.4 D LY6.. 1986-1988

HN3120A



MB BHND08

HYUNDAI Sonata V 3.3 NF 2005-3342ccm G6DB
KIA Sorento I 3.3 V6 JC 2007- 3342ccm G6DB
HYUNDAI Grandeur 3.3 TG 2005-

HN3120B



MB BHND08

HYUNDAI Sonata V 3.3 NF 2005-3342ccm G6DB
KIA Sorento I 3.3 V6 JC 2007- 3342ccm G6DB
HYUNDAI Grandeur 3.3 TG 2005-

HN3300A

14 V, OD 40.50



ND 0216202350
CG 232456
MB BHND02

CHRYSLER Voyager I 3.0 V6 1987-1990 2972ccm EFA
CHRYSLER GS Daytona Shelby 2.5 1989- 2501ccm EDT /
CHRYSLER Le Baron 2.2i 1988-1989

HN3300B

14 V, OD 40.50



ND 0216202350
CG 232456
MB BHND02

CHRYSLER Voyager I 3.0 V6 1987-1990 2972ccm EFA
CHRYSLER GS Daytona Shelby 2.5 1989- 2501ccm EDT /
CHRYSLER Le Baron 2.2i 1988-1989

HN3673A

14 V



UP BH635
MB BHND10
CG 133673
ND 0216202530

TOYOTA MR2 II 2.0 Turbo W20 1992-2000 1998ccm 3S-GTE /
TOYOTA Celica 2.0 GT 16V ..T20.. 1993-1999 1998ccm 3S-GE //
SUZUKI Grand Vitara I 2.5 V6 FT

HN5419A

14 V



CG 135419
MB BHND03
ND 0216202430, 0216300560
UP BH640

DODGE Ram 5.9 V8 1999-2001 360 /
DODGE Dakota 2.5 1999-2000 EPE EPO //
JEEP Cherokee I 4.0 XJ 1998-2001 3960ccm 242 /

HN5588A

14 V



ND 0216203001
CG 235588
MB BHND11

DODGE Durango 3.7 V6 2004-2006 3700ccm EKG /
DODGE Durango 4.7 V8 2001-2006 4701ccm EVA //
JEEP Commander 3.7 V6 XK 2006-2010

HN5588B

14 V



MB BHND11
CG 235588
ND 0216203001

DODGE Durango 3.7 V6 2004-2006 3700ccm EKG /
DODGE Durango 4.7 V8 2001-2006 4701ccm EVA //
JEEP Commander 3.7 V6 XK 2006-2010

HN5607A

14 V



CG 235607
MB BHND06, BHND12
IK 776071
ND 0216203020

TOYOTA 4RUNNER (04-13), ALPHARD 08->, AURIS (08-12), CAMRY 11->, COROLLA 13->, YARIS 05->,...

HN5607B

14 V



CG 235607
MB BHND06, BHND12
IK 776071
ND 0216203020

TOYOTA 4RUNNER (04-13), ALPHARD 08->, AURIS (08-12), CAMRY 11->, COROLLA 13->, YARIS 05->,....

Ford Brush Holders

HF6216A

14 V



CG 136216
UP BH1806
IK 771661, 771660

FORD U.S. Aerostar 4.0 V6 1990-1997 /
Bronco 5.0 V8 1993-1995 / Bronco 5.8 V8
1983-1995 /
Econoline 5.0 V8 1993-1995 / Econoline
5.8 V8 1993-1995 / Explorer 4.0 V6 U2

Hitachi Brush Holders

HH8719A

14/28 V



CG 138719
MB BHH05
HI L190G3330
UP BH715

NISSAN King Cab 2.5 TD 4WD D22 1998-2001 2494ccm TD25 / NISSAN Navara 2.5 Di D22 1998-2001 2494ccm TD25Ti / NISSAN Pick Up 2.5 TD D22 1998-2001 2494ccm TD25Ti

Mitsubishi Brush Holders

HM3735B



TR IMB735
CG 234500
UP BH585

Chrysler (2000-2005), Chrysler - Europe
(1999-2005), Dodge (1998-2005),
Plymouth (1998-2001)

Motorola Brush Holders

HT1920A

14 V., OD 54.15



CG 131920

CATERPILLAR//INTERNATIONAL

HT3069A

28 V



CG 133069

VOLVO PENTA TAMD120A,
TAMD162A,B,C; TMD100B,C; TMD120A,
TMD120B //
CATERPILLAR// CUMMINS - VARIOUS
MODELS

HT3070A

14 V



CG 133070
UP BH0101

CATERPILLAR//INTERNATIONAL

Poong Sung Brush Holders

HY6468A

14 V



CG 236468

KIA Sportage I 2.0 TD K00 1996-2002 RF

Bosch C.R.E. Covers

BB0567A



Audi A1 (2011 - 2014)
Audi Q3 (2012 - 2015)
Audi Q3 (2015 - 2015)

BB0567B



Audi A1 (2011 - 2014)
Audi Q3 (2012 - 2015)
Audi Q3 (2015 - 2015)

BB2180A

Capacitor:2.2uF.250V



BO F00M146617
CG 232180

RENAULT Clio II 1.6 16 VBB CB 1998-2007 K4M AC /
RENAULT Espace III 2.0 16V JE 1998-2002 F4R /
RENAULT Laguna II 2.0 IDE BG KG 2001-

BB2457A



CG 232457

MERCEDES-BENZ CL600 5.8 215 1999-2002 M137.970/ S600 5.8 220 1999-2006 M137.970 //
BMW 750i 5.4 E38 1998-2001 M73B54

BB3588A



CG 233588
BO F00M146675

BB3725A



WAI 529720W
BO F00M146718, F00M146661,
F00M146053
CG 233725

BB3725C



BO F00M146718, F00M146661
CG 233725
WAI 529720W

BB4549A

S.R.E. Cover



BO F00M196001
CG 333543, 234549
WAI 529826W

CHRUISER PT CRUISER 2.2CRD (02-10)
// GAZ VOLGA 2.3L 93-> // MERCEDES C-CLASS W203 (03-07), SPRINTER 903/906, VITO // UAZ HUNTER 2.7L

BB4549B



BO F00M196001
CG 333543, 234549
WAI 529826W

CHRUISER PT CRUISER 2.2CRD (02-10)
// GAZ VOLGA 2.3L 93-> // MERCEDES C-CLASS W203 (03-07), SPRINTER 903/906, VITO // UAZ HUNTER 2.7L

BB9640A



CG 239640
BO F00M146049, F00M146050

BB9656A

Capacitor:2.2uF.400V



CARGO 139656
BO F00M126603, F00M146743,
F00M146605, F00M196012

Ford : 1100711, 1100712, 3M2110300AA,
3M2110300BA

Volvo: 9442130

BB9928B



CG 139928
BO F00M136254, F00M196008,
F00M146715

Denso C.R.E. Covers

BN7614A



CG 237614

Valeo C.R.E. Covers

BV5163A



CG 235163
VA 593774
WAI 529787W

BV5166A



CG 239970

BV5490A



CG 235490
VA 593663


BV7561A



CG 237561
VA 593981

PEUGEOT 107 1.4 HDi 2005 - 1398ccm
8HT (DV4TD) /
PEUGEOT 206 1.1i 2A 2C 2E 2K 1998 -
HFX HFZ (TU1J) /
PEUGEOT 406 2.0 16V HPI 8B 8E 8F

BV7561B



BV7561C



VA 593981
CG 237561

PEUGEOT 107 1.4 HDi 2005-1398ccm 8HT
(DV4TD)

BV8322A



Bosch Diodes

ZB1034A

Diode: NEGATIVE, 50Ampere,
24-32V Avalanche
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.3Diax23L



CG 231034

ZB1035A

Diode: POSITIVE, 50Ampere,
24-32V Avalanche
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.3Diax23L



CG 231035

ZB1405A

Diode: POSITIVE, 50Ampere,
19-24V Avalanche
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.3Diax23L



CG 231405

ZB1407A

Diode: POSITIVE, 80Ampere,
19-24V Avalanche
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.5Diax23L



MB DD1090
CG 231407

ZB1408A

Diode: NEGATIVE, 80Ampere,
19-24V Avalanche
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.5Diax23L



MB DD1089
CG 231408

ZB1409A

Diode: POSITIVE, 80Ampere,
24-32V Avalanche
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.5Diax23L



CG 231409

ZB1410A

Diode: NEGATIVE, 80Ampere,
24-32V Avalanche
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.5Diax23L



CG 231410

ZB3349A

Diode: POSITIVE, 35Ampere,
300V
Dim(mm): 12.7 (1/2")OD
Lead(mm): 1.5Diax25L



CG 233349
MB DD1015
TR 8734

ZB3350A

Diode: NEGATIVE, 35Ampere,
300V
Dim(mm): 12.7(1/2") OD
Lead(mm): 1.5Diax25L



CG 233350
MB DD1014
TR 8735

ZB3673A

Diode: POSITIVE, 25Ampere,
300V



CG 130669
TR 8724
MB DD1013

ZB4351A

Diode: POSITIVE, 50Ampere,
34-42V Avalanche
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.3Diax23L



CG 234351
MB DD1092

ZB4738A

Diode: POSITIVE, 80Ampere,
19-24V Avalanche
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.5Diax23L



CG 234738

ZB4739A

Diode: NEGATIVE, 80Ampere,
19-24V Avalanche
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.5Diax23L



CG 234739

ZB6252A

Diode: POSITIVE, 80Ampere,
19-24V Avalanche
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.5Diax23L



BO 0270300113
CG 236252

ZB6253A

Diode: NEGATIVE, 80Ampere,
19-24V Avalanche
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.5Diax23L



BO 0270300114
CG 236253

ZB8224A

200 V., 35 Amp., OD 1/2"/12.70,
OD/ collar 11.35, Lead length
20.00,
Polarity Positive, Diode type
Press-fit



BO 0270100113, 0270100351,
0270100353, 0270100357,
0270100423
MM AMP1106
CG 130912
TR 8224

ZB8234A

Diode. + Amp. 35
V. 330 mA 0.1
Dim. [mm] 12.77(1/2")OD
Lead. [mm] 1.4Diax23L



BO 0270100105, 0270100311,
0270100336, 0270100313,
0270100333
MB DD1023
TR 8234

ZB8235A

200 V., 35 Amp., O.D. 1/2" /
12.70, Lead L. 20.00, Negative,
Diode type Press-fit,



BO 0270100008, 0270100010,
0270100016, 0270100020,
0270100104, 0270100112
MB DD1022
CG 130911
TR 8235
UP DIO5037A

Bosch Diodes

ZB8252A

200 V., 50 Amp., O.D. 1/2" / 12.70, Lead L. 22.00, Positive, Diode type Press-fit



TR 8252
CG 138634
MB DD1025

ZB8270A

Diode: POSITIVE, 80Ampere, 300V
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.5Diax23L



TR 8270

ZB8271A

Diode: NEGATIVE, 80Ampere, 300V
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.5Diax23L



TR 8271

ZB8450A

Diode: 50A Avalanche, 24-32V
Dim(mm): 12.78(1/2")OD
Lead(mm): 1.3Diax23L



TR 8450

ZB8635A

Diode: NEGATIVE, 50Ampere, 300V
Dim(mm): 12.78(1/2")OD
Lead(mm): 1.3Diax23L



TR 8253
CG 138635
MB DD1024
UP DIO5051
BO 0270100508, 0270100504

ZB8635B

Diode: NEGATIVE, 50Ampere, 300V
Dim(mm): 12.78(1/2")OD
Lead(mm): 1.3Diax23L



BO 0270100508, 0270100504
TR 8253
CG 138635
MB DD1024

ZB8725A

Diode: NEGATIVE, 25Ampere, 300V
Dim(mm): 12.7(1/2")OD
Lead(mm): 1.5Diax25L



BO 0270100406, 0270100412, 0270100414, 0270100418, 0270100424
CG 130670
TR 8725
MB DD1012

Delco Diodes

ZD0005A

DIODE TRIO DR 10SI
Orange Case



DR 1975328, 1985348, DR3922,
1984459
TR D528
MB DT01
CG 131418
UP DIO007

ZD0005B

DIODE TRIO DR 10SI
Black Case



MM AMP1221
DR DR3923, 1975328, 1985348,
DR3922
LU 21226110
TR D528
MB DT01
CG 131418

Agco Allis (1991-1996) , Agco Gleaner
(1986-1997) , Agco Spra Coupe (1998-
2003) , Agco White (1993-1999) , Allis
Chalmers (1972-1986) , American Motors
(1976-1988) , Austin Western (1976-1979)

ED1524A

DIODE TRIO DR 11SI
Orange Case
For use on: European & South
American Vehicles With Delco
11 SI Alternators



TR DET524
CG 130674
MB DT02

Opel - Europe (1989-1997), Opel LCV -
Europe (1989-1997)

ZD1897A

DIODE TRIO DR 21SI



CG 233200, 131897
TR DT182

ZD5644A

DIODE TRIO DR 22SI
With Quick-Start Circuit



For use on: Delco 22SI Alternators

Hitachi Diodes

ZH7230A

Diode: POSITIVE, 35Ampere ,
300V
Dim(mm): 9.7OD
Lead(mm): 1.5Diax20L



TR 328918
CG 131511

Cub Cadet (1998-2012), Ford (1983-1987),
Gehl (1985-1997), Isuzu (1986-2007), John
Deere (1978-1989), New Holland (1983-
1987), Subaru (1995-1995), Subaru -
Europe (1996-1998)

ZH7231A

Diode: NEGATIVE, 35Ampere ,
300V
Dim(mm): 9.7OD
Lead(mm): 1.5Diax20L



CG 131510
TR 7231

Cub Cadet (1998-2012), Ford (1983-1987),
Gehl (1985-1997), Isuzu (1986-2007), John
Deere (1978-1989), New Holland (1983-
1987), Subaru (1995-1995), Subaru -
Europe (1996-1998)

ZH8630A

Diode: Negative, 35Ampere, 300V
Dim(mm): 11.78 OD
Lead(mm): 1.5Diax20L



TR 328103
CG 136253

ZH8641A

Diode: NEGATIVE, 35Ampere,
300V
Dim(mm): 11.78 OD
Lead(mm): 1.5Diax20L



MB DD1059
CG 136254
TR 8641

Infiniti (1996-1999), Nissan (1995-1997),
Nissan - Europe (1995-2010)

ZH8652A

Diode: POSITIVE, 50 A
Avalanche,
19-32V
Dim(mm): 11.87 OD
Lead(mm): 1.5Diax20L



MM AMP1115N
CG 138636
TR 8652
MB DD1068

ZH8660A

Diode: POSITIVE, 50 A
Avalanche,
19-32V
Dim(mm): 11.78 OD
Lead(mm): 1.5Diax20L



TR 8660
MB DD1070

ZH8661A

Diode: NEGATIVE, 50 A
Avalanche,
19-32V
Dim(mm): 11.78 OD
Lead(mm): 1.5Diax20L



TR 8661
MB DD1069

Magneti Marelli Diodes

ZE0700A

O.D. 102.85
For Rectifier w/ D+ connction




LU 21220361
CG 131693
TR IX700

Mitsubishi Diodes

ZM8025A


Diode: 2.5 Ampere , 200V



CG 135213
TR 328908

ZM8030A

Diode: 3.0 Ampere , 200V



TR 8030
CG 131294

Acura (1997-2004), BMW (1964-1995),
BMW - Europe (1990-1996), Caterpillar
(1996-2003), Dodge (1996-1996), Eagle
(1995-1998), Ford (1990-2006), Ford -
Europe (1993-2002)

ZM8330A

Diode: POSITIVE, 30Ampere ,
200V



TR 328300
CG 133704

ZM8331A

Diode: NEGATIVE, 30Ampere ,
200V



CG 133705
TR 328301

ZM8334A

Diode: POSITIVE, 35Ampere ,
200V



CG 231578

ZM8335A

Diode: NEGATIVE, 35Ampere ,
200V



CG 231579

Motorola Diodes

ZT1120A

Diode: POSITIVE, 70Ampere ,
400V
Stud: 1/4"-28



CG 133495
TR 32769

ZT4736A

Diode: POSITIVE, 80Ampere,
34-42V Avalanche
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.5Diax23L



MB DD1088
CG 234736

ZT4737A

Diode: NEGATIVE, 80Ampere,
34-42V Avalanche
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.5Diax23L



MB DD1087
CG 234737

Other Diodes

ZZ3445A

100 V, 50 Amp,
OD 11.75, Lead length 17.10,
Polarity Positive, Diode type
Press-fit



CG 233445

UNIVERSAL
PD051

ZZ3446A

100 V, 50 Amp,
OD 11.75, Lead length
1.50x19.00,
Polarity Negative, Diode type
Press-fit



CG 233446

UNIVERSAL
PD052

ZZ4350A

Diode: NEGATIVE, 60Ampere,
34-42V Avalanche
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.3Diax23L



CG 234350
MB DD1091

ZT7541A

400 V, 70 Amp, Polarity
Negative,
Diode type Stud mount



CG 133496
TR 1120R

CAV
6270-395a

Hitachi Disc

ZH4264A



CG 234264

Bosch Rectifiers

EB0100B

Diodes : 6-50A Avalanche
Diameter OD:120mm
With M8x32mm Battery Post (L)
With M8x22mm Battery Post (R)



MB RB161H
MH AEB0100
BO F00M123252

Ford: 1C3510300AA, 1C3510300AB

EB0200A

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x32mm Battery Post(L)
With M8x22mm Battery Post®



BO F00M113200, F00M133241
MM AMP1420
TR IBR200
CG 139915
MB RB118H

OPEL ASTRA F/G, CALIBRAA, OMEGA B, VECTRA B, ZAFFIRA A ->>05
Opel - Europe (1998-2010), Opel LCV - Europe (2000-2010), Porsche (1997-2004), Porsche - Europe (1997-2005), Saab -

EB0200B

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x32mm Battery Post(L)
With M8x22mm Battery Post




BO F00M133241
BO F00M113200
MM AMP1420
CG 139915
CG 231714
MB RB118H
TR IBR200
OPEL 1205580
HU 133701

OPEL ASTRA F/G, CALIBRAA, OMEGA B, VECTRA B, ZAFFIRA A ->>05

EB0207B

Diodes : 6-60A Avalanche
Diameter OD: 120mm
With M8x22mm Battery Post(L)
With M8x32mm Battery Post(R)




BO F00M133268, F00M133231,
F00M133207, F00M133209
CG 230374
TR IBR207

Volkswagen LCV - Europe (1998-2003)

EB0208A

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x22mm Battery Post(L)
With M8x34.5mm Battery Post(R)




BO F00M123255, F00M144002,
F00M123228
CG 233467
MB RB172H
TR IBR208, IBR209

MERCEDES-BENZ VITO 2.2CDI (99-03) // VW LT 28-46 2.8TDI, POLO 1.9D, TRANSPORTER T4 2.4D (97-03)

EB0208B

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x22mm Battery Post(L)
With M8x32mm Battery Post(R)




BO F00M123255, F00M144002,
F00M123228
CG 233467
MB RB172H
TR IBR208, IBR209

MERCEDES-BENZ VITO 2.2CDI (99-03) // VW LT 28-46 2.8TDI, POLO 1.9D, TRANSPORTER T4 2.4D (97-03)

EB0211A

Diodes: 6-50A Avalanche
Diameter OD: 129mm
With M8x32mm Battery Post(L)
With M8x22mm Battery Post(R)
With 129 mm Negative heat sink




BO F00M123248, F00M133361,
F00M133211
MB RB184HV
TR IBR211
CG 331001
WAI 233518W

John Deere (2001-2005), Opel - Europe (1998-2007), Renault - Europe (2005-2012), Saab (2003-2005), Saab - Europe (2001-2010), Saturn (2003-2005)

EB0215A

Diodes: 6-60A Ampere
Diameter OD: 129mm
With M8x22mm Battery Post(L)
With M8x32mm Battery Post(R)
With 129 mm Negative heat sink




BOSCH F00M123215
F00M133218 F00M133247
MOBILETRON RB929H
CARGO 235218
TRANSPO IBR215

Ford: YM2110300CA, 1188206, 1580265

EB0215B

Diodes: 6-70A Avalanche
Diameter OD: 129mm
With M8x22mm Battery Post(L)
With M8x32mm Battery Post(R)
With 129 mm Negative heat sink



MOBILETRON RB954HV

AUDI/SEAT/SKODA/VOLKSWAGEN 03->

EB0215C

Diodes: 6-50A Avalanche
Diameter OD: 129mm
With M8x22mm Battery Post(L)
With M8x34.5mm Battery Post(R)
With 129 mm Negative heat sink



BO F00M133262, F00M133832,
F00M133247, F00M133259,
F00M133218, F00M133247
TR IBR215
MB RB929H, RB929HV
CG 235218

AUDI/SEAT/SKODA/VOLKSWAGEN 03->

EB0224B

Diodes: 6-35A Avalanche
For 24V Alternators
Diameter OD: 120mm
With M8x32mm Battery Post(L)
With M8x32mm Battery Post(R)



CG 235051, 236384, 333283
BO F00M133224, F00M133236,
F00M133286
TR IBR224

MAZ SERIE 100/105/200 97-> // MERCEDES-BENZ ASTROS (06-02), ATEGO 04->, AXOR 04->, LK/LN2 (96-98) // SCANIA P,G,R,T 04->

EB0224C

Diodes: 6-50A Avalanche
Diameter OD: 129mm
With M8x34.5mm Battery Post(L)
With M8x38mm Battery Post(R)
For 24V Alternators



CG 235051, 236384, 333283
BO F00M133224, F00M133236,
F00M133286
TR IBR224

MAZ SERIE 100/105/200 97-> // MERCEDES-BENZ ASTROS (06-02), ATEGO 04->, AXOR 04->, LK/LN2 (96-98) // SCANIA P,G,R,T 04->

EB0224D

Diodes : 6-50A Avalanche
Diameter OD:120mm
With M8x26mm Battery Post (L)
With M8x26mm Battery Post (R)
For 24V Alternators



TR IBR224
CG 235051
UP REC2806
MB RB117H
BO F00M133236, F00M133286,
F00M133224

MAZ SERIE 100/105/200 97-> // MERCEDES-BENZ ASTROS (06-02), ATEGO 04->, AXOR 04->, LK/LN2 (96-98) // SCANIA P,G,R,T 04->

EB0225A

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x38mm Battery Post(L)
With M8x22mm Battery Post(R)



BO F00M133202
TR IBR225
MB RB171HV

Dodge (2002-2008), Jeep (1999-2004), Mini (2009-2009)

EB0226B

Diodes: 6-50A Avalanche
Diameter OD: 129mm
With M8x26mm Battery Post(L)
With M8x50mm Battery Post(R)
With 129 mm Negative heat sink




TR IBR226
BO F00M133226

BMW 3- (E46/E90), 5- (E39), X5 (E53), Z3 (E36) 00->

EB0229A

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x22mm Battery Post(L)
With M8x32mm Battery Post(R)




BO F00M123226, F00M123229
TR IBR229
CG 235546
MB RB926H

Audi - Europe (2002-2013), Seat - Europe (2004-2013), Skoda - Europe (2001-2013), Volkswagen (2006-2009), Volkswagen - Europe (2000-2012), Volkswagen LCV - Europe (2004-2012)

EB0230A

Diodes:6-50A Avalanche
Diameter OD: 120mm
With M8x32mm Battery Post(L)
With M8x32mm Battery Post(R)



BO F00M123316, F00M123236
TR IBR230
CG 235567

RENAULT CLIO II, KANGOO 97, MEGANE I (99-03), SCENIC (99-03), THAKIA 00->

EB0234A

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x22mm Battery Post(L)
With M6x35mm Battery Post(R)
With big insulator hole




BO F00M123234, F00M123335
CG 235052
TR IBR234

Ford LCV - Europe (2000-2006)

Bosch Rectifiers

EB0234B

Diodes : 8-50A Avalanche
Diameter OD: 120mm
With M8x22mm Battery Post(L)
With M6x35mm Battery Post(R)
With big insulator hole



BO F00M123254, F00M123334,
F00M123335
TR IBR234
CG 235052
UP REC2807

FORD TRANSIT 2.0DI (00-06) [D3FA,
ABFA,F3FA, F1FA]

EB0238A

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x22mm Battery Post(L)
With M8x32mm Battery Post(R)



BO F00M123238, F00M123323
TR IBR238
CG 235694

Toyota - Europe (1999-2010)

EB0243A

Diodes: 6-60A Avalanche
Diameter OD: 129mm
With M8x22mm Battery Post(L)
With M8x32mm Battery Post(R)
With 129 mm Negative heat sink




BO F00M133289
CG 333558, 237356
TR IBR243
UP REC2802

Nissan - Europe (2006-2010), Nissan
LCV - Europe (2002-2010), Opel LCV -
Europe (2006-2010), Renault - Europe
(2001-2010), Renault LCV - Europe (2003-
2010)

EB0244A

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x22mm Battery Post(L)
With M8x32mm Battery Post



BOSCH F00M123227
F00M123244
F00M123201
MOBILETRON RB116H
TRANSPO IBR244
CG 230075

Audi (1999-2001), Audi - Europe (1998-
2006), Dodge (2003-2006), Ford - Europe
(1999-2006), Mercedes - Europe (2000-
2003), Mercedes LCV - Europe (2006-2010)

EB0257A

6x60 Amp Diodes



BO F00M133293, F00M133257
TR IBR257

MERCEDES-BENZ CLS (04-10), E-
CLASS (W211), M-CLASS ((164,186),
SPRINTER (906)

EB0274A

Diodes: 6-50A Avalanche
Diameter OD: 129mm
With M8x38mm Battery Post(L)
With M8x22mm Battery Post(R)
With 129 mm Negative heat sink



BOSCH F00M133274
F00M133292
TRANSPO IBR274

Mercedes - Europe (2004-2012), Mercedes-
Benz (2005-2011)

EB0277A

Diodes: 6-50A Avalanche
Diameter OD: 129mm
With M8x22mm Battery Post(L)
With M6x51mm Battery Post(R)
With 129 mm Negative heat sink



BO F00M133277
TR IBR277
MB RB954H, RB154H

Cadillac (2005-2006), Chevrolet (2005-
2007), GMC (2005-2007)

EB0279A

Diodes: 6-50A Avalanche
Diameter OD: 129mm
With M6x47mm Battery Post(L)
With M8x47mm Battery Post(R)
With 129 mm negative heat sink



BO F00M133296, F00M133357,
F00M133279
TR IBR279

Caterpillar (1990-2001), Chevrolet (1989-
2002), Cummins Engines (1991-1992),
Dodge (1970-1977), Ford (1972-2008),
Volvo (1983-2007), Volvo Penta (1991-
2005)

EB0301A

Diodes: 6-50 Ampere
Diameter OD: 114mm
With M6x52.5mm Battery Post
With Trio




BO 1127011131
CG 134341
UP REC207
MB RB16H
TR IBR301

Case (1982-1999), Deutz-Allis (1986-
1988), Deutz-Fahr (1984-1988), Steyr
(1989-1989), Volvo (1982-1986)

EB0302A

Diodes: 6-50 Ampere
Diameter OD: 114mm
With Trio
For use on : Audi, VW Diesel



BO 1127011614, 1127320506,
1127320614, 1127320648,
1127011116
TR IBR302
UP REC208
MB RB03HA

Audi (1982-1983), Audi - Europe (1971-
1986), Volkswagen (1979-1985),
Volkswagen - Europe (1979-1992),
Volkswagen LCV - Europe (1982-1992)

EB0303A

Diodes : 6-50 Ampere
Diameter OD: 114mm
With Trio



CG 130603
MM 940038200
MB RB01A, RB01HA
TR IBR303, IBR305HD
UP REC201

Audi (1970-1984), Audi - Europe (1971-
1986), Ford (1976-1980), Ford - Europe
(1969-1996), Ford LCV - Europe (1969-
2002)

EB0304A

Diodes: 6-50 Ampere
Diameter OD: 114mm
With M6x52.5mm Battery Post
With Trio



CG 130602
MM 940038201
MB RB02, RB02H
UP REC202
TR IBR304
BO 1127011117, 1127011118,
1127011120, 1127011121,
1127011123, 1127011124

Ford: 1668894, 5027848, 894X10300AE,
924F10300AA
Saab: 8523254, 8540684, 8545592
Volvo: 1235424, 1235908, 1308720

EB0308A

Diodes: 8-35A Avalanche
Diameter OD: 114mm
With M8x52.5mm Battery Post
Without Trio



BOSCH 9121067067
9121067388
9121067364
MOBILETRON RB84H
CARGO 234953
TRANSPO IBR308

John Deere (1998-2007), Thermo King
(1990-2007), Westerbeke (2000-2007)

EB0311A

Diodes: 6-50 Ampere
Diameter OD: 114mm
With M8x52.5mm Battery Post
With M5x47.2mm Trio Post
With Trio




CG 132667
MM 940038369
MB RB04, RB04H
UP REC203
TR IBR311, 319114
BO 1127320664, 1127320665,
1127320666, 1127320934,
1127320945

Audi - Europe (1985-1991), Bell (1997-
2005), BMW (1991-1993), Case (1983-
2008), Caterpillar (1985-1993), PSI (2001-
2007), Komatsu (1995-2007), Seat -
Europe (1991-1995)

EB0314A

Diodes: 6-35 Ampere
Diameter OD: 114mm
With M6x50mm Battery Post
With M4x42mm Trio Post
With M5x48mm W-Post
With Trio



BO 1127320996, 1127011096,
1127011097, 1127320147,
1127320331, 1127320337,
1127320356, 1127320358
TR IBR314
MB RB07H
UP REC2204
CG 131468
MM AMP1541

ABG (Allg Baumasch Gesellsch) (1980-
1991), Atlas (1980-1988), Atlas Copco
(1980-1986), Case (1987-1991), Claas
(1979-1993), Deutz (1976-1989)

EB0315A

Diodes: 6-50 Ampere
Diameter OD: 114mm
With M8x52.5mm Battery Post
With M4x42mm Trio Post
With M5x48mm W-Post
With Trio



CG 133995
MB RB14H
UP REC2205
TR IBR315

Mercedes Heavy Duty - Europe (1991-
1994), Mercedes-Benz (1983-1992)

EB0316A

Diodes: 6-50 Ampere
Diameter OD: 114mm
With M8x52.5mm Battery Post
With M5x47.2mm Trio Post
With Trio



BO 1127320926, 1127320691,
1127320662, 1127320695,
1127320661, 1127320601
TR IBR316
UP REC209
CG 230361
MB RB05H

Audi - Europe (1985-1991), BMW - Europe
(1971-1994), Saab - Europe (1984-1993),
Seat - Europe (1991-1993), Volkswagen
(1985-1993), Volkswagen - Europe (1983-
1996)

EB0317A

Diodes: 6-50 Ampere
Diameter OD: 114mm
With M5x47.2mm W-Post
With Trio



BO 1127320139, 1127320372,
1127320580, 1127320652,
1127011139
TR IBR317
UP REC210
CG 132669
MB RB06HA

Ford (1978-1980), Ford - Europe (1980-
1986), Ford LCV - Europe (1986-2002),
Jaguar - Europe (1975-1986)

Bosch Rectifiers

EB0320A

Diodes: 6-50 Ampere
Diameter OD: 114mm
With M6x52.5mm Battery Post
With M5x47.2mm Trio Post
With Trio

BO 9121147302
TR IBR320
CG 133997
MB RB17H
UP REC204



Nissan LCV - Europe (1988-1996) , Opel - Europe (1991-1995) , Opel LCV - Europe (1984-1987)

EB0324A

Diodes:8-50 A Avalanche
Diameter OD: 114mm
With M8x52.5mm Battery Post
With M5x48mm Trio Post
With Trio

MM AMP1692
BO 1127320692
MB RB80H
TR IBR348
UP REC2202
CG 138165




Apache (2001-2007) , Bell (2000-2005) , Case (1984-2009) , Caterpillar (1992-1996) , Deutz-Allis (1987-1992) , Deutz-Fahr (1984-1994) , Iveco (1985-1991)

EB0341A

Diodes: 14-50 Ampere
Diameter OD: 125mm
With M8x52mm Battery Post
With M4x32.5mm Trio Post With
M6x52mm Ground Post With
M5 W-Post With Trio

BO 1127320995, 1127320388,
1127320390, 1127320395,
1127320653, 1127320654,
1127320655, 1127320656,
1127320959, 1127320961
TR IBR341
UP REC252
CG 139581
MB RB62H



DAF 90-> // IVECO 91-> // MAN 87-> // VOLVO 00->

EB0353A

Diodes: 8-35 Ampere
Diameter OD: 120mm
With M8x52mm Battery Post
With M5x48mm Trio Post
With M5x48mm W-Post
With Trio

BO 1127320707, 1127320706
MB RB53H
CG 134002
UP REC236
TR IBR353



Ford - Europe (1982-1995), Jaguar - Europe (1986-1992), Merkur (1988-1989), Opel - Europe (1989-1993), Volvo (1996-2000)

EB0354A

Diodes: 8-35 Ampere
Diameter OD: 120mm
With M8x52mm Battery Post
With M5x48mm Trio Post
With Trio

BO 1127320749, 1127320705
TR IBR354
CG 233778, 133261
UP REC237
MB RB54H



Alfa Romeo (1991-1992), Audi (1986-1994), Audi - Europe (1978-1994), BMW (1982-1992), BMW - Europe (1981-1993), Jaguar (1987-1996), Jaguar - Europe (1988-1997)

EB0388A

Diodes: 6-50A Avalanche
Diameter OD: 114mm
With M6x50mm Battery Post
Without Trio

BO 9120067027, 9121067385
MM AMP1027
TR IBR388
UP REC219
MB RB83H



Thermo King (1990-2007) , Westerbeke (2000-2007)

EB0501A

Diodes: 8-50A Avalanche
Diameter OD: 122mm
With M8x30mm Battery Post
With Trio

BO 1127319752, 1127319501,
1127319578, 1127319751,
1127319538, 1127319574,
1127319736
UP REC2631
TR IBR501
CG 230173




Ford - Europe (1996-1999), Saab (1995-1998), Seat - Europe (1995-2001), Seat LCV - Europe (1999-2003), Volkswagen (1996-1998), Volkswagen - Europe (1996-1999)

EB0547A

Diodes: 14-50 Ampere
Diameter OD: 145mm
With M8x52mm Battery Post
With M8x52mm Ground Post
With M5x34.5mm Trio Post
With M5x25mm "W" Post

BOSCH 1127320547
1127320571
CARGO 136581
MOBILETRON RB78H
TRANSPO IBR547




MAN - Europe (1980-2001), Volvo (1987-2001)

EB0547B

Diodes: 14-50 Ampere
Diameter OD: 145mm
With M8x52mm Battery Post
With M8x52mm Ground Post
With M5x34.5mm Trio Post
With M5x25mm "W" Post

BO 1127319002, 1127319645,
1127319506, 1127319003
CG 136957
TR IBR649



Audi (1992-1997), Renault - Europe (1995-2001), Volvo (1992-1996), Volvo - Europe (1990-2004)

EB0550A

Diodes: 12-50 Ampere
Diameter OD: 145mm
With M8x52mm Battery Post
With M5x34.5mm Trio Post
With M8x52mm Ground Post
With 3-35A Diode Trio

BO 1127320550, 1127320374
MM AMP1547
TR IBR550
MB RB78H



Droegmoeller (1980-1988) , Kaessbohrer (1986-2001) , MAN - Europe (1992-2001) , Mercedes Heavy Duty - Europe (1985-2001)

EB0649A

Diodes: 14-50A Avalanche
Diameter OD: 122mm
With M8x30mm Battery Post
With Trio

BO 1127319002, 1127319645,
1127319506, 1127319003
CG 136957
TR IBR649



Audi (1992-1997), Renault - Europe (1995-2001), Volvo (1992-1996), Volvo - Europe (1990-2004)

EB0649B

6-50A Avalanche Press Fit
Diodes, 20-24V
3-3A Trio Diode
Crimp-Weld Diode Stem
Terminations
Lead Frame with Auxiliary Phase
Terminal

BO 1127319002, 1127319645,
1127319506, 1127319003
CG 136957
TR IBR649



Audi (1992-1997), Renault - Europe (1995-2001), Volvo (1992-1996), Volvo - Europe (1990-2004)

EB0671A

Diodes: 8-50A Avalanche
Diameter OD: 112mm
With M6 Battery Post
With Trio

BO 1127319528, 1127319671,
1127319670
TR IBR671
CG 139571



HONDACivic 1.4 16V [D14A2] 01.1995-04.1997
HONDACivic 1.4 16V [D14A7] 04.1998-02.2001
HONDACivic 1.4 16V [D14A8] 04.1998-

EB0720A

Diodes: 8-35 Ampere
Diameter OD: 120mm
With M8x52mm Battery Post
With M5x48mm Trio Post
With Trio

BO 1127320720, 1127320911,
1127320727, 1127320741
CG 136372
TR IBR720
MB RB77H



BMW (1987-1993)

EB0753A

Diodes: 8-35 Ampere
Diameter OD: 120mm
With M8x52mm Battery Post
With M4x48mmTrio Post
With M5x48mmW-Post
With Trio

BO 1127320750, 1127320753
TR IBR753



John Deere (1997-2006), Mercedes Heavy Duty - Europe (1985-2006), Mercedes-Benz (1996-2012), Valtra Valmet (2003-2008)

EB0753B

Diodes: 8-35 A Avalanche
Diameter OD: 120mm
With M8x52mm Battery Post
With M4x48mmTrio Post
With M5x48mmW-Post
With Trio

BO 1127320753, 1127319110
TR IBR753
MB RB93H
CG 137724
UP REC2361



DAF 45 FA- 85 CF ->00, DAF 95 FTT - CF 85 FTT 01->

EB0824A

Diodes: 12-50A Avalanche
Diameter OD: 122mm
With M8x30mm Battery Post
With Trio
For use on : Mercedes Benz

BO 1127319638, 1127319639,
1127320824
TR IBR824
CG 230614
UP REC261



Mercedes - Europe (1991-2000), Mercedes-Benz (1992-1996), Ssangyong - Europe (1997-1999)

EB0834A

Diodes: 14-50A Avalanche
Diameter OD: 122mm
With M8x30mm Battery Post
With Trio
For use on : Mercedes Benz

BO 1127319552, 1127320852
MB RB29H
WAI 319121
CARGO 135605
TR IBR834
UP REC262
MM 940038214



Bosch : 0120465003, 0120465004, 0120465013, 0120465014, 0120465015, 0120465016

Bosch Rectifiers

EB0844A

Diodes: 6-50A Avalanche
Diameter OD: 112mm
With M8x30mm Battery Post
With Trio



Φ112mm

MERCEDES BENZ C-CLASS C180/C200 ->00, E-CLASS E200/E220 ->98

BO 1127319729, 1127319636,
1127319593, 1127319510,
1127320834, 1127319730,
1127319637, 1127320864,
1127320807
CG 135175
UP REC241
TR IBR844
MB RB121H

EB0860A

Diodes: 14-50A Avalanche
Diameter OD: 122mm
With M8x40.5mm Battery Post
With Trio



Φ122mm

BMW (1992-2000), BMW - Europe (1991-1996)

BO 1127319689, 1127319690
TR IBR860
UP REC264

EB0882B

Diodes: 8-35A Avalanche
Diameter OD: 112mm
With M8x40.5mm Battery Post
With Trio




Φ112mm

BO 1127319815, 1127320882,
1127319617, 1127319009,
1127319623, 1127320862
TR IBR882
MB RB101H
CG 137257
UP REC243

EB0954A

Diodes: 14-50 Ampere
Diameter OD: 125mm
With M10x63mm Battery Post
With M4x32.5mm Trio Post
With M6x52mm Ground Post
With M5 W-Post
With Trio




Φ125mm

CASE 7000,01-1988-CASE 8000 05-1997-Case (1981-2006), International (1981-1986), New Holland (2001-2009), Tigercat (1996-2006)

BO 1127320954
MM AMP1920
TR IBR954, IBR954A
CG 136737
MB RB67H

EB0955A

Diodes: 8-50 Ampere
Diameter OD: 125mm
With M8x52mm Battery Post
With M4x32.5mm Trio Post
With M6x52mm Ground Post
With M5 W-Post
With Trio




Φ125mm

DAF - Europe (1992-1997), MAN - Europe (1980-2003), Massey Ferguson (1989-1997), Mercedes Heavy Duty - Europe (1985-1993), Mercedes-Benz (1983-2003), Valtra Valmet (1985-1992)

CG 136832
MB RB66H
TR IBR989, IBR955
BO 1127320591, 1127320602,
1127320924, 1127320928,
1127320946, 1127320951,
1127320955

EB0955B

Diodes: 8-35 A Avalanche
For 24V Alternators
Diameter OD: 125mm
With M8x52mm Battery Post
With M4x32.5mm Trio Post
With M6x52mm Ground Post
With M5 W-Post
With Trio



Φ125mm

DAF - Europe (1987-1998), MAN - Europe (1979-2011), Mercedes Heavy Duty - Europe (1984-2001), Mercedes-Benz (1983-2003), Renault (1996-2001)

BO 1127320969, 1127320928,
1127320946, 1127320989
MB RB71H
CG 136832

EB0973A

Diodes: 12-35A Avalanche
Diameter OD: 145mm
With M8x52mm Battery Post
With M5x34.5mm Trio Post
With M6x52mm Ground Post
With 3-35A Diode Trio
For 24V Alternators



Φ145mm

DAF - Europe (1988-1997), Drogmoeller (1987-1988), Kaesbohler (1989-2003), MAN - Europe (1991-2002), Mercedes Heavy Duty - Europe (1985-2006), Mercedes-Benz (1996-2003)

BO 1127320973

EB0973B

Diodes: 12-50 Ampere
Diameter OD: 145mm
With M8x52mm Battery Post
With M5x34.5mm Trio Post
With M6x52mm Ground Post
With 3-35A Diode Trio



Φ145mm

Drogmoeller (1990-1988), Kaesbohler (1986-2001), MAN - Europe (1992-2001), Mercedes Heavy Duty - Europe (1985-2001)

BO 1127320550, 1127320374
MB RB78H
TR IBR550

EB0989A

Diodes: 8-35 A Avalanche
For 24V Alternators
Diameter OD: 125mm
With M8x52mm Battery Post
With M4x32.5mm Trio Post
With M6x52mm Ground Post
With M5 W-Post
With Trio



Φ125mm

DAF - Europe (1987-1998), MAN - Europe (1979-2011), Mercedes Heavy Duty - Europe (1984-2001), Mercedes-Benz (1983-2003), Renault (1996-2001)

BO 1127320946
TR IBR989

EB1202A

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x32mm Battery Post(L)
With M8x22mm Battery Post(R)



Φ120mm

HONDA ACCORD 1.6L (98-02), CIVIC II (80-91)

BO F00M123202, F00M123337
TR IBR202
MB RB115H
CG 230360

EB1233A

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x38mm Battery Post(L)
With M8x22mm Battery Post®



Φ120mm

Ford - Europe (2000-2015), Ford LCV - Europe (2000-2015)

BO F00M123254, F00M123233
TR IBR233
CG 233524

EB1233B

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M6x35mm Battery Post(L)
With M6x35mm Battery Post



Φ120mm

Ford - Europe (2000-2015), Ford LCV - Europe (2000-2015)

BO F00M123233, F00M123234,
F00M123254, F00M123335
CG 233524
TR IBR2332

EB1233C

Diodes: 8-50A Avalanche
Diameter OD: 120mm
With M6x35mm Battery Post(L)
With M8x22mm Battery Post(R)



Φ120mm

Ford - Europe (2000-2015), Ford LCV - Europe (2000-2015)

BO F00M123233, F00M123254
TR IBR233
CG 233524

EB1237A

Diodes: 6-50A Avalanche
Diameter OD: 129mm
With M8x22mm Battery Post(L)
With M8x38mm Battery Post(R)
With 129 mm Negative heat sink



Φ129mm

Citroen LCV - Europe (2006-2010), Fiat LCV - Europe (2006-2010), Iveco Fiat LCV / Heavy Duty - Europe (2004-2010), John Deere (2007-2012), Peugeot LCV - Europe (2006-2010)

BO F00M133237, F00M133340
TR IBR237

EB1237B

Diodes: 6-50A Avalanche
Diameter OD: 129mm
With M8x34.5mm Battery Post(L)
With M8x34.5mm Battery Post(R)
With 129 mm Negative heat sink



Φ129mm

Citroen LCV - Europe (2006-2010), Fiat LCV - Europe (2006-2010), Iveco Fiat LCV / Heavy Duty - Europe (2004-2010), John Deere (2007-2012), Peugeot LCV - Europe (2006-2010)

BO F00M133237, F00M133340
TR IBR237

EB1451A

Diodes: 8-35 A Avalanche
For 24V Alternators
Diameter OD: 120mm
With M8x52mm Battery Post
With M4x48mm Trio Post
With M5x48mm W-Post
With Trio



Φ120mm

MAZ Serie 100/105/200/203 97-> // MERCEDES ASTROS 97->, VARIO 96->

BO 1127320753
CG 231451
TR IBR753

EB1694A

Diodes: 6-50A Avalanche
Diameter OD: 112mm
With M8 Battery Post
With Trio



Φ112mm

Citroen - Europe (1992-2002), Citroen LCV - Europe (1996-2002), Fiat - Europe (1997-2000), Fiat LCV - Europe (1996-2000), Lancia - Europe (1997-2000), Peugeot - Europe (1993-2004)

BO F00M033202, F00M033203,
1127319522, 1127319607,
1127319694
CG 136703
MB RB36H
TR IBR694

EB1694B

Diodes: 8-50A Avalanche
Diameter OD: 112mm
With M8 Battery Post
With Trio



Φ112mm

Citroen - Europe (1992-2002), Citroen LCV - Europe (1996-2002), Fiat - Europe (1997-2000), Fiat LCV - Europe (1996-2000), Lancia - Europe (1997-2000), Peugeot - Europe (1993-2004)

BO F00M033202, F00M033203,
1127319522, 1127319607,
1127319694
CG 136703
MB RB36H
TR IBR694

Bosch Rectifiers

EB1694C

Diodes: 6-35Avalanche
Diameter OD : 112mm
With M8x20mm Battery Post
With Trio
With Capacitor



Φ112mm

BO F00M033202, F00M033203,
1127319522, 1127319607,
1127319694
TR IBR694
MB RB36H
CG 136703

Citroen - Europe (1992-2002), Citroen
LCV - Europe (1996-2002), Fiat - Europe
(1997-2000), Fiat LCV - Europe (1996-
2000), Lancia - Europe (1997-2000),
Peugeot - Europe (1993-2004), Peugeot

EB1700A

Diodes: 12-50A Avalanche
Diameter OD: 122mm
With M8x30mm Battery Post
With Trio



Φ122mm

BO F00M053200, 1127319700,
F00M053201
CG 237268
TR IBR700

Audi (1997-2004), Audi - Europe (1995-
2002), Land Rover (1999-2002), Land
Rover - Europe (1994-2002), Mercedes -
Europe (1995-2005), Mercedes-Benz
(1994-2003)

EB1744A

Diodes: 6-50A Avalanche
Diameter OD: 122mm
With M8x30mm Battery Post
With Trio



Φ122mm

BO 1127319506, 1127319655,
1127319778, 1127319744,
1127319777, 1127319654,
1127319696, 1127319743,
1127319665
TR IBR744
UP REC271
MB RB33H

Cadillac (1997-2001), Opel - Europe
(1993-2005), Saab (1994-1998), Saab -
Europe (1992-2002), Vauxhall - Europe
(1993-2000)

EB1744B

Diodes: 12-50A Avalanche
Diameter OD: 122mm
With M8x40.5mm Battery Post
With Trio



Φ122mm

CG 231590
TR IBR744
BO 1127319743, 1127319744

Cadillac (1997-2001), Opel - Europe (1993-
2005), Saab (1994-1998), Saab - Europe
(1992-2002), Vauxhall - Europe (1993-
2000)

EB1744C

Diodes: 6-50A Avalanche
Diameter OD: 122mm
With M8x30mm Battery Post
With Trio



Φ122mm

BO 1127319802
CG 231643
TR IBR744

Cadillac (1997-2001), Opel - Europe (1993-
2005), Saab (1994-1998), Saab - Europe
(1992-2002), Vauxhall - Europe (1993-
2000)

EB1850A

Diodes: 8-50A Avalanche
Diameter OD: 112mm
With M8x30mm Battery Post
With Trio



Φ112mm

BO 1127320850
CG 135439
TR IBR850

Seat - Europe (1993-1999), Seat LCV -
Europe (1996-1999), Skoda - Europe
(1996-2000), Volkswagen (1992-2002),
Volkswagen - Europe (1991-2002),
Volkswagen LCV - Europe (1990-2003)

EB1852A

Diodes: 6-50A Avalanche
Diameter OD: 112mm
With M8x30mm Battery Post
With Trio



Φ112mm

BO 1127319552, 1127320852
WAI 319121
CG 135176, 138077, 230242
MB RB22H
TR IBR852

Audi - Europe (1996-1998), Ford - Europe
(1996-1999), Seat - Europe (1995-2001),
Seat LCV - Europe (1999-2003), Skoda -
Europe (1997-2000), Skoda LCV - Europe
(1996-2001), Volkswagen (1992-1998),

EB1854A

Diodes: 8-50A Avalanche
Diameter OD: 122mm
With M8x30mm Battery Post
With Trio



Φ122mm

BO 1127319575, 1127319854,
1127320576, 1127319576,
1127320854
CG 138074
UP REC263

Ford - Europe (1995-2000), Volkswagen
(1992-2001), Volkswagen - Europe (1991-
1999), Volkswagen LCV - Europe (1991-
2002)

EB1904A

Diodes: 8-50 A Avalanche
Diameter: 125mm
With M8x52mm Battery Post
With M4x32.5mm Trio Post With
M6x52mm Ground Post With
M5 W-Post
With Trio For 24V Alternator



Φ125mm

BO 1127320904, 1127320968
TR IBR904
CG 230729
MB RB64H

Renault (1996-2006), Renault Heavy
Duty - Europe (1991-1996)

EB2212B

Diodes: 12-50A Avalanche
Diameter OD: 122mm
With M8x40.5mm Battery Post
Without Trio



BMW (1995-2000), BMW - Europe (1994-
1999)

BO 1127319692, 1127319643,
1127319652, 1127319691
TR IBR692
CG 139252

EB2226A

Diodes: 12-60A Avalanche
Diameter OD: 122mm
With M8x30mm Battery Post
With Trio



Φ122mm

BO 1127319782
CG 234839
TR IBR709

John Deere (1994-2006)

EB2237A

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x32mm Battery Post(L)
With M8x22mm Battery Post



Φ120mm

BO F00M123237
TR IBR237

Alfa Romeo - Europe (2003-2012), Fiat -
Europe (2006-2010), Ford - Europe (1998-
2000), Opel - Europe (1998-2012), Opel
LCV - Europe (1998-2012), Saab (2005-
2010)

EB2304A

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x22mm Battery Post(L)
With M8x34.5mm Battery
Post(R)



Φ120mm

Fiat - Europe (1995-2006)

BO F00M123208, F00M123304,
F00M123215
TR IBR2304
CG 235053

EB2717A

35 Amp/ diode, W thread 6.30,
B+ threaded M8/43.85,
D+ threaded M6/38.95, ID 36.00,
OD 120.00, Mount. dist. 65.00



BO 1127320717, 1127320740,
1127320935, 1127320734
MB RB49H
TR IBR717
CG 136485, 137260

EB2811A

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x34.5mm Battery Post(L)
With M8x34.5mm Battery
Post(R)
For 24V Alternators




Φ120mm

BO F00M133339, F00M147631,
F00M133223, F00M133346,
F00M133296
UP REC2811, REC2806
TR IBR223
CG 231524

RENAULT TRACK KERAX, MAGNUM DXI
06-> // VOLVO 8700, 9700, 9900, FH 98->

EB2811B

Diodes: 6-50Ampere
Diameter OD: 120mm
With M8x26mm Battery Post(L)
With M8x22mm Battery Post




Φ120mm

RENAULT TRACK KERAX, MAGNUM DXI
06-> // VOLVO 8700, 9700, 9900, FH 98->

CG 231524
UP REC2806, REC2811
TR IBR223
BO F00M133223, F00M133291,
F00M133346

EB2811C

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x34.5mm Battery Post(L)
With M8x38mm Battery Post(R)
For 24V Alternators



Φ120mm

RENAULT TRACK KERAX, MAGNUM DXI
06-> // VOLVO 8700, 9700, 9900, FH 98->

CG 231524
UP REC2806, REC2811
TR IBR223
BO F00M133223, F00M133291,
F00M133346

EB2828A

Diodes: 3-60A Avalanche
Diameter : 128mm
With M8x23.5mm Battery Post



BO F00M599413

CITROEN JUMPER 06-> // FIAT DUCATO
06->, FORD TOURNEO 12->, TRANSIT
07->, PORSCHE 911, CAYENNE,
BOXTER 08->

Bosch Rectifiers

EB3102A

6-80A Avalanche press fit diodes
20-24V
Aluminum heat sink
Crimp-weld diode terminals



CG 331002
BO F00M133331
TR IBR240

MERCEDES-BENZ C-CLASS (W203),
CLC (SL203), E-CLASS (W211)
2.2CDI/3.2CDI

EB3209A

Diodes:6-50A Avalanche
Diameter OD: 120mm
With M8x32mm Battery Post(L)
With M8x32mm Battery Post®



BO F00M133364, F00M133209

Φ120mm

EB3234A

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M6x35mm Battery Post(L)
With M8x22mm Battery Post



BO F00M133234, F00M133213
CG 333329

Φ120mm

PORSCHE 911, BOXTER 2.7L-3.6L ->>05

EB3290A

Diodes: 6-50A Avalanche
Diameter OD: 129mm
With M8x34.5mm Battery Post(L)
With M8x38mm Battery Post(R)
For 24V Alternators




BO F00M133290
CG 333611, 333527

Φ129mm

EB3324A

Diodes: 8-50A Avalanche
Diameter OD: 120mm
With M8x32mm Battery Post(L)
With M8x32mm Battery Post(R)



BO F00M123324, F00M123250
CG 332628

Φ120mm

TOYOTA AVENISIS 2.0L/2.4L (03-08),
CAMRY 2.4L (01-06)

EB3330A

Diodes: 6-60 A Avalanche
Diameter : 129mm
With M8x22mm Battery
Post (L)
With M8x34.5mm Battery
Post (R)



BO F00M133235, F00M133330,
F00M144007, F00M133276,
F00M133204, F00M133214,
F00M133215, F00M133218,
F00M133229, F00M133247,
F00M133249
TR IBR216
CG 236821
MB RB166H

Φ129mm

Mercedes - Europe (2004-2010), Mercedes
LCV - Europe (2003-2010), Mercedes-
Benz (2003-2007)

EB3330B

Diodes: 6-70A Avalanche
130mm OD
M8 Battery Post




BO
F00M133276, F00M133249, F00M
133204,
F00M133214, F00M133215, F00M
133218,
F00M133229, F00M133247
TR IBR216
MB RB166H
CG 236821

Φ129mm

Mercedes - Europe (2004-2010), Mercedes
LCV - Europe (2003-2010), Mercedes-
Benz (2003-2007)

EB3561A

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x32mm Battery Post(L)
With M8x32mm Battery Post(R)



BO F00M123331, F00M123211
CG 233561

Φ120mm

ALFA ROMEO 147 2.0L (01-10) // FIAT
BRAVA, DOOBLO, MAREA, MULTIPLA,
PUNTO, STILO 1.6L/1.8L 02-> // LANCIA
LYBRA 1.6L 99->

EB3561B

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x34.5mm Battery Post(L)
With M8x34.5mm Battery
Post(R)



BO F00M123331, F00M123211
CG 233561

Φ120mm

ALFA ROMEO 147 2.0L (01-10) // FIAT
BRAVA, DOOBLO, MAREA, MULTIPLA,
PUNTO, STILO 1.6L/1.8L 02-> // LANCIA
LYBRA 1.6L 99->

EB3718A

Diodes: 12-50A Avalanche
Diameter OD: 122mm
With M8x30mm Battery Post
With Trio



BO 1127319676, 1127319677
CG 233718

Φ122mm

BMW (1992-2000), BMW - Europe (1991-
1996)

EB3923A

Diodes: 12-50A Avalanche
Diameter OD: 122mm
With M8x30mm Battery Post
With Trio



BO 1127319771
CG 233923

Φ122mm

EB4333A

Diodes: 8-50A Avalanche
Diameter OD: 122mm
With M8 Battery Post
Without Trio
For 24V Alternators




BO 1127319793, 1127319794
CG 234333

Φ122mm

MAN E 2000 00->, F 2000 94->, M 2000
00->, TGA 30-> // NEOPLAN
TOURLIENER 03->

EB4782A

Diodes: 6-50 Avalanche
Diameter OD : 120mm
With M8x22mm Battery
Post (L)
With M8x34.5mm Battery
Post (R)




BO F00M144002
CG 234782

Φ120mm

Ford : 1C3510300AA, 1C3510300AB

EB5546A

Diodes:8-50A Avalanche
Diameter OD: 112mm
With M8x30mm Battery Post
With Trio



CG 136051, 135546
MB RB30H
UP REC247A
BO 1127319019, 1127319673,
1127319018, 1127319672

Φ112mm

ALFA
ROMEO/AUDI/SEAT/SKODA/VOLKSWAG
EN

EB5546B

Diodes: 6-50A Avalanche
Diameter OD: 112mm
With M8x30mm Battery Post
With Trio



BO 1127319018, 1127319672,
1127320805, 1127319019,
1127319673, 1127319021
CG 135546, 136051
UP REC247A
MB RB30H

Φ112mm

ALFA
ROMEO/AUDI/SEAT/SKODA/VOLKSWAG
EN

EB6832A

Diodes: 8-50 Ampere
Diameter OD: 125mm
With M10x63mm Battery Post
With M4x32.5mm Trio Post
With M6x52mm Ground Post
With M5 W-Post
With Trio



MM 940038364
BO 1127320969, 1127320928,
1127320946, 1127320989
MB RB71H
CG 136832
TR IBR989BLK , IBR989

Φ125mm

DAF - Europe (1987-1998) , MAN - Europe
(1979-2011) , Mercedes Heavy Duty -
Europe (1984-2001) , Mercedes-Benz
(1983-2003) , Renault (1996-2001)

EB6861A

Diodes: 6-50A Avalanche
Diameter OD: 112mm
With M8x30mm Battery Post
With Trio



BO 1127319560, 1127319011,
1127319746
CG 135440
MB RB134H

Φ112mm

AUDI/FIAT/FORD/LANCIA/MERCEDES/O
PEL/PEUGEOT/SEAT/SKODA/VOLKSWA
GEN

EB7444A

Diodes: 8-35A Avalanche
Diameter OD: 112mm
With M6x30mm Battery Post
With Trio



BO 1127319583, 1127319584,
1127320870
CG 135444
MB RB160H


Φ112mm

Bosch Rectifiers

EB8076A

Diodes: 12-50A Avalanche
Diameter OD: 122mm
With M8x30mm Battery Post
With "W" terminal
With Trio

BO 1127319709, 1127319035,
1127319700, 1127319635,
1127319710
MB RB108H
CG 138076




Φ122mm

EB8079A

Diodes: 14-50A Avalanche
Diameter: 122mm
With M8x30mm Battery Post
With Trio

BO 1127319805, 1127319558,
1127319562, 1127319806
CG 138079
WAI 233449W
UP REC271B



Φ122mm

MERCEDES BENZ C CLASS C220, C230,
C280, C36 AMG; CLK CLASS 200;
MERCEDES BENZ E CLASS E200, E220,
E230, E280, E320, E36 AMG

EB8080A

Diodes: 12-50A Avalanche
Diameter OD: 122mm
With M8x30mm Battery Post
With Trio

BO 1127319567, 1127319731,
1127319534, 1127319724,
1127319568, 1127319732
MB RB110H
UP REC267
CG 138080



Φ122mm

EB8080B

Diodes: 8-50A Avalanche
Diameter OD: 122mm
With M8x30mm Battery Post
Without Trio

BO 1127319568, 1127319732,
1127319567
CG 138080
MB RB110H
UP REC267



Φ122mm

Ford: 1012463, 7387709, 95VW10300EA,
95VW10300EB, 95VW10300EC

Volvo: 8111905

EB8081A

Diodes: 12-50A Avalanche
Diameter OD: 122mm
With M8x30mm Battery Post
Without Trio

BO 1127319630, 1127319631
CG 138081
MB RB112H



Φ122mm

EB9030A

Diodes: 8-50A Avalanche
Diameter OD: 112mm
With M8x40.5mm Battery Post
Without Trio

BO 1127319640, 1127319563,
1127319514, 1127319564,
1127319698
CG 139030



Φ112mm

EB9792A

Diodes: 8-50A Avalanche
Diameter OD: 112mm
With M8 Battery Post
Without Trio
For 24V Alternators

BO 1127319792
LESTER 23512



Φ112mm

EB9792B

Diodes: 8-50A Avalanche
Diameter OD: 112mm
With M8 Battery Post
Without Trio
For 24V Alternators

BO 1127319791, 1127319792



Φ112mm

EB9921A

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x22mm Battery Post(L)
With M8x32mm Battery Post®

BO F00M133201, F00M123200,
F00M133246, F00M133228,
F00M133244, F00M133351,
F00M133363
TR IBR201
CG 139921
MB RB119H
UP REC2809



Φ120mm

AUDI A2, A3, A4, A6, TT // MERCEDES C-
CLASS, E-CLASS, SPRINTER 901/906 //
SEAT ALHAMBRA, AROSA, CORDOBA,
IBIZA, LEON, TOLEDO // SKODA FABIA,
JCTAVIA, PRAKTIK, ROOMSTER //

EB9921B

Diodes: 6-60A Avalanche
Diameter OD: 120mm
With M8x22mm Battery Post(L)
With M6x47mm Battery Post(R)

BO F00M133201, F00M123200,
F00M133246, F00M133228,
F00M133244, F00M133351,
F00M133363
CG 139921



Φ120mm

AUDI A2, A3, A4, A6, TT // MERCEDES C-
CLASS, E-CLASS, SPRINTER 901/906 //
SEAT ALHAMBRA, AROSA, CORDOBA,
IBIZA, LEON, TOLEDO // SKODA FABIA,
JCTAVIA, PRAKTIK

EB9921C

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x22mm Battery Post(L)
With M8x32mm Battery Post(R)

BO F00M133201, F00M123200,
F00M133246, F00M133228,
F00M133244, F00M133351,
F00M133363
CG 139921



Φ120mm

AUDI A2, A3, A4, A6, TT // MERCEDES C-
CLASS, E-CLASS, SPRINTER 901/906 //
SEAT ALHAMBRA, AROSA, CORDOBA,
IBIZA, LEON, TOLEDO // SKODA FABIA,
JCTAVIA, PRAKTIK

EB9921D

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x22mm Battery Post(L)
With M8x32mm Battery Post®

BO F00M133201, F00M123200,
F00M133246, F00M133228,
F00M133244, F00M133351,
F00M133363
MM AMP1422
TR IBR201
CG 139921
MB RB119H
UP REC2809



Φ120mm

AUDI A2, A3, A4, A6, TT // MERCEDES C-
CLASS, E-CLASS, SPRINTER 901/906 //
SEAT ALHAMBRA, AROSA, CORDOBA,
IBIZA, LEON, TOLEDO // SKODA FABIA,
JCTAVIA, PRAKTIK, ROOMSTER //

China Rectifiers

EA0197A

6-50A
B+ : M8X40mm



EQ1113A


Diodes: 6-35A
B+ : M6x50mm



FOTON, Leiwo 135 Series, Fukuda Ouman
Qibing, Tianjin Perkins


EQ1722A

Diodes: 8-50 Ampere
B+M8X40mm
B+M8X24mm



EQ2004A

Diodes: 8-35A
B+ : M6x11.5mm
For 24V Alternators



EQ2005A

Diodes: 8-50 Ampere
B+ : M6x11.5mm



EQ2006A


Diodes: 6-35 Ampere



Zhengzhou Nissan

EQ2078A

Diodes: 8-50A
B+ : M8X24mm
B+ : M8X40mm



Zhejiang Seoul JFZ1927, JAC Refine

EQ3003A

Diodes : 6-50A
M8x51.5mm



Ningguo Jinxin JFZ1992, Chery, Geely

EQ3221A

Diodes: 8-35 Ampere
Diameter OD: 87mm
B+M6x40mm



28V Hwachon Denso JFZ221, Cloud

ED3447A

Diodes: 6-50A



VA 267400,
UP REC981
CG 233447

EQ4005A

Diodes : 6-35A
B+ : M6x30.5mm




EQ4006A

Diodes: 6-50A
B+ : M6x30.5mm



RQ4007A

Diodes : 6-35A
B+ : M6x35.5mm



Wuling, Ningguo Jinxin JFZ1753, Wuling
Glory, Hongtu

EQ4008A

Diodes : 6-50A
B+ : M8x49mm



Dongan Mitsubishi

EQ4009A


Diodes : 6-50A
B+ : M8x49mm



Auspicious

EQ4012A


Diodes : : 6-35A



Auspicious

EQ4013A


Diodes : 6-50A



Auspicious

EQ4014A

Diodes : 6-50A




Auspicious, Geely

China Rectifiers

EQ4014B


Diodes : 6-50A



Auspicious, Geely

EQ4014C


Diodes : 6-50A



Auspicious, Geely

EQ4016A


Diodes : 6-50A



Auspicious

EQ4019A

Diodes : 6-35A



Wuling light, glory, Hongtu, 16-valve // Chery // Toyota 8A, lucky

EQ4019B


Diodes : 6-35A



Wuling light, glory, Hongtu, 16-valve // Chery // Toyota 8A, lucky

EQ4019C


Diodes : 6-35A



Wuling light, glory, Hongtu, 16-valve // Chery // Toyota 8A, lucky

EQ4021A


Diodes : 6-50A



Chang, Yu security force

EQ4176A

Diodes: 8-35 Ampere
Diameter OD: 103mm
M6



Changan

EQ4177A

Diodes: 8-35 Ampere
Diameter OD: 103mm
M6



Hwachon Denso JFZ176E, 176J, Changan Star

EQ4178A

Diodes: 8-35 Ampere
Diameter OD: 103mm
M6



Chang, Yu security force

EQ5003A

Diodes : 8-35A



Dongfeng

EQ5007A

Diodes:6-50 Ampere
M8



EQ6004A

Diodes : 6-50A
B+ : M8x48.3mm



Chery, Ningguo Jinxin JFZ1996

EQ6700A

Diodes: 6-35 Ampere
B+M8X26.8mm



Shen Lake JFZ255-1034, Sinotruk


EQ6707A

Diodes: 6-35 Ampere



EQ7005A


Diodes : 6-50 Ampere
B+ M6x29mm



Chang, Yu security force

EQ7012A

Diodes: 6-50 Ampere
B+ M8X35mm
B+M8X28.5mm



Cloud silent power

KQ7013A


Diodes : 6-35A
B+ : M8x40mm



China Rectifiers

EQ7078A


Diodes: 6-50A
B+ : M8X34.5mm
B+ : M8X49mm



Zhejiang Seoul JFZ1858, Dongan

EQ7713A


Diodes : 8-50A
B+ : M8X56mm
B+ : M8X32.8mm



Zhejiang hippocampus Seoul JFZ1A23, 110A

EQ7714A

Diodes: 6-50A
B+ : M8X56mm
B+ : M8X32.8mm



Zhejiang hippocampus of Seoul JFZ1869, 479Q, 90A

EQ7716A

Diodes: 6-50A



Hippocampus

EQ8117A

Diodes : 6-50A



JAC with vacuum pump

EQ8120A

Diodes : 6-50A



BYD

EQ9008A

Diodes : 8-35A



EQ9017A

Diodes :6-35A



GEELY, Ningguo Jinxin JFZ1758

EQ9133A

Diodes : 8-35A
M6



Yoo

EQ9600A

Diodes : 6-35A
24v



Get Lucky, 24V

Delco Rectifiers

ED1003A

Diodes: 6-25 Ampere Button



MB RD18H
TR DER1003
UP REC883
CG 131458

Faryman (1972-1984) , Opel - Europe (1976-1995) , Vauxhall - Europe (1980-2000)

ED1004A

Diodes: 6-35 Ampere Button




DR 3493008
WAI 31-129
CG 132931
TR DER1004

pel - Europe (1981-1997), Opel LCV - Europe (1989-1997), Vauxhall - Europe (1991-2000)

ED1123A

Diodes: 6-35 Ampere
B+ : M6x44.4mm



ED1124A

Diodes : 3-50A Avalanche
With M8x28.5mm Battery Post(L)
With M8x35mm Battery Post(R)



ED1200A

Diodes: 6-50A Avalanche
For use on: WAI 1998-2000
Saturn 31-213
SC1,SL,Sedan,SWWagon 1.9L



DR 10492300
WAI 31-123
CG 232070
MB RD-25A
TR DR1200

Daewoo (1999-2002), Daewoo - Europe (1997-2002), Saturn (1998-2002)

ED2000A

Diodes: 6-50A Avalanche
With M8x47.3mm Battery post
installed
With Aluminum Heat sinks
With Trio



CG 136595
DR 10475034, 589714
MM 940038219
MB RD04B
UP REC980A, REC980AX
TR DER2000

Isuzu (1998-2001), Opel - Europe (1992-2004), Vauxhall - Europe (1993-2000)

ED2000B

Diodes: 6-50A Avalanche
With Copper Negative Heat sink
With M8x46mm Battery Post
Installed
With Trio



ED2000C

6-50A Avalanche
With Copper Negative Heat sink
With M8x47.3mm Battery post
installed
With Trio



CG 136595
DR 10475034, 589714
MM 940038219
MB RD04B
UP REC980A, REC980AX
TR DER2000

Isuzu (1998-2001), Opel - Europe (1992-2004), Vauxhall - Europe (1993-2000)

ED2000D

Diodes: 6-50A Avalanche
With M8x46mm Battery Post
Installed
With Aluminum Heat sinks
With Trio



DR 10475034
TR DER2000
MB RD04B
CG 136595
UP REC980A

OPEL CORSA-B , TIGRA-A 1993-2002


ED2010A

Diodes: 6-50A Avalanche
With M8x46mm Battery Post
Installed
With Copper Negative Heat sink



ED2206A

Diodes: 6-35A Avalanche
With M8x47.5mm Battery Post
With M6x21mm Battery Post
With Trio
For 11SI Alternators




TR DR2206

Cummins Engines (2004-2009), Trackless (2005-2010)

ED2295A

Diodes: 6-35A Avalanche
With M8x47.5mm Battery Post
With Trio
For 7SI Alternators



MB RD39H
TR DR2295
CG 333057
UP REC932

CHEVROLET AVEO 1.6L L4 2004-2008;
DAEWOO KALOS 1.2L 2003; DAEWOO KALOS 1.4L 2003-; DAEWOO KALOS 1.4L DOHC 2003; DAEWOO KALOS 1.4L SOHC 2002-; DAEWOO NUBIRA 1.6L

ED2295B

Diodes: 6-50A Avalanche
With M8x47.5mm Battery Post
With Trio



ED2400A

Diodes: 6-50A Avalanche
With 5/16" x45mm Battery Post
With insulator



DR 10502870
MB RD38A
CG 331012
TR DR2400
UP REC973

Ford (1995-2008), Freightliner (1998-2009), Mack (1999-2008), Peterbilt (1996-2008), Sterling (1999-2007), Volvo (1994-2007)

ED2402A

With 5/16" x45mm Battery Post
With insulator
FOR 24V ALTERNATOR



MB RD38
TR DR2402

ED2910A

Diodes: 6-35A Avalanche
With M8x47.5mm Battery Post
Without Trio
For 11SI Alternators



ED2910B

Diodes: 6-35A Avalanche
With M6x21mm Battery Post
Without Trio



TR DR2910
MB RD37

Chevrolet (2004-2008), Pontiac (2005-2008), Suzuki (2004-2008)

Chevrolet (2004-2008) , Pontiac (2005-2008) , Suzuki (2004-2008)

ED4000A

Diodes: 6-35A Avalanche Press-Fit
With Aluminum Heat sinks
For: CS121,CS130 Alternators



DR 10457236, 10472597,
10470730, 10457690, 1989658
WAI 311131, 31136
CG 131880
TR DR4000, DR4000HD
UP REC991, REC992
MB RD95A, RD95HD

Toyota (1991-1994), Toyota - Europe (1987-1999), Isuzu (1989-1994), Jeep (1987-1990), Oldsmobile (1986-1998), Pontiac (1986-1998), Cadillac (1987-1992), Chevrolet (1986-2000)

Delco Rectifiers

ED4000B

12 Volt
Delco CS121, CS130 Series
IR/EF Alternators
MFR:DELCO



DR 1989658, 1989658, 10475758
MB RD95A, RD95HD
TR DR4000
UP REC991, REC991E
CG 131880

Toyota - Europe (1987-1999), Toyota (1991-1994), Jeep (1987-1990), Oldsmobile (1986-1998), Pontiac (1986-1998), Cadillac (1987-1992), Chevrolet (1986-2000)

ED4200A

Diodes: 6-35A Avalanche Press-Fit
With M8x48mm Battery Post
With Aluminum Heat Sinks



DR 10475758
TR DR4200
CG 135337
MB RD99, RD97A, RD97HD
UP REC992E, REC992A

Buick (1994-2001), Cadillac (1999-2000), Chevrolet (1994-2005), GMC (1994-2005), Honda (2003-2003), Isuzu (1996-2000)

ED4400A

Diodes: 6-50A Avalanche
With M6x53mm Battery Post



DR 10494503
TR DR4402
CG 235026
MB RD26
UP REC971

Buick (2000-2004), Cadillac (2002-2004), Chevrolet (1999-2006), GMC (1999-2006), Pontiac (2000-2004)

ED4400B

Diodes: 6-50A Avalanche
With M6x53.5mm Battery Post



DR 10494744, 10494503
MB RD26
TR DR4402, DR4402HD
CG 232668
UP REC971

Buick (2000-2004), Cadillac (2002-2004), Chevrolet (1999-2006), GMC (1999-2006), Pontiac (2000-2004)

ED4403A

Diodes: 6-50A Avalanche
With M8x53.5mm Battery Post
31-134




TR DR4403HD, DR4403
DR 19055072

2005 Chevrolet Impala LS V6 3.8

ED5000A

Diodes: 6-50 Ampere Button




DR 1852209, 1971987, 1875627,
1984638, 1891055
TR DR5042, DR5040, DR5000
MB RD09H, RD09
UP REC115
CG 130673

ALLIS CHALMERS, ATLAS COPCO, CATERPILLAR, CHAMPION, CUMMINS, DRESSER, FIAT ALLIS, INTERNATIONAL, WABCO

ED5001A

Diodes: 6-50A
B+ M6x29mm



ED5016A

Diodes: 6-50A
B+ M8x46.5mm



ED5054A

Diodes: 6-50 Ampere Button
With Bi-Directional Heatsinks



DR D3986, 1987061
TR DR5054
MB RD13HV
CG 131874

Buick (1984-1987), Cadillac (1985-1987), Chevrolet (1983-1990), GMC (1984-1990), Godwin (1995-2000), Jeep (1984-1991), Oldsmobile (1983-1987), Pontiac (1983-1987)

ED5080A

Diodes: 6-25 Ampere Button
For use on: GM Passenger Car,
Heavy Truck



DR 1892914, 801816, D3983,
1875645
CG 130555
MB RD17H
TR DR5080, DR5082, DR50822
UP REC120

Cadillac (1972-1985), Caterpillar (1970-2002), Chevrolet (1973-1993), Fiat-Allis (1983-1986), Ford (1974-1999), GMC (1973-1993)

ED5165A

Diodes: 6-50A Avalanche
With Trio



TR DR5165
WAI 233494W
CG 230983

ED5166A

Diodes: 6-50A Avalanche
With Trio



MB RD16
TR DR5166
CG 138389
WAI 233481W

Daewoo (1999-2002), Daewoo - Europe (1994-2005)

ED5173A

Diodes: 6-50 Ampere Button



TR DR5173
UP REC955
MB RD05
CG 131877

Agco Allis (1994-1998), Buick (1986-1986), Cadillac (1985-1985), Caterpillar (1980-2012), Champion (1990-1998), Chevrolet (1985-2002), Consolidated Diesel (1992-1992), Cummins Engines (1991-1992)

ED5174A

Diodes: 6-50 Avalanche
For 12V Alternators




TR DR5174
CG 231061
MB RD06

Agco Allis (1995-2000), Agco Gleaner (1992-2003), Bluebird (1997-2008), Buhler Genesis (2002-2007), Case (1990-2000), Caterpillar (1990-2007), Chevrolet (1994-2002), Ford (1989-1999)

ED5176A

Diodes: 3-50A Avalanche
3-50A Ampere Button
With Late Saw-Fin Design



TR DR5176
MB RD06B
CG 131881
UP REC956, REC957

AM General (1992-1996), Buick (1986-1990), Cadillac (1986-1992), Champion (1990-1998), Chevrolet (1985-2000), Cummins Engines (1991-1992), Ford (1989-1999), Freightliner (1989-1993)

ED5177A

Diodes: 6-50A Avalanche Button
With Late Saw-Fin Design



TR DR5177
CG 231062

Agco Allis (1995-2000), Agco Gleaner (1992-2003), Agco Star (1993-2002), Agco White (1998-2000), Bluebird (1992-2008), Buhler Genesis (2002-2007), Cadillac (1986-1987), Caterpillar 1990

ED5179A

Diodes: 6-50A Jumbo Avalanche
Button
For 124-140A Alternators



TR DR5179
UP REC959
CG 232069
MB RD08

AM General (1994-2001), Buick (1991-1999), Cadillac (1991-2002), Chevrolet (1991-2000), GMC (1991-2000), Hummer (2002-2006), Oldsmobile (1991-1999), Pontiac (1992-1999)

ED5186A

Diodes: 6-60A Avalanche press fit diodes



DR 10504493, 10512371
TR DR5186

Ford (1995-1999), Freightliner (1998-2008), International (1997-2008), Kenworth (1995-2008), Mack (1999-2008), Peterbilt (1995-2007), Sterling (1999-2008), Volvo (1997-2007)

Delco Rectifiers

ED5273A

Diodes: 6-50Ampere press fit diodes




TR DR5173PF

Agco Allis (1994-1998) , Buick (1986-1986) , Cadillac (1985-1985) , Caterpillar (1980-2012) , Champion (1990-1998) , Chevrolet (1985-2002) , Consolidated Diesel (1992-1992) , Cummins Engines (1991-1992)

ED5655A

Diodes: 12-50A Avalanche With M8x52.5mm Battery Post For Mercedes Water Cooling Alternator



CG 235655

ALTERNATOR NO: MERCEDES 001500850 DELPHI 10480403 CARGO CA1677R

ED6871A

Diodes: 6-35A Avalanche With M8 Battery Post With Trio



TR DR6871
UP REC6201
CG 234307

DAEWOO LEGANZA 2.0L 1997-; DAEWOO LEGANZA 2.2L 1998-2002; DAEWOO NUBIRA 1.6l / 2.0l 1999-2000; DAEWOO TACUMA 2.0L 1999

ED6871B

Diodes: 6-60A Avalanche With M8 Battery Post With Trio




DR IAT08790
TR DR6871
CG 234307
UP REC6201

DAEWOO LEGANZA 2.0L 1997-; DAEWOO LEGANZA 2.2L 1998-2002; DAEWOO NUBIRA 1.6l / 2.0l 1999-2000; DAEWOO TACUMA 2.0L 1999

ED9410A

Diodes: 6-50A Avalanche With M6x38mm Battery Post With Trio
For use on:2000-UP Mercury w/GM V8



DR 06010003
MB RD32
CG 235139, 239037
TR DR9410

Mercuriser (1998-2002)
MATIZ ; SPARK (1998 - 2005)
SPARK ; MATIZ (2005 - 2008)

ED9411A

Diodes: 6-50A Avalanche With M6x38mm Battery Post With Trio
With P-Terminal



CG 235028
TR DR9411

Crusader (2001-2004), Hyster (2001-2006), Marine Power (1997-2008), Pleasurecraft (2001-2004)

Denso Rectifiers

EN0021A

Diodes: 6-50 Ampere Press-fit
Diodes
Diameter OD: 103mm
With M6 Battery Post (31°)
Press-fit Diodes
With Aluminum Heat sinks




ND 02158006510, 02158005510,
02158005580
TR INR406P
MB RN36

TOYOTA 4RUNNER 02->, COROLLA (01-13), LEXUS LX70

EN0026A

Diodes: 8-50 Ampere
Diameter OD: 113mm
With M8 Battery Post
With Ground Screw Hole



ND 0215804890
MB RN49

ARISTO / CHASER / CRESTA / CROWN / CROWN MAJESTA / LEXUS GS300/400/430 LEXUS GS300/430 / LEXUS SC300/400 / MARK 2 / SOARER / SUPRA

EN0401A

Diodes: 8-35 Ampere Press-fit
Diodes
Diameter OD: 100mm
With M6x40mm Battery Post
With Aluminum Heat sinks




ND 1002111070, 1002111100,
1002113120
MB RN12
WAI 318211
CG 135250
TR INR401P

Asuna (1993-1993), Dodge (1988-1989), Geo (1990-1993), Isuzu (1990-1993), Toyota (1988-1999)

EN0401B

Diodes: 8-50 Ampere
Diameter OD: 100mm
With M6x40mm Battery Post
With Mounting Hole for Ground Strap



ND 0215802511, 0215802512,
0215803650, 0215802522
TR INR401, INR401P
CG 135250
MB RN12
UP REC633

Asuna (1993-1993), Dodge (1988-1989), Geo (1990-1993), Isuzu (1990-1993), Toyota (1988-1999)

EN0401C

Diodes: 8-50 Ampere
Diameter OD: 100mm
With M6x40mm Battery Post




ND 0215802521, 0215805060,
0215802511, 0215802512,
0215803650
TR INR401P, INR401
UP REC633
CG 135250
MB RN12

Asuna (1993-1993), Dodge (1988-1989), Geo (1990-1993), Isuzu (1990-1993), Toyota (1988-1999)

EN0402A

Diodes: 8-50 Ampere
Diameter OD: 103mm
With M6 Battery Post
With Ground Screw Hole



ND 0215804630, 0215803660,
0215803830, 0215804030,
0215804080, 0215804480,
0215804630, 0215804760,
0215804510
TR INR402P
UP REC638
MB RN03
CG 133672

Acura (1992-2001), Caterpillar (1987-2003), Dodge (2000-2000), Honda (1990-2002), Honda - Europe (1992-2002), Isuzu (1996-2002), Jeep (2000-2000), Lexus (1990-2001)

EN0402B

Diodes: 8-50A Ampere Press-fit
Diodes
Diameter OD: 103mm
With M6 Battery Post
With Ground Screw Hole
With Aluminum Heat sinks



ND 0215804630, 0215803660,
0215803830, 0215804030,
0215804080, 0215804480,
0215804630, 0215804760,
0215804510
TR INR402P
UP REC638
MB RN03
CG 133672

Acura (1992-2001), Caterpillar (1987-2003), Chevrolet (1998-2002), Dodge (2000-2000), Honda (1990-2002), Isuzu (1996-2002), Jeep (2000-2000), Lexus (1990-2001)

EN0402C

Diodes: 6-50A Avalanche
Diameter OD: 103mm
With M6 Battery Post
With Ground Screw Hole
With Aluminum Heat sinks



ND 0215804630, 0215803660,
0215803830, 0215804030,
0215804080, 0215804480,
0215804630, 0215804760,
0215804510
TR INR402P
UP REC638
MB RN03
CG 133672

Acura (1992-2001), Caterpillar (1987-2003), Dodge (2000-2000), Honda (1990-2002), Honda - Europe (1992-2002), Isuzu (1996-2002), Jeep (2000-2000), Lexus (1990-2001)

EN0420A

Diodes: 12-35 A Avalanche
Press-Fit
Diameter OD: 117mm
With M8x46mm Battery Post
With Aluminum Heat sinks



ND 4210000120, 0219971123
MB RN30
TR INR420

Chrysler (2001-2014), Dodge (2001-2014), Jeep (2011-2014)

EN0420B

Diodes: 12-35 A Avalanche
Press-Fit
Diameter OD: 117mm
With M8x40.5mm Battery Post
With Aluminum Heat sinks



TR INR420
MB RN30
ND 0215805911, 0215805931

Chrysler (2001-2014), Dodge (2001-2014), Jeep (2011-2014)

EN0420C

Diodes: 12-50 A Avalanche
With M8x46 mm Battery Post



TR INR420
MB RN30
ND 0215805911, 0215805931

Chrysler (2001-2014), Dodge (2001-2014), Jeep (2011-2014)

EN0421A

Diodes: 12-35A Ampere Press-Fit
Diameter: 117mm
With M8x40mm Battery Post
With Aluminum Heat sinks



ND 0215805891, 0215805901
MB RN29
TR INR421
CG 235842

Acura (2003-2004), Chevrolet (2005-2007), Chrysler (2001-2007), Dodge (2001-2007), Honda (2007-2007), Jeep (2002-2006), Land Rover (2005-2008), Lexus (2001-2010)

EN0421B

Diodes: 12-35 A Avalanche
Press-Fit
Diameter OD: 117mm
With M8x30mm Battery Post
With Copper Heat sinks



ND 0215805891, 0215805901
MB RN29
TR INR421
CG 235842

Acura (2003-2004), Chevrolet (2005-2007), Chrysler (2001-2007), Dodge (2001-2007), Honda (2007-2007), Jeep (2002-2006), Land Rover (2005-2008), Lexus (2001-2010)

EN0422A

Diodes: 12-35 A Avalanche
Press-Fit
Diameter OD: 117mm
With M6x33mm Battery Post
With Aluminum Heat sinks



ND 14010009, 104210338
MB RN34
CG 237607
TR INR422

For use on: 2003 Toyota Tundra Pickup 4.7L

EN0423A

Diodes: 7-50A Avalanche Press-Fit
Diameter OD: 117mm
With M8x40mm Battery Post
With Aluminum Heat sinks



TR INR423
MB RN55
WAI 233528W

Chrysler (2005-2007), Dodge (2003-2007)

EN0424A

Diodes: 12-35A Avalanche Press-Fit
Diameter OD: 117mm
With M8x46mm Battery Post
With Copper Heat sinks



ND 0215806110
MB RN33
TR INR424

For use on: 2002-01 Acura MDX3.5L
2004-02 Honda Odyssey 3.5L
2004-03 Honda Pilot 3.5L

EN0424B

Diodes: 12-50 A Avalanche
Press-Fit
Diameter OD: 117mm
With M8x46mm Battery Post
With Aluminum Heat sinks



TR INR424
MB RN33

Acura (2001-2002), Ford (2008-2010), Honda (2002-2004)

EN0425A

Diodes: 12-35 A Avalanche
Press-Fit
Diameter OD: 117mm
With M6x34.5mm Battery Post
With Aluminum Heat sinks



MB RN44
TR INR425

For use on: 2001-05 Cadillac Deville FWD4.6L
2001-04 Cadillac Seville 4.6L
2004-05 Pontiac Bonneville 4.6L

Denso Rectifiers

EN0425B

Diodes: 12-60 A Avalanche Press-Fit
Diameter OD: 117mm
With M6x40mm Battery Post
With Aluminum Heat sinks
HITACHI Type Diodes



ND 0215805920
MB RN44
TR INR425

Acura (2009-2014), Buick (2004-2005), Cadillac (2001-2011), Honda (2008-2012), Honda - China (2009-2013), Pontiac (2004-2005)

EN0427A

Diodes : 12-35A Ampere Press-Fit
Diameter : 117mm
With M8x40mm Battery Post
With Aluminum Heat sinks



TR INR427

Lexus (2004-2014), Lexus - Europe (2003-2006), Toyota (2001-2014), Toyota - Europe (2003-2010)

EN0429A

Diodes: 6-50 A Avalanche Press-Fit
Diameter OD: 117mm
With M6x34.5mm Battery Post
With Aluminum Heat sinks



ND 0215806490
MB RN48
TR INR429
CG 237648

Acura (2004-2005), Honda (2003-2006), Honda - Europe (2002-2012)

EN0430A

Diodes: 6-50 A Avalanche Press-Fit
Diameter OD: 117mm
With M6x33mm Battery Post
With Aluminum Heat sinks



ND 0215806610
MB RN46
TR INR430
CG 238063

Lexus (2004-2006), Pontiac (2009-2010), Scion (2005-2010), Toyota (2004-2014), Toyota - China (2007-2012), Toyota - Europe (2000-2010)

EN0431A

Diodes :7-50 A Avalanche Press-Fit
Diameter OD : 117mm
With M8x30mm Battery Post
With Aluminum Heat sinks



TR INR431
MB RN37
CG 237613

Ford - Europe (2003-2012), Ford LCV - Europe (2006-2009), Mazda - Europe (2003-2010), Volvo - Europe (2004-2012)

EN0431B

Diodes: 6-50 A Avalanche Press-Fit
Diameter OD: 117mm
With M8x30mm Battery Post
With Aluminum Heat sinks




TR INR431
MB RN37
CG 237613

Ford - Europe (2003-2012), Ford LCV - Europe (2006-2009), Mazda - Europe (2003-2010), Volvo - Europe (2004-2012)

EN0432A

12 Volt
Denso 130-160A ER/IF
Alternators



CG 330636
TR INR432
MB RN56

BMW - Europe (2003-2007), Chrysler (2003-2010), Chrysler - Europe (2001-2015), Dodge (2003-2010), Jeep (2005-2006)

EN0433A

Diodes: 12-35 A Avalanche Press-Fit
Diameter OD: 117mm
With M8x40mm Battery Post
With Copper Heat sinks



MB RN47
CG 235589
TR INR433

Acura (2005-2014), Chevrolet (2006-2007), Honda (2004-2012), Honda - China (2011-2012), Hyundai - Europe (2009-2015), Kia - Europe (2009-2015), Lexus (2004-2007), Pontiac (2006-2007), Saturn (2004-2007)

EN0433B

Diodes: 12-35 A Avalanche Press-Fit
Diameter OD: 117mm
With M8x40mm Battery Post
With Aluminum Heat sinks



MB RN47
CG 235589
TR INR433

Acura (2005-2014), Chevrolet (2006-2007), Honda (2004-2012), Honda - China (2011-2012), Hyundai - Europe (2009-2015), Kia - Europe (2009-2015), Lexus (2004-2007)

EN0434A

Diodes: 12-35 A Avalanche Press-Fit
Diameter OD: 117mm
With M8x35mm Battery Post
With Aluminum Heat sinks



TR INR434
CG 333401
MB RN53
ND 0215807451

Chrysler (2007-2010), Dodge (2007-2010), Ford (2009-2014), Jeep (2005-2011), Lincoln (2010-2011), Mercury (2010-2011), Mitsubishi (2008-2009), Ram (2011-2012), Sterling (2008-2009), Volkswagen

EN0435A

Diodes:12-50A Avalanche
With M8x46mm Battery Post



ND 1042106100
TR INR435

Buick (2008-2010), Cadillac (2006-2011), Chevrolet (2009-2010), Ford (2008-2010), GMC (2007-2010), Saturn (2007-2009)

EN0436A

Diodes: 12-60 A Avalanche Press-Fit
Diameter OD: 117mm
With M8x46mm Battery Post
With Aluminum Heat sinks
HITACHI Type Diodes




ND 0215806830, 1042102160
MB RN54
TR INR436

Acura (2001-2002), Buick (2006-2010), Cadillac (2006-2010), Chevrolet (2006-2010), Ford (2008-2010), Honda (2002-2004), Hyundai (2009-2013), Pontiac (2005-2009), Saturn (2008-2009)

EN0437A

Diodes: 12-35 A Avalanche Press-Fit
Diameter OD: 117mm
With M8x30mm Battery Post
With Aluminum Heat sinks



MB RN39
CG 237607
TR INR437

Ford - Europe (2003-2012), Ford LCV - Europe (2006-2009), Mazda - Europe (2003-2010), Volvo - Europe (2006-2010)

EN0438A

Diodes :6-50 A Avalanche Press-Fit
Diameter OD : 113mm
With M6x33mm Battery Post
With Aluminum Heat sinks



ND 021580-9220
TR INR438
MB RN45

Toyota : 270600C020

EN0438B

Diodes :6-35 A Avalanche Press-Fit
With M8x35mm Battery Post
Diameter OD : 113mm
With Aluminum Heat sinks




ND 0215804890
MB RN45
TR INR438

TOYOTA FORTUNER HILUX INNOVA/KIJANG INNOVA

EN0502A

Diodes: 6-35Ampere
Diameter OD: 100mm
With M6 Battery Post
With Mounting Hole for Ground Strap



TR INR502
ND 0215804990
CG 231236

Acura (1996-1997), Isuzu (1996-1997), Suzuki (1996-2001), Suzuki - Europe (1993-2010), Toyota (1997-2003)

EN0502B

Diodes: 6-35Ampere Press-fit
Diodes
Diameter OD: 100mm
With M6 Battery Post
With Mounting Hole for Ground Strap
With Aluminum Heat sinks



ND 0215804990
TR INR502

Acura (1996-1997), Isuzu (1996-1997), Suzuki (1996-2001), Suzuki - Europe (1993-2010), Toyota (1997-2003)

EN0502C

Diodes: 8-50 Ampere
Diameter OD: 100mm
With M6 Battery Post
With Mounting Hole for Ground Strap




ND 0215804990
TR INR502

Acura (1996-1997), Isuzu (1996-1997), Suzuki (1996-2001), Suzuki - Europe (1993-2010), Toyota (1997-2003)

Denso Rectifiers

EN0722A

Diodes: 8-50 Ampere
Diameter OD: 103mm
With M8 Battery Post
With Ground Screw Hole



ND 0215802950
CG 135043
MB RN05
TR INR722, INR722P
UP REC639, REC6131

LEXUS GS 3.0L 1993-1997; LEXUS SC 3.0L 1995-1996; TOYOTA SUPRA 3.0L 1993-

EN0722B

Diodes: 8-50 Ampere Press-fit Diodes
Diameter OD: 103mm
With M8 Battery Post
With Ground Screw Hole
With Aluminum Heat sinks



ND 0215804640, 0215804650, 0215804790
MB RN51, RN05
UP REC6131
CG 135043
TR INR722P, INR722

LEXUS GS 3.0L 1993-1997; LEXUS SC 3.0L 1995-1996; TOYOTA SUPRA 3.0L 1993-

EN0726A

Diodes: 8-35 Ampere
Diameter OD: 90mm
With M6x44mm Battery Post




ND 0215802341
TR INR726
CG 135258
MB RN17
UP REC645

TOYOTA CAMRY 2.0L (86-88), CELICA 1.6 ->90, COROLLA, MR2, STARLET 1.6L ->92

EN0731A

Diodes: 8-50 Ampere
Diameter OD: 103mm
With M6 Battery Post(31°)



TR INR731
UP REC635

Acura (1992-1994), Honda - Europe (1991-1995), Lexus (1990-1992), Scion (2004-2006), Suzuki (2002-2004), Toyota (1989-2006), Toyota - China (2004-2007), Toyota - Europe (1999-2010)

EN0731B

Diodes: 8-50 Ampere Press-fit Diodes
Diameter OD: 103mm
With M6 Battery Post(31°)
Press-fit Diodes
With Aluminum Heat sinks



ND 1002118050, 1002118710
WAI 318212
CG 133672
UP REC635
TR INR731, INR731P

Acura (1992-1994), Honda - Europe (1991-1995), Lexus (1990-1992), Scion (2004-2006), Suzuki (2002-2004), Toyota (1989-2006), Toyota - China (2004-2007), Toyota - Europe (1999-2010)

EN0731C

Diodes: 8-50 Ampere Press-fit Diodes
Diameter OD: 103mm
With M6 Battery Post(36°)
Press-fit Diodes
With Aluminum Heat sinks




TR INR731P
UP REC635

Acura (1992-1994), Honda - Europe (1991-1995), Lexus (1990-1992), Scion (2004-2006), Suzuki (2002-2004), Toyota (1989-2006), Toyota - China (2004-2007), Toyota - Europe (1999-2010), Yanmar

EN0735A

Diodes: 8-50 Ampere
Diameter OD: 113mm
With M6 Battery Post
With Ground Screw Hole



ND 1210004230, 1210004250
MB RN08
WAI 318232
TR INR735
CG 235896

Chrysler (1998-2004), Dodge (1998-2004), Jeep (1999-2000), Land Rover (2002-2005), Land Rover - Europe (2000-2007), Lexus (1998-2003), Toyota (1998-2004), Toyota - Europe (1998-2002)

EN0735B

Diodes: 8-50 Ampere Press-fit Diodes
Diameter OD: 113mm
With M6 Battery Post
With Ground Screw Hole
With Aluminum Heat sinks



UP REC610
TR INR735
CG 235896

Chrysler (1998-2004), Dodge (1998-2004), Jeep (1999-2000), Land Rover (2002-2005), Land Rover - Europe (2000-2007), Lexus (1998-2003), Toyota (1998-2004)

EN0736A

Diodes: 8-50 Ampere Press-fit Diodes
Diameter OD: 113mm
With M8x47mm Battery Post
With Ground Screw Hole
With Aluminum Heat sinks



TR INR736
UP REC611, REC612
MB RN10
CG 233246

Acura (1991-2004), Dodge (1996-1997), Honda (1999-2001), Honda - Europe (1991-1996), Hyundai (2006-2012), Jaguar (1993-1997), Jaguar - Europe (1994-1997), Kia (2007-2011)

EN0736B

Diodes: 8-50 Ampere
Diameter OD: 113 mm
With M8x47mm Battery Post
With Ground Screw Hole



MB RN10
TR INR736
CG 233246
ND 0215804250, 0215804290
UP REC611, REC612

Acura (1991-2004), Dodge (1996-1997), Honda (1999-2001), Honda - Europe (1991-1996), Hyundai (2006-2012), Jaguar (1993-1997), Jaguar - Europe (1994-1997), Kia (2007-2011)

EN1718A

Diodes: 8-35 Ampere
Diameter OD: 83mm
With M6 Battery Post



UP REC6411
MB RN18
TR INR718, INR718
CG 137872

John Deere (1994-2009), Lamborghini-Agricultural (1971-1982), Toyota (1976-1994)

EN1723A

Diodes: 8-35 Ampere
Diameter OD: 87mm
With M6 Battery Post




UP REC6412
TR INR723
MB RN40
CG 134306

Bobcat (1993-2003), Ford (1995-1998), John Deere (1984-2012), Kubota (1980-2007), Toyota (1986-1989), Yanmar (1988-1995)

EN1724A

Diodes: 8-35 Ampere
Diameter OD: 87mm
With M6 Battery Post



ND 0215803130
MB RN-15
WAI 318200
CG 132540
TR INR724

Caterpillar (1993-2014), Chevrolet (1985-1991), Daihatsu (1988-1992), Geo (1989-1995), Hino (1984-1995), Isuzu (1984-1995), Mercury (1994-2000), Opel - Europe (1994-1998), Pontiac (1985-1995)

EN1725A

Diodes: 8-35 Ampere
Diameter OD: 90mm
With M6 Battery Post
Without Mounting Hole for Ground Strap



ND 0215802250, 0215802260
MM AMP1250
MB RN16PL, RN16
TR INR725
UP REC646
CG 132541

TOYOTA

EN1728A

Diodes: 8-50 Ampere
Diameter OD: 113mm
With M6x44mm Battery Post



ND 1210004000, 1210004010
MB RN02
WAI 318207
CG 135416
TR INR728

For use on: Chrysler New Yorker, Dodge Caravan, Dynasty, Dodge Truck, Plymouth Voyager, Acclaim

EN1729A

Diodes: 8-50 Ampere
Diameter OD: 103mm
With M6x44mm Battery Post
With Ground Screw Hole



CG 135417
MB RN01, RN01PL
TR INR729, INR729P
UP REC636, REC640, REC649

Acura (1999-2006), Chrysler (1988-2000), Dodge (1988-2001), Honda (2002-2005), Isuzu (1992-1993), Jeep (1991-2000), Jeep - Europe (1993-1998), Volvo (1991-1992)

EN1729B

Diodes: 8-50 Ampere Press-fit Diodes
Diameter OD: 103mm
With M6x44mm Battery Post
With Ground Screw Hole
With Aluminum Heat sinks




ND 0215803640, 0215804660, 0215804670, 0215804840
UP REC640, REC636
CG 135417
MB RN01
TR INR729, INR729HD, INR729P

Acura (1999-2006), Asuna (1993-1993), Chrysler (1988-2000), Dodge (1988-2001), Eagle (1993-1997), Geo (1992-1993), Honda (2002-2005), Isuzu (1992-1993), Jeep (1991-2000), Jeep - Europe

EN1729C

Diodes: 8-50 Ampere
Diameter OD: 100mm
With M6x40mm Battery Post
With Mounting Hole for Ground Strap



UP REC640, REC636
TR INR729
MB RN01
CG 135417

For use on: Geo Strom, Isuzu Impulse, Stylus

Denso Rectifiers

EN1732A

Diodes: 8-50 Ampere
Diameter OD: 113mm
With M8 Battery Post




ND 0215804100, 0215804610,
0215804690
MB RN08
WAI 318213
CG 137874
TR INR732

For use on: Toyota Land Cruiser

EN1733A

Diodes: 8-50 Ampere
Diameter OD: 113mm
With M8 Battery Post
With Ground Screw Hole



ND 0215804690, 0215804100
MB RN11
TR INR733P
CG 137874
UP REC614

For use on: Lexus SC400, Toyota

EN1733B

Diodes: 8-50 Ampere Press-fit
Diodes
Diameter OD: 113mm
With M8 Battery Post
With Ground Screw Hole
With Aluminum Heat sinks




ND 0215804110, 0215805040,
0215805410, 0215806700
TR INR733P
UP REC614
MB RN11
CG 137874

ACURA NSX 3.0L 1991-1994

EN1733C

Diodes: 8-50 Ampere
Diameter OD: 113mm
With M8 Battery Post
With Ground Screw Hole



ND 0215804110, 0215805040,
0215805410, 0215806700
TR INR733
MB RN11
UP REC614
CG 137874

ACURA NSX 3.0L 1991-1994

EN1739A

Diodes: 8-50 Ampere
Diameter OD: 103mm
With M8x50mm Battery Post
With Ground Screw Hole



MB RN04
TR INR739
CG 136741

Acura (2000-2002), Dodge (2001-2003),
Honda - China (2001-2001), Hyundai (2006-
2007), Jaguar (2002-2008), Jaguar -
Europe (2001-2006), Jeep (2001-2001),
Toyota (1992-1995), Volvo

EN1739B

Diodes: 8-50 Ampere Press-fit
Diodes
Diameter OD: 103mm
With M8x50mm Battery Post
With Ground Screw Hole
With Aluminum Heat sinks




ND 0215804850
TR INR739
MB RN04
CG 136741

Acura (2000-2002), Dodge (2001-2003),
Honda - China (2001-2001), Hyundai
(2006-2007), Jaguar (2002-2008),
Jaguar - Europe (2001-2006), Jeep (2001-
2001), Toyota (1992-1995), Volvo 1992

EN2300A

Diodes: 8-35 Ampere
Diameter OD: 114mm
With M6x48.5mm Battery Post
With M5x35mm Ground Post
With M5x41.5mm Mounting Bolt
With cooper heat sink




CG 230000
MB RN50L

TOYOTA CAMRY CAMRY, CARINA,
COROLLA CORONA, CROWN, HIACE,
HILUX SPRINTER 1987-1991

EN2300B


Diodes: 8-35 Ampere
Diameter OD: 114mm
With M6x48.5mm Battery Post
With M5x35mm Ground Post
With M5x41.5mm Mounting Bolt



CG 230000
MB RN50L

EN2657B

Diodes: 8-35 Ampere Diodes
Diameter OD: 114mm
With M6x48.5mm Battery Post
With M5x35mm Ground Post
With M5x41.5mm Mounting Bolt
With Aluminum Heat sink



MB RN41
CG 333053, 132657
UP REC615, REC616H,
REC615H, REC616

ISUZU TFR 4JA1 1993-; TOYOTA HILUX

EN2657C

Diodes: 6-35A Ampere
Diameter OD : 114mm
With M6x47.5mm Battery Post
With M5x41.5mm Battery
Mounting Bolt
With M5x47.5mm Ground Post
With M5x38mm Ground
Mounting Bolt




MB RN41
CG 333053, 132657
UP REC615, REC616H,
REC615H, REC616

ISUZU TFR 4JA1 1993-; TOYOTA HILUX

EN2657D

Diodes: 6-50 Ampere
Diameter OD: 114mm
With M6x48.5mm Battery Post
With M5x40mm Ground Post
With M5x41.5mm Mounting Bolt
With Trio
With steel heat sink



MB RN41
CG 333053, 132657
UP REC615, REC616H,
REC615H, REC616

ISUZU TFR 4JA1 1993-; TOYOTA HILUX

EN2657E

Diodes: 6-35A Ampere
Diameter OD : 114mm
With M6x47.5mm Battery Post
With M5x47.5mm Ground Post
With M5x38mm Mounting Bolt




ND 0215901890, 0215901910
MB RN41
CG 132657, 333053
UP REC615H, REC616H,
REC615,

ISUZU TFR 4JA1 1993-; TOYOTA HILUX

EN2720A

Diodes: 8-50 Ampere
Diameter OD: 100mm



ND 0215802160, 0215802230,
2735763020
MB RN13
WAI 318201
CG 132082
TR INR720
UP REC631

For use on: Acura, Honda, Isuzu, Toyota,
Sterling

EN2720B

Diodes: 8-35 Ampere Press-fit
Diodes
Diameter OD: 100mm
With M6 Battery Post
With Aluminum Heat sinks




UP REC631
MB RN13PL, RN13
TR INR720
CG 132082

Chevrolet (1988-1988), Geo (1989-1997),
Honda (1984-1995), Honda - Europe (1984-
1993), Isuzu (1985-1995), Kubota (1986-
2007), Rover Group - Europe (1986-1999),
Suzuki (1995-1997)

EN2720C

Diodes: 8-50 Ampere
Diameter OD: 100mm
With Steel Heat sinks



ND 0215802160, 0215802230,
2735763020
MB RN13
WAI 318201
CG 132082
TR INR720
UP REC631

For use on: Acura, Honda, Isuzu, Toyota,
Sterling

EN2727A

Diodes: 8-50 Ampere
Diameter OD: 100mm
With M6x44mm Battery Post



TR INR727, INR727P
MB RN14
CG 230191
UP REC632

Chrysler (1988-1988), Dodge (1987-1989),
Plymouth (1987-1988)

EN5028A

Diodes: 8-50 Ampere
Diameter OD: 100mm
With M6 Battery Post
With Mounting Hole for Ground
Strap



ND 0215805300
CG 231236
TR INR5028
MB RN38

Acura (1998-1999), Isuzu (1988-2007),
John Deere (1998-2004), Suzuki (1997-
2002), Toyota (1998-1999)

EN5028B

Diodes: 8-35Ampere Press-fit
Diodes
Diameter OD: 100mm
With M6 Battery Post
With Mounting Hole for Ground
Strap With Aluminum Heat sinks




ND 0215805300
TR INR5028
MB RN38
CG 231236

Acura (1998-1999), Isuzu (1988-2007),
John Deere (1998-2004), Suzuki (1997-
2002), Toyota (1998-1999)

Denso Rectifiers

EN6328A

Diodes: 12-35 A Avalanche Press-Fit
Diameter OD: 117mm
With M6x33mm Battery Post
With Copper Heat sinks



CG 236328
TR INR426
MB RN57
ND 0215806370

Ford (2005-2008), Lexus (2006-2013),
Lincoln (2006-2008), Toyota (2003-2014)

EN9210A


Diodes :6-50 A Avalanche Press-Fit
Diameter OD : 113mm
With M8x46mm Battery Post
With Aluminum Heat sinks



ND 0215809210
MB RN64

EN9535A

Diodes: 8-50 Ampere Press-Fit
Diameter OD:138mm
With Aluminum Heat sinks
With 5/16"x60mm Battery Post



ND 0215805350
TR INR9535

Caterpillar (1996-2003), Freightliner (1998-2003), Mack (1998-2003)

Ford Rectifiers

EF0300A

8-50A press-fit diodes



TR FR300
MB RF063
MM AMP1203

Ford (1996-2007) , Lincoln (1995-2005) ,
Mazda (2005-2006) , Mercury (1996-2007)

EF1141A

Diodes: 8-50A Avalanche
Diameter OD: 114mm
With M6x39mm Battery Post



FORD INDIA

MB RF19H
VA 3N2110300BB
TR FR6100

EF2201A

Diodes: 8-35 Ampere
Diameter OD: 133mm
Drop-down Stator Terminals




TR FR201
MB RF04A
CG 136209

FORD AEROSTAR 3.0L(182) V6 1995-1997; FORD AEROSTAR 4.0L(245) V6 1994-1997; FORD E SERIES VANS 4.2L(256) V6 1997-2003; FORD EXPLORER 4.0L 1995-2001

EF5019A

Diodes: 8-50A Avalanche
Diameter OD: 114mm
With M6x16.4mm Battery Post



MB RF18HV
CG 235019
TR FR6102

Ford (2003-2004), Ford - Europe (2000-2015), Jaguar - Europe (2003-2015)

EF6104A

Diodes:8-50A Avalanche
Diameter OD:105mm
With M6x39mm Battery Post



Ford - Europe (2002-2010) , Ford LCV - Europe (2003-2009)

TR FR6104
CG 331690
MB RF22HV

EF6106A

Diodes:8-50A Avalanche
Diameter OD:105mm
With M6x16.4mm Battery Post
For Ford/Visteon RC28
European 110A alternator



Ford - Europe (2005-2008)

TR FR6106

Hitachi Rectifiers

<p>EH0607A</p> <p>Diodes: 6-35 Ampere Diameter OD: 118mm With M5x31mm Mounting Bolt With Trio</p>  <p>MM 940038251 HI L16023201 TR IHR607 MB RH14C UP REC666, REC666L CG 132053</p> <p>Nissan Laurel II (C31)2.8 D [LD28] 1981-1984</p>	<p>EH0719A</p> <p>Diodes: 6-50 Ampere Diameter OD: 100mm With M6x44.4mm Battery Post With (M5+M4)x39.8mm Mounting Bolt With Trio</p>  <p>HI L1701502, L1709320 UP REC670 TR IHR719</p> <p>Nissan (1986-1988)</p>	<p>EH0721A</p> <p>Diodes: 6-35 Ampere Diameter OD: 118mm With M5x31mm Mounting Bolt With Trio For use on: Nissan with 70 Ampere Alternators, Isuzu NPR</p>  <p>HI L16043202, L16043202, L16023202 MB RH15 UP REC657 CG 135037 TR IHR721</p> <p>Chevrolet (1986-1998), GMC (1986-1998), Isuzu (1986-1997), Nissan (1987-1987), Nissan - Europe (1986-1992), Nissan LCV - Europe (1986-1996)</p>
<p>EH0723B</p> <p>Diodes: 6-35Ampere Diameter OD: 111mm With M5x39mm Mounting Bolt With Trio</p>  <p>CG 131603 TR IHR723, HR723HD MM 940038250 MB RH04, RH04C UP REC663, REC663L HI L14013202, L14053202, L15043203</p> <p>LTi (Carbodies) - Europe (1987-1997), Nissan (1983-1987), Nissan - Europe (1985-1996), Nissan LCV - Europe (1985-1999), Opel LCV - Europe (1988-1994)</p>	<p>EH0723C</p> <p>Diodes: 6-35 Ampere Diameter OD: 111mm With M5x31mm Mounting Bolt With Trio</p>  <p>HI L16013203, L1604320, L15083202, L14053202, L14013202, L15083201 MM 940038250 LU 21511107 MB RH04C CG 131603Z TR IHR723</p> <p>OPEL CORSA A 1.5 DIESEL 1987-1993</p>	<p>EH0733A</p> <p>Diodes: 6-35 Ampere Diameter OD: 100mm With M5x31mm Mounting Bolt With Trio</p>  <p>HI L1356320 WAI 318147 CG 135466 MB RH19 UP REC675 TR IHR733</p> <p>NISSAN : 2310001B00, 2310001B05, 310003B05</p>
<p>EH0734A</p> <p>Diodes: 6-35 Ampere Dish Diameter OD: 100mm With M5x43mm Battery Post With M5x31mm Mounting Bolt With Trio</p>  <p>HI L1353320, L135332000 WAI 318135 CG 132406 MB RH20 TR IHR734</p> <p>SUBARU : 429905600 ISUZU : 5812003300, 5812003350, 5812003380, 5812003381</p>	<p>EH0738A</p> <p>Diodes: 8-35 Ampere Diameter OD: 114mm With M6x20.3mm Battery Post With M5x31.6mm Mounting Bolt</p>  <p>CG 235660 TR IHR738 MB RH70</p> <p>Nissan (1998-2001)</p>	<p>EH0739A</p> <p>Diodes: 8-35A Avalanche Diameter OD: 114mm With M6x20.3mm Battery Post With M5x31.6mm Mounting Bolt</p>  <p>TR IHR739 MB RH69</p> <p>Nissan (1998-2001)</p>
<p>EH0744A</p> <p>Diodes: 8-35A Avalanche Diameter OD: 114mm With M6x20.3mm Battery Post With M5x31.6mm Mounting Bolt</p>  <p>HI L160G53201, L160G9320, L190G33204 MB RH65 TR IHR744 CG 231442</p> <p>Subaru (1995-1995), Subaru - Europe (1996-1998)</p>	<p>EH0744B</p> <p>Diodes: 8-35Ampere Diameter OD: 114mm With M8x45.6mm Battery Post</p>  <p>HI L190G33204, L160G53201, L160G9320 CG 231442 MB RH65 TR IHR744</p> <p>Subaru (1995-1995), Subaru - Europe (1996-1998)</p>	<p>EH0746B</p> <p>Diodes: 8-35A Avalanche Diameter OD: 114mm With M8x45.6mm Battery Post With M5x31.6mm Mounting Bolt</p>  <p>HI L170G13201 TR IHR746 MB RH31 CG 138732</p> <p>Nissan (1995-1999)</p>
<p>EH0750A</p> <p>Diodes: 8-35 Ampere Diameter OD: 103mm With M5x31.6mm Mounting Bolt</p>  <p>MM AMP1764 UP REC686 TR IHR750 CG 135038 MB RH21</p> <p>SUBARU LEGACY 1.8 1989-1993; SUBARU LEGACY 2.0 1988-1995; SUBARU LEGACY 2.2i 1988-1995</p>	<p>EH0751A</p> <p>Diodes: 6-35 Ampere Diameter OD: 103 mm With M6x43mm Battery Post With Trio</p>  <p>HI L17043202 TR IHR751 MB RH22 UP REC684 CG 136650</p> <p>NISSAN PICK UP (D21) 3.0i V6 4WD (90-98), TERRANO I (WD21) 3.0i V6 4WD (90-95)</p>	<p>EH0756A</p> <p>Diodes: 6-35 Ampere Diameter OD: 103 mm With M5x16.6mm Battery Post With M5x31.6mm Mounting Bolt With Trio</p>  <p>HI L18013202, L18013202 CG 135040 TR IHR752 UP REC683, REC682 RH23</p> <p>Infiniti (1991-1993), Nissan (1990-1993)</p>
<p>EH0764A</p> <p>Diodes: 8-35A Ampere Diameter OD : 114mm With M6x48mm Battery Post</p>  <p>TR IHR764 UP REC6952 CG 234829 MB RH82</p> <p>Honda (1998-2002), Isuzu (1998-2004), Opel - Europe (2000-2004)</p>	<p>EH0769A</p> <p>Diodes: 8-35 A Avalanche Diameter OD: 127mm With M8x45.6mm Battery Post With M5x31.6mm Mounting Bolt</p>  <p>UP REC656A CG 233620 TR IHR769 MB RVH030</p> <p>Honda - Europe (2002-2005), Opel - Europe (2000-2015), Opel LCV - Europe (2000-2010), Vauxhall - Europe (2000-2015)</p>	<p>EH0769B</p> <p>Diodes: 8-35 Ampere Diameter OD: 127mm With M8x45.6mm Battery Post With M5x31.6mm Mounting Bolt</p>  <p>HI 09010021 CG 235729 MB RH73 TR IHR769</p> <p>For use on: 1999-up Opel Astra, Vectra 1.7L, 1999-up Opel Corsa, W/AC1.7L</p>

Hitachi Rectifiers

EH0770A

Diodes: 8-35 A Avalanche
Diameter OD: 119mm
With M6x20.3mm Battery Post
With M5x31.6mm Mounting Bolt



HI LR1110709B, LR1110707G,
LR1110710F
MB RH77
CG 234027
TR IHR770

For use on: 95-97 Nissan Maxima 3.0L
DOHC, 98-99 Nissan Maxima SE 3.0L, 98-99 Infiniti 3.0L

EH0771A

Diodes: 6-35 A Avalanche
Diameter OD: 119mm
With M6x20.3mm Battery Post
With M5x31.6mm Mounting Bolt
Mates to Regulators with Integral
Brush Holder



HI GD214970L, L1100G23201
TR IHR771
MB RH71
UP REC697A

NISSAN MAXIMA 3.0L 1997-1999

EH0773A

Diodes: 8-60 A Avalanche
Diameter OD: 119mm
With M6x20.3mm Battery Post
With M5x31.6mm Mounting Bolt



HI L1125G2320, L1110G6320,
L1110G4320
CG 138718
TR IHR773
MB RH35

Infiniti (1996-1999), Nissan (1995-1997),
Nissan - Europe (1995-2010)

EH0778A

Diodes: 6-35 Ampere
Diameter OD: 114mm
With M6x20.3mm Battery Post



HI LR160727, LR180741H,
LR180744
CG 230662
TR IHR778
MB RH32

For use on: Nissan Altima

EH1081A

Diodes: 8-35A Avalanche
Diameter OD: 114mm
With (M8 +M4)x55.4mm Battery
Post
With (M5+M4)x41.8mm
Mounting Bolt



MB RH63, RH61
CG 231081
UP REC650

OPEL ASTRA / VECTRA B 1.7 DIESEL
TURBO 1995-1996

EH1081B

Diodes: 8-35 Ampere
Diameter OD: 114mm
With (M8 +M4)x55.4mm Battery
Post
With (M5+M4)x41.8mm
Mounting Bolt



HI L1100G5320
MB RH63
CG 231081
UP REC650

OPEL ASTRA / VECTRA B 1.7 DIESEL
TURBO 1995-1996

EH1129A

Diodes: 6-50 Ampere
Diameter OD: 111mm
With M6x35.2mm Battery Post
With M5x31mm Mounting Bolt
With M5x43mm Battery Bolt
With Trio



HI L15013206, L1606320
TR IHR722
UP REC680

Subaru Leone [EA82.EA65.EA71]

KH1331A

Diodes: 8-35A
B+:M8x50.5mm



EH1603A

Diodes: 6-35Ampere
Diameter OD: 118mm
With M5x43mm Battery Post
With M5x31mm Mounting Bolt
With Trio




HI L15013230, L1603320,
L15013203
TR IHR603
MB RH01, RH01C
CG 131598
UP REC667

Nissan (1979-1988), Nissan - Europe
(1979-1990), Nissan LCV - Europe (1980-
1991), Subaru (1982-1987), UD (1989-
1991)

EH1713A

Diodes: 6-35 Ampere
Diameter OD: 111mm
With M5x31mm Mounting Bolt
With Trio



HI L15093201
TR IHR713
MB RH08C
UP REC678

Gehl (1985-1997), Isuzu (1986-2007),
Mustang (1988-1996), Nissan (1985-1989),
Yanmar (1982-2003)

EH1720A

Diodes: 8-50 Ampere
Diameter OD: 100mm
With M6x44.4mm Battery Post
With (M5+M4)x39.8mm
Mounting Bolt
With Trio



HI L1656320, L1657320,
L1707302
CG 133377
MB RH40C
TR IHR720

For use on: Subaru XT Coupe, Nissan
Axxess

EH1737A

Diodes: 8-35 Ampere
Diameter OD: 114mm
With M6x20.3mm Battery Post
With M5x31.6mm Mounting Bolt



HI L190G43205,
MB RH76
CG 234315
TR IHR737

For use on: 1977-2000 Nisan puthfinder
3.3L

EH1737B

Diodes: 8-35A Avalanche
Diameter OD: 114mm
With M6x20.3mm Battery Post
With M5x31.6mm Mounting Bolt



HI L190G43205
TR IHR737
UP REC695
MB RH76
CG 234315

NISSAN ALMERA II (N16)
[QG15DE/QG18DE] (2000->), PRIMERA
(P11/P12) [QG16DE/QG18DE]

EH2001A

Diodes: 12-35A Avalanche
With M8x37mm Battery Post
Without Trio



For used on: NISSAN TIIDA

EH2120A

Diodes: 8-35 Ampere
Diameter OD: 119mm
With M8x50.5mm Battery Post
With M5x36.5mm Mounting Bolt



MB RH120

Infiniti QX4 , Nissan Pathfinder 3.5L (2002-
01)

EH3160A

Diodes: 6-35 Ampere dish
Diameter OD: 111mm
With M5x39mm Mounting Bolt
With M5x31mm Mounting Bolt



HI L150M13201, L150M13202,
L155M13202
WAI 318111
CG 131601
TR IHR712, IHR712HD
UP REC664
MB RH07

For use on: IHC, Nissan Diesel, Isuzu
Diesel

EH3190A


Diodes: 8-35A Avalanche
With M6x51mm Battery Post
For 24V Alternator



MB RH116, RH117

EH3190B

Diodes: 8-35A Avalanche
With M6x51mm Battery Post
For 24V Alternator



MB RH116, RH117

Hitachi Rectifiers

EH3705A

Diodes: 8-60 A Avalanche
Diameter OD: 119mm
With M6x20.3mm Battery Post
With M5x31.6mm Mounting Bolt



B+ W
Φ119mm

HI L1125G2320, L1110G4320
WAI 318142
CG 138718
MB RH35
TR IHR773

For use on: Nissan Maxima 3.0L DOHC,
Infiniti 130

EH4809A

Diodes: 6-35Ampere
Diameter OD: 114mm
With (M8 +M4)x55.4mm Battery
Post
With (M5+M4)x41.8mm
Mounting Bolt



Φ114mm

HI L190G8320, LR1100-501B
CG 234809
MB RH62

EH5226A

Diodes: 8-35 Ampere
Diameter OD: 114mm
With M6x48mm Battery Post
With M5x31.6mm Mounting Bolt



W B+
Φ114mm

HI L190G13205
CG 2352261

3.3L NISSAN PATHFINDER

EH5226B

Diodes: 8-35 Ampere
Diameter OD: 114mm
With M8x49mm Battery Post
With M5x31.6mm Mounting Bolt



Φ114mm

HI L190G13205
CG 235226

3.3L NISSAN PATHFINDER

EH5315A

Diodes: 6-35 Ampere
Diameter OD: 119mm
With M8x50.5mm Battery Post
With M5x36.5mm Mounting Bolt



B+ W
Φ119mm

HI L160G33202
CG 235315

EK5681A

Diodes: 6-25 Ampere
Diameter OD: 126mm
With M5x21mm Mounting Bolt
With Trio



D+ Φ126mm

NK 0337302190
CG 135681

KOMATSU Crawlers, Lift Trucks, Loaders,
Motor Graders 6D140, 6D155, 6D170,
6D125, 6D110, 6D108, 6D95, Engines

EH5886B

Diodes: 8-35A Avalanche
Diameter OD :127mm
With M6x20.3mm Battery Post
With M5x31.6mm Mounting Post



B+ W
Φ127mm

CG 235729

EH5886C

Diodes: 8-35A Avalanche
Diameter OD :127mm
With M8x50.5mm Battery Post
With M5x31.6mm Mounting Post



B+ W
Φ127mm

MB RH122
CG 235729

OPEL 1.7 DIESEL

KH8430A


Diodes : 8-60A



Iskra Rectifiers

EI0104A


Diodes : 6-60Avalanche
With M8x40mm Battery Post
With M6x32.5mm Ground Post
With M5 W-Post
With Trio
With Capacitor



EI1050A

Diodes: 8-35A Avalanche
With M8x39.5mm Battery Post
With M5x28.5mm Trio Post
With Trio
With Capacitor


CG 231050
MB RK02
IS 16903314



EI1472A


Diodes: 8-35 A Avalanche
With M8x54mm Battery Post
With M5x32mm Trio Post
With M5x32mm W Post
With Trio
With Capacitor

MB RK01
CG 231472



EI2008A

Diodes :6-35A Avalanche
With M6x54mm Battery Post
With M5x32mm Trio Post
With Trio
With Capacitor



EI4950A


Diodes:8-35A Avalanche
With M8x39.5mm Battery Post
With M5x28.5mm Trio Post
With Trio
With Capacitor

CG 234950
IS 16902040



EI8003A

Diodes: 8-35A Avalanche
With M6x54mm Battery Post
With M5x32mm Trio Post
With M5x32mm W Post
With Trio
With Capacitor



EI8005A

Diodes:6-35A Avalanche
With M8x54mm Battery Post
With M5x32mm Trio Post
With Trio
With Capacitor



EI9243A

Diodes: 8-50 A Avalanche
With M8x24mm Battery Post
With M5 W-Post
With Trio
With Capacitor



Lada Rectifiers

ER1108A

12 volt



LADA GRANTA, VAZ-1117-1119, 2170-2172, 2190

ER1133A

Diodes : 8-50A Avalanche With M6x51mm battery Post With Trio/Capacitor With "W" Terminal



ER1136A

Diodes: 6-50 A Avalanche With M6x51.5mm Battery Post Without trio With capacitor With "W" terminal




ER5128A

Diodes : 8-50A Avalanche With trio With capacitor With "W" terminal



ER5171A

Diodes : 8-50A Avalanche Without Capacitor Without "W" Terminal



VAZ 2101 LADA 110 1.5 [VAZ-2111] 01.1995-
LADA 110 1.5 16V [VAZ-2112] 01.1995-
LADA 111 1.5 [VAZ-2111] 01.1996-
LADA 111 1.5 16V [VAZ-2112] 01.1995-

ER5171B

Diodes: 6-50 A Avalanche With Trio Without Capacitor Without "W" Terminal



CG 235171

ER5171C

Diode Amp. 35, O.D. 111.00, I.D. 27.82



CG 235171

ER5171D

Diode Amp. 35, O.D. 111.00, I.D. 27.82



CG 235171

ER5171E

Diodes : 6-50A Avalanche With M6x51mm Battery Post With trio Without capacitor With "W" terminal



CG 235171

ER5171F

Diodes : 6-50AAvalanche With M6x51mm Battery Post With Trio/Capacitor Without "W" Terminal



CG 235171

ER5171G



VAZ 2101 LADA 110 1.5 [VAZ-2111] 01.1995-
LADA 110 1.5 16V [VAZ-2112] 01.1995-
LADA 111 1.5 [VAZ-2111] 01.1996-
LADA 111 1.5 16V [VAZ-2112] 01.1995-


ER5171H



VAZ 2101 LADA 110 1.5 [VAZ-2111] 01.1995-
LADA 110 1.5 16V [VAZ-2112] 01.1995-
LADA 111 1.5 [VAZ-2111] 01.1996-
LADA 111 1.5 16V [VAZ-2112] 01.1995-

ER5322A

Diodes : 6-50A Avalanche With trio Without capacitor With "W" terminal



ER6502A

Diodes: 6-35 Ampere With Trio Without Capacitor Without "W" Terminal




Lucas Rectifiers

EL0566A

Diodes: 6-35 Ampere
Diameter OD: 115mm
With M6x41.7mm Battery Post
With M5x53.7mm W-Post
With Lead Wire 110mm
With Trio

LU 84499, UBB133, 84454,
84422, 84455, 84201, UBB135,
UBB141
MM 940038273
TR ILR566HD
CG 131304Z
UP REC831
MB RL01H




Ford (1984-1999), Land Rover - Europe
(1976-1998), Leyland DAF Vans - Europe
(1984-1997), Rover Group (Triumph) -
Europe (1975-1982)

EL0567A

Diodes: 6-35 Ampere
Diameter OD: 115mm
With M6x46.5mm Battery Post
With M5x47.5mm W-Post
With Lead Wire 110mm
With Trio


LU 84468, UBB136
TR ILR567
CG 132720
MB RL11H
UP REC832



EL0569A

Diodes: 6-35 Ampere
Diameter OD: 115mm
With M6x32.5mm Battery Post
With M5x53.7mm W-Post
With Lead Wire 110mm
With Trio

LU 84574, UBB138
TR ILR569
MB RL22H
CG 138808




Nissan - Europe (1986-1990)

EL0570A

Diodes: 6-35 Ampere
Diameter OD: 115mm
With M6x46.5mm Battery Post
With M5x47.5mm W-Post
With Lead Wire 110mm
With Trio

LU 84456, UBB140
TR ILR570HD
MB RL06H
CG 132718Z
UP REC834




Ford - Europe (1983-2000), Ford LCV -
Europe (1986-2000)

EL0571A

Diodes: 6-35 Ampere
Diameter OD: 115mm
With M6x32.5mm Battery Post
With M5x53.7mm W-Post
With Lead Wire 110mm
With Trio

WAI 319208
CG 131304
MB RL01H
UP REC838, REC831
TR ILR571HD



For use on: Industrial

EL1166A

Diodes: 9-35 Ampere Button
With M5x50mm Mounting Post

LU UBB109, 83520, 83334,
83166, 84443, 83842, 83844,
UBB110
TR ILR166
CG 130643
MB RL08HV
UP REC822




Jaguar - Europe (1972-1981), Jensen
(1972-1974), Jensen - Europe (1975-
1976), Land Rover (1972-1974), Land
Rover - Europe (1972-1986)

EL6324A

Diodes: 6-35 Ampere
Diameter OD: 115mm
With M6x52mm Battery Post
With M5x53.7mm W-Post
With M5x31.5mm Trio Post
With Lead Wire 110mm
With Trio

LU 84976
MM 63328506
MB RL10H
TR ILR576HD
CG 136324
UP REC837



Nissan - Europe (1990-1996)

Magneti Marelli Rectifiers

EE0013A

Diodes: 8-50A Avalanche
Diameter OD: 111mm
With M6x39.5mm Battery Post



MM 63321239
CG 234958
MB RI26H

EE0631A

Diodes: 6-35A Avalanche
Diameter OD: 111mm
With M6x23.5mm Battery Post



MM 63625003, 63626002
TR IXR631
CG 231026, 233792
MB RI32H

CITROEN SAXO (S0, S1) 1.1/1.6,
CITROEN BERLINGO (MF) 1.1/1.4/1.6

EE0631B

Diodes: 6-35A Avalanche
Diameter OD: 111mm
With M6x39.5mm Battery Post




TR IXR631
CG 139092, 233792
MM 63626002
MB RI32H

Citroen - Europe (1999-2010), Citroen
LCV - Europe (2001-2007), Fiat LCV -
Europe (2003-2007), Ford - Europe (1998-
2015), Peugeot - Europe (1998-2010),
Peugeot LCV - Europe (2000-2010)

EE0634A

Diodes: 8-50A Avalanche
Diameter OD: 111mm
With M8x50mm Battery Post



MM 63623701, AMP1300
TR IXR634
CG 138800
MB RI19H

LAND ROVER RANGE ROVER
3.9L/4.0L/4.6L (94-02)

EE0692A

Diodes: 6-25Ampere Button
With M6x45mm Battery Post
With Trio
Thick: 17.5mm



MM 64826011, 63321503,
63621501, 74877471, 74878691
MB RI02HA
TR IXR692

Citroen LCV - Europe (1987-1994), Fiat -
Europe (1971-2004), Fiat LCV - Europe
(1979-2000), Fiat-Allis (1970-1995), Ford
(1995-1998), Iveco Fiat LCV / Heavy
Duty - Europe

EE0693A

Diodes: 6-25Ampere Button
With M6x45mm Battery Post
With M5x25mm Tighting Bolt
With Trio
Thick: 19.5mm




MM AMP1501, AMP1500
MB RI02HA, RI02
UP REC353, REC352
TR IXR693
CG 131505

FIAT, LANCIA Elba Tipo Fiorino Prisma

EE0704A

Diodes: 6-25Ampere Button
With (M8+M5)x50.5mm Battery
Post
With Trio
Thick: 17.5 mm
For use on: Fiat



MM 063622901010, 63622901
CG 139218
TR IXR704

EE1025B

Diodes: 6-35A Avalanche
Diameter OD: 111mm
With M8x50mm Battery Post



MM 63625002
CG 231025
MB RI35, MFRX05622

Alfa Romeo - Europe (2011-2013), Fiat -
Europe (1995-2002), Lancia - Europe
(1996-2003), Mini - Europe (2007-2012),
Opel - Europe (2005-2010), Vauxhall -
Europe (2005-2010)

EE3458A


Diodes: 8-35A Avalanche
Diameter OD: 111mm
With M6x18.5mm Battery Post



CG 233534
MB RI31H
WAI 233458W

EG4977A

Diodes: 6-35 A Avalanche
With M6x41.7mm Battery Post
With Trio




MT 0135240, 0140830, 0135241,
0140831
CG 134977

John Deere, Ope Ag & Industrial

Mando Rectifiers

EA3437A

6-50A
B+:M6x43.7mm



CG 333437

HYUNDAI ACCENT 00->, COUPE 01->, ELANTRA 00->, GETZ 02->, MATRIX 06->, TRAJET 00->, TUSCON 04-> // KIA CARENS (02-06), CERATO (04-06), RIO 06->, SPORTAGE 04->

EA5599A

Voltage 14 ,
B+ type bolt,
No. of diodes 8,
Mount. dist. 75.00,
B+/threaded M8/41.90,
OD 127.00,
ID 48.00



CG 235599
MB RK05, RK04

Hyundai Elantra/Trajel/Santa Fe/Tucson 2.0 CRDi 2001- Kia Carens Sportage 2.0 CRDi 2004-

EA9003A

Diodes: 8-30A Avalanche
Mounting Length: 90mm
With M8x45.6mm Battery Post
With Trio



MB RM151
TR IYR9003
MD TA000A48402,
TA000A48401

Bobcat (1999-2003)

EA9016A

Diodes:8-30A Ampere
Mounting Length: 90mm
With M8x45.6mm Battery Post
With Trio



TR IYR9016
MB RM141
WAI 233499W

EA9028A

Diodes: 6-30 A Avalanche
Mounting Length: 90mm
With M8x45.6mm Battery Post
With Trio



MOBILETRON RM132
TRANSP0 IYR9028

HYUNDAI ACCENT 00->, COUPE 96->, ELANTRA 00->, MATRIX 01->, TIBURON 01->

EA9058A

8-50A press-fit diodes
90mm Mtg. Length
M6 x 1.0 x 22mm Batt. Term.
With capacitor & diode trio



MD TA600C04602
TR IYR9058
MB RM117, RM198
CG 138205

HYUNDAI ACCENT , COUPE , LANTRA 11.3L/1.5L 12V (95-00),

Mitsubishi Rectifiers

EM0016A

Diodes: 12-35A Ampere
Mounting Length : 122mm
With M8x59.5mm Battery Post
Without Trio
Without Capacitor




Nissan Micra/Note/Qashqai 1.6 [HR16DE]
2005->

TR IMR12200
MB RM180HV

EM0040A

Diodes: 8-30 Ampere
Mounting Length: 100mm
With M6x49.5mm Battery Post
With Trio




For use on: Ford Thunderbird, Mercury Cougar, Hyundai Alliance

MB RM41
WAI 318329
CG 135252
TR IMR10040

EM0040B

Diodes: 8-30Ampere
Mounting Length: 100mm
With M6x60mm Battery Post
With Trio/ Capacitor



HYUNDAI GALLOPER 2.5L Dsl.;
HYUNDAI H 100; HYUNDAI TERRACAN
2.5L Dsl.; KIA 2.5L II Dsl.; MITSUBISHI
DELICA 2.5L Dsl. 1996-1998; MITSUBISHI
L300 2.5L Dsl.

UP REC557, REC5711,
REC5712
TR IMR10040
RM RM41
CG 135252

EM0040C

Diodes : 8-30A Ampere
Diameter : 100mm
With M6x49.5mm Battery Post
With Trio/Capacitor



HYUNDAI GALLOPER 2.5L Dsl.;
HYUNDAI H 100; HYUNDAI TERRACAN
2.5L Dsl.; KIA 2.5L II Dsl.; MITSUBISHI
DELICA 2.5L Dsl. 1996-1998; MITSUBISHI
L300 2.5L Dsl.

UP REC5711, REC5712
TR IYR10038
MB RM41
CG 135252

EM0042A

Diodes: 8-30 Ampere
Mounting Length: 100mm
With Trio



DODGE 2000GTX , COLT; EAGLE
TALON ; HYUNDAI ELANTRA ; SONATA
;MITSUBISHI COLT; ECLIPSE ;
GALANT;LANCER ; MIRAGE

MM AMP1391
UP REC571, REC505
TR IMR10042
MB RM40, RM40HV
CG 132793

EM0044A

Diodes: 8-30 Ampere
Mounting Length: 100mm
With M5x44mm Battery Post
With Trio



Subaru (1991-1991)

TR IMR10044
MB RM42
CG 135229

EM0045A

Diodes : 6-40A Avalanche
Mounting Length : 100mm
With M8x59.5mm Battery Post
Without Trio
Without Capacitor



CITROEN C-CROSSER / MITSUBISHI
LANSER SPORTBACK / OUTLANDER /
PEUGEOT 4007

TR IMR10045
MB RM201
CG 235879

EM0047A

Diodes : 8-40 A Avalanche
Mounting Length : 100mm
With M5x44mm Battery Post
Without Trio
Without Capacitor



MAZDA 3/5' 2005-2009

TR IMR10047
MB RM195, RM182

EM0047B

Diodes : 8-30 Ampere
Mounting Length : 100mm
With M5x44mm Battery Post
Without Trio
Without Capacitor




MAZDA 3/5' 2005-2009

TR IMR10047
CG 239995
MB RM195, RM182

EM0049B

Diodes:6-30 Ampere
Diameter OD: 100mm
With M5x44mm Battery Post
Without Trio
Without Capacitor




Subaru Legacy, Outback 2.5L 2005-2009

TR IMR10049
MB RM184

EM0050A

Diodes: 8-30Ampere
Mounting Length: 100mm
With M6x49.5mm Battery Post
With Trio/Capacitor



Dodge (1991-1995), Hyundai (1995-1998),
Hyundai - Europe (1994-1998), Mitsubishi
(1991-1995), Mitsubishi - Europe (1991-
1999), Mitsubishi Fuso (1989-1991)

CG 137486
TR IMR10050
MB RM43

EM0050B

Diodes : 8-30A Ampere
Mounting Length : 100mm
With M6x49.5mm Battery Post
With Trio
With Capacitor



Dodge (1991-1995), Hyundai (1995-1998),
Hyundai - Europe (1994-1998), Mitsubishi
(1991-1995), Mitsubishi - Europe (1991-
1999), Mitsubishi Fuso (1989-1991)

CG 137486
TR IMR10050
MB RM43

EM0050C

Diodes : 8-30A Ampere
Mounting Length : 100mm
With M6x60mm Battery Post
With Trio
With Capacitor



Dodge (1991-1995), Hyundai (1995-1998),
Hyundai - Europe (1994-1998), Mitsubishi
(1991-1995), Mitsubishi - Europe (1991-
1999), Mitsubishi Fuso (1989-1991)

CG 137486
TR IMR10050
MB RM43

EM0057A

Diodes: 8-30 Ampere
Mounting Length: 100mm
With M8x59.5mm Battery Post
Without Trio
Without Capacitor



FORD TOURNEO 2.5 D TURBO 1998-
2000; FORD TRANSIT 2.5 D 1998-2000;
LDV VH431 2.5 D TURBO 1998

TR IMR10057
CG 231079
UP REC597
MB RM99HV

EM0057B

Diodes: 8-35Ampere
Mounting Length: 100mm
With M8x54mm Battery Post
With Trio
Without Capacitor



FORD TOURNEO 2.5 D TURBO 1998-
2000; FORD TRANSIT 2.5 D 1998-2000;
LDV VH431 2.5 D TURBO 1998

TR IMR10057
UP REC597
CG 231079
MB RM99

EM0058A

Diodes: 8-35 A Avalanche
Mounting Length: 100mm
With M8x59.5mm Battery Post
Without Trio/ Capacitor



Chrysler (2001-2005) , Dodge (2001-2005)
, Mercury (1999-2002) , Mitsubishi (1998-
2005) , Nissan (1999-2002)

CG REC5975
CG 235895
MB RM134
TR IMR10058

EM0058B

Diodes :8-35A Avalanche
Mounting Length : 100mm
With M8x54mm Battery Post
Without Trio
Without Capacitor



Chrysler (2001-2005), Dodge (2001-2005),
Mercury (1999-2002), Mitsubishi (1998-
2005), Nissan (1999-2002)

TR IMR10058
CG 230884
MB RM134

EM0060A

Diodes: 8-30 Ampere
Mounting Length: 100mm
With M8x54mm Battery Post
With Trio/Capacitor



For use on: Ford Taurus SHO

MB RM48
WAI 318358
CG 135900
TR IMR10060

Mitsubishi Rectifiers

<p>EM0060B</p> <p>Diodes: 8-35 A Avalanche Mounting Length: 100mm With M8x54mm Battery Post Without Trio With Capacitor</p>  <p>CG 139949, 135900 TR IMR10060 MB RM48</p> <p>Mercury (1993-1995), Nissan (1993-1995)</p>	<p>EM0064A</p> <p>Diodes: 8-30 Ampere Mounting Length: 100mm With M5x44mm Battery Post With Trio</p>  <p>WAI 318356 CG 135882 TR IMR10064</p> <p>For use on: Ford Probe, Mazda626, Mazda MX6</p>	<p>EM0066A</p> <p>Diodes: 8-30 Ampere Mounting Length: 100mm With M8x54mm Battery Post With Trio/Capacitor</p>  <p>MB RM45 WAI 318355 CG 135901 TR IMR10066</p> <p>For use on: Mazda 929</p>
<p>EM0067A</p> <p>Diodes: 6-30A Ampere Mounting Length: 100mm With M8x54mm Battery Post Without Trio Without Capacitor</p>  <p>TR IMR10067 MB RM139 CG 234305</p> <p>Chrysler (2001-2005), Dodge (2001-2005), Mitsubishi (2000-2005)</p>	<p>EM0067C</p> <p>Diodes: 6-30 Ampere Mounting Length: 100mm With M8x54mm Battery Post With Trio Without Capacitor</p>  <p>TR IMR10067 MB RM139 CG 234305</p> <p>Chrysler (2001-2005), Dodge (2001-2005), Mitsubishi (2000-2005)</p>	<p>EM0072A</p> <p>Diodes: 8-35 A Avalanche Mounting Length: 100mm With M5x44mm Battery Post With Trio/Capacitor</p>  <p>TR IMR10072 CG 233515 MB RM44</p> <p>Nissan (1990-1993)</p>
<p>EM0081A</p> <p>Diodes: 8-30Ampere Mounting Length: 100mm With M6x44.5mm Battery Post Without Trio Without Capacitor</p>  <p>TR IMR10081 CG 235888 MB RM127</p> <p>Mazda MPV</p>	<p>EM0081B</p> <p>Diodes: 8-30A Ampere Mounting Length: 100mm With M6x44.5mm Battery Post Without Trio Without Capacitor</p>  <p>CG 235888 TR IMR10081 UP REC5481 MB RM127</p> <p>Mazda (2000-2001)</p>	<p>EM0088A</p> <p>Diodes: 8-30 Ampere Mounting Length: 100mm With M6x49.5mm Battery Post With Trio/Capacitor</p>  <p>MB RM125HV WAI 318373 TR IMR10088</p> <p>Chrysler (1995-2000), Dodge (1995-2000)</p>
<p>EM0088B</p> <p>Diodes: 8-30Ampere With Capacitor Mounting Length: 100mm With M6x60mm Battery Post</p>  <p>MB RM125HV TR IMR10088</p> <p>Chrysler (1995-2000), Dodge (1995-2000)</p>	<p>EM0090B</p> <p>Diodes: 8-35 A Avalanche Mounting Length: 100mm With M8x59.5mm Battery Post With Trio</p>  <p>TR IMR10090 MB RM131HV</p> <p>CHRYSLER 300 SERIES, CHRYSLER CONCORDE, DODGE INTREPID 3.2L 3.5L 1998-2001</p>	<p>EY0092A</p> <p>Diodes OD: 8-35A Ampere Diameter: 100mm With Trio/Capacitor</p>  <p>MB RM191H TR IMR10092 CG 235565</p> <p>Hyundai LCV - Europe (2002-2007), Kia - Europe (2002-2009)</p>
<p>EY0092B</p> <p>Diodes: 8-30 A Avalanche Diameter OD: 100mm With M6x50mm Battery Post With Trio/Capacitor</p>  <p>TR IMR10092 MB RM191H CG 235565</p> <p>HYUNDAI TERRACAN // KIA KARNIVAL mot.2.9CRDi</p>	<p>EM1035A</p> <p>Diodes: 6-30A Ampere Diameter: 100mm With M8x59.5mm Battery Post With Trio Without Capacitor</p>  <p>TR IMR10046</p> <p>Pontiac GTO 5.7L 2004-</p>	<p>EM1051A</p> <p>Diodes: 8-30Ampere Mounting Length: 100mm With M5x44mm Battery Post Without Trio/Capacitor</p>  <p>TR IMR10051</p> <p>Mazda (2004-2009), Mazda - Europe (2003-2007), Subaru (2001-2005), Subaru - Europe (1998-2003)</p>
<p>EM1568A</p> <p>Diodes: 6-30Ampere Mounting Length: 85mm With M6x60mm Battery Post</p>  <p>MB RM126 TR IMR8568</p> <p>CHRYSLER NEON : DODGE NEON ; DODGE SX 2.0L(122) 2000-2004</p>	<p>EM1568B</p> <p>Diodes: 6-30A Ampere Mounting Length: 85mm With M6x60mm Battery Post Without Trio Without Capacitor</p>  <p>TR IMR8568 MB RM126</p> <p>CHRYSLER NEON : DODGE NEON ; DODGE SX 2.0L(122) 2000-2004</p>	<p>EM2003A</p> <p>Diodes: 6-35A B+ : M6x60mm</p>  <p>Great Wall</p>

Mitsubishi Rectifiers

<p>EM2714A</p> <p>Diodes: 6-30 Ampere Mounting Length: 100mm With M5x44mm Battery Post With Trio With Capacitor</p>  <p>MB RM80 CG 132714, 236816</p> <p>MAZDA 626 2.0L</p>	<p>EM2794A</p> <p>Diodes: 8-30 Ampere Mounting Length: 75mm With M6x49.5mm Battery Post With Trio</p>  <p>MB RM95, RM95HV CG 132794</p> <p>CHEVROLET, DAEWOO Spark, Matiz</p>	<p>EM2794B</p> <p>Diodes: 8-30 Ampere Mounting Length: 75mm With M6x49.5mm Battery Post With Trio</p>  <p>CG 132794 MB RM95HV, RM95</p>
<p>EM2800A</p> <p>Diodes: 12-60A Ampere Mounting Length : 128mm With M6x28.5mm Battery Post Without Trio Without Capacitor</p>  <p>TR IMR12800 MB RM208</p> <p>Ford (2006-2014) , Lincoln (2006-2012) , Mazda (2008-2008) , Mercury (2006-2009) , Nissan (2007-2010) , Subaru (2012-2014)</p>	<p>EM2802A</p> <p>Diodes: 12-35A Avalanche Diameter : 128mm With M8x59.5mm Battery Post</p>  <p>TR IMR12802</p> <p>Chrysler (2005-2006)</p>	<p>EM2806A</p> <p>Diodes : 16-35A Avalanche Diameter OD : 128mm With M8x59.5mm Battery Post</p>  <p>TR IMR12806 MB RM192</p> <p>MAZDA MPV 3.0L 2002-2006</p>
<p>EM2806B</p> <p>Diodes : 12-35 A Ampere Diameter OD : 128mm With M5x44mm Battery Post</p>  <p>TR IMR12806 MB RM192</p> <p>MAZDA MPV 3.0L 2002-2006</p>	<p>EM2807A</p> <p>Diodes: 12-60 A Avalanche Diameter OD : 128mm With M6x28.5mm Battery Post</p>  <p>MB RM178HD</p>	<p>EM3497A</p> <p>Diodes: 8-30Ampere Mounting Length: 100mm With M5x44mm Battery Post With Trio With Capacitor</p>  <p>CG 233518 MB RM54HV TR IMR10070</p> <p>Lincoln (1993-1995)</p>
<p>EM3497B</p> <p>Diodes:8-30 Ampere Mounting Length : 100mm With M5x44mm Battery Post With Trio With Capacitor</p>  <p>CG 233518 MB RM54HV TR IMR10070 WAI 233497W</p> <p>Lincoln (1993-1995)</p>	<p>EM3851A</p> <p>Diodes: 8-30 Ampere Mounting Length: 100mm With M8x54mm Battery Post With "W" Terminal With Trio</p>  <p>CG 233851 UP REC599B MB RM157H, REC599B</p> <p>mitsubishi Fuso Canter, 4D342AT4, 6D311AT2, 4D31T</p>	<p>EM4700A</p> <p>Diodes:8-30 Ampere Mounting Length: 100mm With M5x44mm Battery Post With Trio With Capacitor</p>  <p>UP REC5971, REC5972 CG 234700</p>
<p>EM4814A</p> <p>Diodes: 6-30 Ampere Mounting Length: 85mm With M5x44mm Battery Post Without Trio Without Capacitor</p>  <p>CG 234814 MB RM112HV</p> <p>CITROEN BERLINGO , C5, EVASION , JUMPER , JUMPY XSARA // FIAT SCUDO , ULYSSE // LANCIA ZETA // PEUGEOT 206, 306, 307, 406, EXPERT, PARTNER 00-></p>	<p>EM5100A</p> <p>Diodes: 8-30 Ampere Mounting Length: 85mm With M5x44mm Battery Post With Trio</p>  <p>WAI 318381 CG 135948 MB RM58 TR IMR85100</p> <p>For use on: Mazda 626</p>	<p>EM5106A</p> <p>Diodes: 6-30 Ampere Mounting Length: 85mm With M6x49.5mm Battery Post With Trio</p>  <p>CG 137860 TR IMR85106</p> <p>Ford - Europe (1992-2000), Subaru XT</p>
<p>EM5372A</p> <p>Diodes: 8-30 A Avalanche Mounting Length: 65mm With M8x54mm Battery Post Without Trio Without Capacitor</p>  <p>TR IMR85668 CG 230643</p> <p>Mitsubishi (1998-2005), Mitsubishi - Europe (1995-2006)</p>	<p>EM5668A</p> <p>Diodes: 8-30 Ampere Mounting Length: 85mm With M8x54mm Battery Post Without Capacitor Without Trio</p>  <p>TR IMR85668 MB RM128 CG 230643</p> <p>Mitsubishi (1998-2005), Mitsubishi - Europe (1995-2006)</p>	<p>EM5668B</p> <p>Diodes:8-30A Avalanche Mounting Length : 85mm With M8x54mm Battery Post Without Capacitor Without Trio</p>  <p>TR IMR85668 MB RM128 CG 230643</p> <p>Mitsubishi (1998-2005), Mitsubishi - Europe (1995-2006)</p>

Mitsubishi Rectifiers

<p>EM5816A</p> <p>Diodes: 6-30A Ampere Mounting Length: 75mm With M5x44mm Battery Post Without Trio Without Capacitor</p>  <p>TR IMR75816 MB RM129A CG 235892</p> <p>Chevrolet (2000-2001), Honda (1999-2000), Suzuki (1999-2001), Suzuki - Europe (1998-2010)</p>	<p>EM6540A</p> <p>Diodes: 6-30 Ampere Mounting Length: 65mm With M6x49.5mm Battery Post With Trio</p>  <p>TR IMR6540 CG 132789 MB RM03HV</p> <p>Subaru (1988)</p>	<p>EM6540B</p> <p>Diodes: 6-30 Ampere Mounting Length: 65mm With M5x49mm Battery Post With Trio</p>  <p>TR IMR6540 MB RM03HV CG 132789</p> <p>Subaru (1988)</p>
<p>EM6542B</p> <p>Diodes: 6-30 Ampere Mounting Length: 65mm With M5x49mm Battery Post With Trio</p>  <p>TR IMR6542 MB RM15, RM01HV CG 136981</p> <p>FORD.MAZDA 323 Festiva 1.3 [B6, B65M, E5E2,BW, B3]</p>	<p>EM6552A</p> <p>Diodes: 6-30 Ampere Mounting Length: 85mm With M5x49mm Battery Post With "W" Terminal With Trio With Capacitor</p>  <p>MB RM97HV CG 136552</p>	<p>EM7081A</p> <p>Diodes: 8-35A B+:M8x54mm</p>  <p>Great Wall Hover</p>
<p>EM7081B</p> <p>Diodes : 6-30A B+ : M8x54mm</p>  <p>Great Wall Hover</p>	<p>EM7501A</p> <p>Diodes: 8-30A Avalanche Mounting Length: 75mm With M5x44mm Battery Post Without Trio Without Capacitor</p>  <p>MB RM07 WAI 318301 CG 132466 TR IMR7542</p> <p>For use on: Mitsubishi, Dodge Truck, Plymouth</p>	<p>EM7542A</p> <p>Diodes: 6-30 Ampere Mounting Length: 75mm With Trio</p>  <p>For use on: Mitsubishi, Dodge Truck, Plymouth</p>
<p>EM7544A</p> <p>Diodes: 6-30 Ampere Mounting Length: 75mm With M5x49mm Battery Post With Trio</p>  <p>MB RM08 WAI 318303 CG 132040 TR IMR7544</p> <p>For use on: Mazda 626, B1800, B2000, Picup, RX7</p>	<p>EM7548A</p> <p>Diodes: 6-30 Ampere Mounting Length: 75mm With Trio</p>  <p>TR IMR7548 UP REC574 MB RM09HV CG 132467</p> <p>Nissan (1986-1989), Nissan - Europe (1986-1991)</p>	<p>EM7554A</p> <p>Diodes: 6-30 Ampere Mounting Length: 75mm With M6x49.5mm Battery Post With Trio</p>  <p>TR IMR7554 MB RM17HV, RM17 CG 133539 UP REC577</p> <p>NISSAN 300 ZX 3.0L</p>
<p>EM7556A</p> <p>Diodes: 6-30 Ampere Mounting Length: 75mm With M6x49.5mm Battery Post With Trio</p>  <p>MM 940038260 MD A600C003F TR IMR7556 CG 135247, 132469 UP REC572, REC567 MB RM10HV</p> <p>Ford (1989-1997), Hyundai (1990-1994), Hyundai - Europe (1990-2010), Mazda (1988-1989), Mazda - Europe (1987-1994), Mitsubishi (1988-1994), Mitsubishi - Europe (1988-2001)</p>	<p>EM7562A</p> <p>Diodes: 8-30 Ampere Mounting Length: 75mm With M5x44mm Battery Post With Trio</p>  <p>TR IMR7562 UP REC580 CG 134027 MB RM23</p> <p>Honda - Europe (1991-1998) , Mazda (1990-1993) , Mazda - Europe (1990-1998)</p>	<p>EM7562B</p> <p>Diodes:8-30A Ampere Mounting Length: 75mm With M5x49mm Battery Post With Trio With Capacitor</p>  <p>TR IMR7562 MB RM23 UP REC580</p> <p>Honda - Europe (1991-1998) , Mazda (1990-1993) , Mazda - Europe (1990-1998)</p>
<p>EM7564A</p> <p>Diodes: 6-30 Ampere Mounting Length: 75mm With M6x47.5mm Battery Post With Trio</p>  <p>MB RM20HV WAI 318375 CG 132468 TR IMR7564</p> <p>For use on: Mitsubishi Galant, Mirage, Pajero</p>	<p>EM7572A</p> <p>Diodes: 6-30 Ampere Mounting Length:75mm With M5x44mm Battery Post With Trio</p>  <p>TR IMR7572 MB RM16</p> <p>FORD ESCORT 1.8L , KIA PRIDE 1.30 , MAZDA 323, MAZDA PROTÉGÉ, MERCURY TRACER</p>	<p>EM7576A</p> <p>Diodes: 8-30 Ampere Mounting Length: 75mm With M5x44mm Battery Post With Trio</p>  <p>TR IMR7576 UP REC5781 CG 234629 MB RM28</p> <p>Honda (1994-1995)</p>


Mitsubishi Rectifiers

<p>EM7579A</p> <p>Diodes: 8-30 Ampere Mounting Length: 75mm With M6x49.5mm Battery Post Without Trio/Capacitor</p>  <p>TR IMR7579 UP REC5784 CG 235297 MB RM136</p> <p>Acura (2001-2005), Honda (2001-2005), Honda - Europe (2001-2005), Kubota (1999-2009)</p>	<p>EM7579B</p> <p>Diodes: 8-30 Ampere Mounting Length: 75mm With M6x49.5mm Battery Post Without Trio/Capacitor</p>  <p>CG 235297 TR IMR7579 UP REC5784 MB RM136</p> <p>Acura (2001-2005), Honda (2001-2005), Honda - Europe (2001-2005), Kubota (1999-2009)</p>	<p>EM7579C</p> <p>Diodes: 8-30Ampere Mounting Length: 75mm With M6x49.5mm Battery Post Without Trio</p>  <p>TR IMR7579 CG 235297 UP REC5784 MB RM136</p> <p>Acura (2001-2005), Honda (2001-2005), Honda - Europe (2001-2005), Kubota (1999-2009)</p>
<p>EM7579D</p> <p>Diodes: 8-30A Ampere Mounting Length: 75mm With M6x49.5mm Battery Post Without Trio Without Capacitor</p>  <p>TR IMR7579 CG 235297 UP REC5784 MB RM136</p> <p>Acura (2001-2005), Honda (2001-2005), Honda - Europe (2001-2005), Kubota (1999-2009)</p>	<p>EM7579E</p> <p>Diodes:8-30A Ampere Mounting Length: 75mm With M6x49.5mm Battery Post Without Capacitor Without Trio</p>  <p>TR IMR7579 CG 235297 UP REC5784 MB RM136</p> <p>Acura (2001-2005), Honda (2001-2005), Honda - Europe (2001-2005), Kubota (1999-2009)</p>	<p>EM7579F</p> <p>Diodes:8-30A Ampere Mounting Length: 75mm With M6x49.5mm Battery Post Without Trio With Capacitor</p>  <p>TR IMR7579 UP REC5784 CG 235297 MB RM136</p> <p>Acura (2001-2005), Honda (2001-2005), Honda - Europe (2001-2005), Kubota (1999-2009)</p>
<p>EM7580A</p> <p>Diodes: 6-30Ampere Mounting Length: 75mm With M5x44mm Battery Post With Trio</p>  <p>TR IMR7580</p> <p>Honda - Europe (1991-1998), Mazda (1990- 1993), Mazda - Europe (1990-1998)</p>	<p>EM7580B</p> <p>Diodes:6-30Ampere Diameter OD : 75mm With M5x44mm Battery Post With Trio/Capacitor</p>  <p>TR IMR7580</p> <p>Honda - Europe (1991-1998), Mazda (1990- 1993), Mazda - Europe (1990-1998)</p>	<p>EM7581A</p> <p>Diodes: 8-35Ampere Mounting Length: 75mm With M5x44mm Battery Post Without Trio</p>  <p>MB RM145 TR IMR7581</p> <p>Chevrolet (1999-2003), Suzuki (1999-2003)</p>
<p>EM7585A</p> <p>Diodes: 8-30A Avalanche Mounting Length: 75mm With M5x44mm Battery Post Without Trio</p>  <p>CG 235526 TR IMR7585 MB RM187H</p> <p>FORD Fiesta, Fusion 1.2L/1.4L/1.6L 16V 2001-//MAZDA 2 1.3L/1.4L 16V/1.6L 16V 2003-></p>	<p>EM7587A</p> <p>Diodes: 6-30A Avalanche Mounting Length: 75mm With M5x44mm Battery Post Without Trio</p>  <p>CG 236741</p> <p>Mitsubishi : A1TA3391, A1TA3391A, A1TA3391B</p>	<p>EM7589A</p> <p>Diodes : 6-30A Ampere Mounting Length: 75mm With M6x49.5mm Battery Post Without Trio Without Capacitor</p>  <p>TR IMR7589 CG 238492 MB RM158</p> <p>Honda (2007-2008)</p>
<p>EM7718A</p> <p>Diodes: 8-30 Ampere Mounting Length: 100mm With M8x54mm Battery Post With Trio</p>  <p>MB RM89 CG 233651</p>	<p>EM7718B</p> <p>Diodes: 8-30Ampere Mounting Length: 100mm With M8x59.5mm Battery Post With Trio/Capacitor</p>  <p>MB RM89 CG 233651</p>	<p>EM8041A</p> <p>Diodes: 6-35 Ampere Mounting Length: 80mm With M5x43mm Battery Post With Trio With Copper Heat sinks</p>  <p>MM 940038257 TR IMR8041 CG 132130 UP REC549 MB RM65</p> <p>HYUNDAI Galloper 2.5TD 1991-1998; MITSUBISHI Colt, Galant, L200, Lancer, Pajero 1.8, 1.8D, 2.3D, 2.5D 1982-1996</p>
<p>EM8047A</p> <p>Diodes: 6-35 Ampere Mounting Length: 80mm With M5x43mm Battery Post With Trio With Copper Heat sinks</p>  <p>TR IMR8047 UP REC556 MB RM86 CG 136726</p> <p>MITSUBISHI CANTER 4D31, MITSUBISHI FUSO CANTER FE211</p>	<p>EM8531A</p> <p>Diodes: 6-30 Ampere Mounting Length: 85mm With M5x44mm Battery Post Without Trio/Capacitor</p>  <p>UP REC5602 CG 234702 MB RM130 TR IMR8567</p> <p>SUBARU IMPREZA 1.8L 1993-1997; SUBARU IMPREZA 2.2L 1995-1997; SUBARU IMPREZA /OUTBACK 1.8L 1993-1996; SUBARU IMPREZA /OUTBACK 1.8L 1997; SUBARU</p>	<p>EM8540A</p> <p>Diodes: 6-30Ampere Mounting Length: 85mm With Trio</p>  <p>WAI 318318 CG 134297 MB RM29 TR IMR8540 UP REC568</p> <p>Ford (1988-1990), Mercury (1988-1990)</p>

Mitsubishi Rectifiers

EM8544A

Diodes: 6-30 Ampere
Mounting Length: 85mm
With M6x49.5mm Battery Post
With Trio



85mm

TR IMR8544
UP REC587
MB RM31
MD A600C3201

Mitsubishi (1988-1990)

EM8545A

Diodes: 6-35 Ampere
Mounting Length: 85 mm
With M5x43mm Battery Post
With Trio
With Copper Heat sinks




85mm

MM 940038258
MB RM73
UP REC555
TR IMR8545
CG 132463

MITSUBISHI Galant 2.3L Diesel, L300
2.3L Diesel, Pajero 2.3L Diesel
[4D55.4D55T]

EM8546A

6-30A diodes
85mm Mtg. Length
M6 x 1.0 Batt. Term.




85 mm

CG 135041
UP REC588
TR IMR8546

MAZDA MPV I, 929 2.2L, 3.0L 1989-1999

EM8548A

Diodes: 6-30 Ampere
Mounting Length: 85mm
With M5x44mm Battery Post
With Trio



85mm

MD TA600C03702
CG 135249
UP REC589
MB RM38
TR IMR8548

Kia (1995-2002), Kia - Europe (1994-2003), Mazda (1989-1991), Subaru (1990-1994), Subaru - Europe (1989-1994)

EM8549A

Diodes : 8-30A Ampere
Diameter : 85mm
With M5x44mm Battery Post
With "W" Terminal
With Trio/Capacitor




85mm

MB RM98
CG 136977

EM8555A

Diodes: 8-30 Ampere
Mounting Length: 85mm
With M6x49.5mm Battery Post
With Trio



85mm

CG 234827

EM8566A

Diodes: 6-30 Ampere
Mounting Length: 85mm
With M8x54mm Battery Post
Without Capacitor
Without Trio



85mm

MB RM110HV
WAI 318382
CG 138873
TR IMR8566
UP REC562

Kia (1997-1997), Mazda (1997-2001),
Mazda - Europe (1998-2003), Mitsubishi
(1997-1997), Mitsubishi - Europe (1995-2005),
Volvo - Europe (1998-2000)

EM8566B

Diodes: 6-30 Ampere
Mounting Length: 85mm
With M8x54mm Battery Post
With Trio
Without Capacitor



85mm

TR IMR8566
UP REC562
CG 138873
MB RM110HV

FORD RANGER 2.5 /MAZDA B 2500
[TDDi.MD25NA.WLE7]

EM8566C

Diodes:6-30 Ampere
Mounting Length : 85mm
With M8x54mm Battery Post
With Trio



85mm

TR IMR8566
MB IMR8566
UP REC562
CG 138873

FORD RANGER 2.5 /MAZDA B 2500
[TDDi.MD25NA.WLE7]

EM8566D

Diodes:6-30A Avalanche
Mounting Length : 85mm
With M8x54mm Battery Post
Without Capacitor
Without Trio



85mm

TR IMR8566
UP REC562
MB RM110HV
CG 138873

FORD RANGER 2.5 /MAZDA B 2500
[TDDi.MD25NA.WLE7]

EM8574A

Diodes: 8-30 Ampere
Mounting Length: 85mm
With M6x49.5mm Battery Post
With Trio




85mm

TR IMR8574
UP REC592
CG 135042
MB RM34HV

DODGE STEALTH; HYUNDAI SONATA;
MITSUBISHI 3000GT

EM8578A

Diodes: 6-30 Ampere
Mounting Length: 85mm
With M5x49mm Battery Post
With Trio




85mm

TR IMR8578

Mitsubishi Fuso (1988-1988)

EM8579A

Diodes: 8-30A Avalanche
Mounting Length: 85mm
With M5x44mm Battery Post
Without Trio
Without Capacitor




85mm

TR IMR8579
CG 330593
MB RM181

Honda (2006-2011), Honda - China (2006-2008),
Honda - Europe (2005-2010)

EM8580A

Diodes: 6-30 Ampere
Mounting Length: 85mm
With M8x54mm Battery Post
With Trio




85mm

UP REC594
MB RM37, RM100
TR IMR8580
CG 137861

SUBARU IMPREZA 1.8L 1993-1997;
SUBARU IMPREZA 2.2L 1995-1997;
SUBARU IMPREZA /OUTBACK 1.8L 1993-1996

EM8581A

12, 24 Volt
Mitsubishi 40A/24V IR/EF
Alternators




85 mm

TR IMR8581
MB RM120
UP REC5661, REC5782

Case (1992-1994), Mitsubishi Fuso (1995-2002),
Tadano (1994-2000)

EM8582A

Diodes: 8-30 Ampere
Mounting Length: 85mm
With M8x54mm Battery Post
With Trio




85mm

TR IMR8582
UP REC566
CG 232628
MB RM57

MAZDA

EM8585A

Diodes : 8-30A Ampere
Mounting Length :85mm
With M6x49.5mm Battery Post
Without Trio
Without Capacitor




85mm

TR IMR8585
MB RM154HV
CG 236559

Acura (2002-2004), Honda (2002-2004),
Honda - China (2004-2004), Honda -
Europe (2001-2010)

EM8588A

Diodes: 6-30 Ampere
Mounting Length: 85mm
With M8x54mm Battery Post
With Trio



85mm

CG 230643
TR IMR8588
MB RM59
UP REC598

For use on: Mitsubishi Eclipse, Eagle Talon

Mitsubishi Rectifiers

<p>EM8593A</p> <p>Diodes: 8-30Ampere Mounting Length: 85mm With M5x44mm Battery Post With Trio With Capacitor</p> <p>TR IMR8593 CG 138628</p> <p>Nissan Altima 2.4L 1998-2001</p> 	<p>EM8594A</p> <p>Diodes: 8-30 Ampere Mounting Length: 85mm With M8x54mm Battery Post With Trio</p> <p>UP REC560 TR IMR8594 MB RM59HV, RM152 CG 137076</p> <p>HYUNDAI ACCENT 1.6L 2001-; HYUNDAI COUPE 1.6, 2.0 2000-; HYUNDAI ELANTRA 1.6, 2.0 2000; HYUNDAI MATRIX 1.6 2001-; HYUNDAI TIBURON 2.0L 2003-2008</p> 	<p>EM8594B</p> <p>Diodes: 8-30 Ampere Mounting Length: 85mm With M8x54mm Battery Post With Trio</p> <p>CG 137849 TR IMR8594 MB RM50 UP REC564</p> <p>agle (1995-1998), Ford (1993-1997), Mazda (1993-2002), Mitsubishi (1994-1998), Mitsubishi - Europe (1992-2001)</p> 
<p>EM8595A</p> <p>Diodes: 6-30 Ampere Mounting Length: 85mm With M6x43.5mm Battery Post Without Trio/Capacitor</p> <p>MB RM135 CG 235894 UP REC5601 TR IMR8595</p> <p>Subaru (1999-2002)</p> 	<p>EM8599A</p> <p>Diodes: 8-30 Ampere Mounting Length: 85mm With M5x44mm Battery Post Without Capacitor Without Trio</p> <p>TR IMR8599 MB RM185</p> <p>Saab (2005-2005), Subaru (2000-2006), Subaru - Europe (1998-2003)</p> 	<p>EM8948A</p> <p>Diodes : 8-30 A Ampere Mounting Length : 100mm With M8x59.5mm Battery Post</p> <p>CG 238948 UP REC5977 MB RM205</p> 
<p>EM8948B</p> <p>Diodes OD : 8-35A Avalanche Diameter : 100mm With M8x59.5mm Battery Post Without Trio/Capacitor For 24V Alternators</p> <p>MB RM205 CG 238948 UP REC5977</p> <p>IVECO Trakker AD, AT , 03.06-06.05 ; Stralis AD, AT, 06.03-06.03 ; EuroTrakker MP E HB Cursor, 09.99-11.04 ; EuroTech MH E, K, /P, K, 09.98-</p> 	<p>EM9111A</p> <p>Diodes: 6-30Ampere Mounting Length: 100mm With M8x59.5mm Battery Post With Trio With Capacitor</p> <p>MB RM116 CG 139111</p> <p>CATERPILLAR MINI EXCAVATOR 308B</p> 	<p>EM9146A</p> <p>Diodes: 8-30Ampere Mounting Length: 100mm With M8x59.5mm Battery Post With Trio With Capacitor</p> <p>MB RM146</p> 
<p>EM9146B</p> <p>Diodes: 8-30Ampere Mounting Length: 100mm With M8x59.5mm Battery Post With Trio With Capacitor</p> <p>MB RM146</p> 	<p>EM9197A</p> <p>Diodes:8-30A Ampere Mounting Length: 85mm With M6x43.5mm Battery Post Without Trio Without Capacitor</p> <p>CG 139197 TR IMR8575 MB RM174</p> <p>Infiniti (1994-1997), Nissan - Europe (1996-2000)</p> 	<p>EM9423A</p> <p>Diodes: 6-30Ampere Mounting Length: 100mm With M8x54mm Battery Post With "W" Terminal With Trio</p> <p>CG 231423</p> 
<p>EM9596A</p> <p>Diodes: 6-30 Ampere With M6x60mm Battery Post Mounting Length: 85mm Without Trio</p> <p>TR IMR8596 CG 138893</p> <p>Chrysler (1995-1999), Chrysler - Europe (1995-1998), Dodge (1995-1999), Eagle (1995-1998), Mitsubishi (1995-1999), Plymouth (1995-1995)</p> 	<p>EM9763A</p> <p>Diodes: 6-30 Ampere Mounting Length: 75mm With M6x47.5mm Battery Post With Trio</p> <p>UP REC5701 CG 139763</p> 	

Motorola Rectifiers

ET0102A

Diodes: 6-25 Ampere Button
With M6x50mm Battery Post
With Trio




TR MER102
MB RT06H
CG 131135

Fiat - Europe (1978-1985), Iveco Fiat LCV / Heavy Duty - Europe (1983-1991), Mercedes-Benz (1982-1990), Volkswagen (1982-1984), Volkswagen - Europe (1972-2000)

ET2673A

Diodes: 6-35A Avalanche press fit diode
With M6x50mm Battery Post
With Trio



VA 2522200
MB RT04H
CG 132673

FORD Escort / JAGUAR XJ12 (1986-1990)

Nikko Rectifiers

EK5684A

Diodes : 6-25A Ampere
Diameter OD : 126mm
With M5x30mm Battery Post
With Trio
With Capacitor
With 150 Ohm Resistor

CG 135684



EK5684B


Diodes : 6-25A Ampere
Diameter OD : 126mm
With M5x30mm Battery Post
With Trio
With Capacitor
With 150 Ohm Resistor

CG 135684



EK7602A

Diodes : 8-30 Ampere
Mounting Length : 76mm
With M5x49mm Battery Post
With Trio




HYUNDAI ROBEX S6D125-1; KOMATSU
D, EG, EC, FD, GD, GF, PC, PF, PW,
WA, WR; MQ; POWER DCA-125SSJU
S6D105

Prestolite Rectifiers

ET6064A

Diodes: 3-35Ampere
With 2—37.2×3/16" Bolt
Positive Rectifier



PR 101147, 101149, 10117
TR MR6064
CG 131893

RENAULT Clio,Kangoo
[F4R730,F8Q630,F9Q780]

ET6206A

Diodes:6-50 Ampere



TR MR6206
UP REC3001
MB RT23HD

Ford Bus, Caterpillar 3126 1995-1999,
Freightliner Heavy Duty, Argosy Caterpillar
3406 2000-2002, Argosy Caterpillar C-12
2000-2002, Western Star Heavy Duty

EP7002A

Diodes: 6-60A
B+ : M8x35mm
M8x35mm



AVI144 12 volt

EP7003A

Diodes : 6-60A
B+ : M8x35mm
M8x35mm
28V



AVI144 24 VOLT // KAMAZ Cummins Euro
3

EP7004A

Diodes : 8-50A
B+ : M8x35mm
M8x35mm



Φ120mm

DONGFENG BUS,YUTONG BUS,
ZHONGTONG BUS, Cummins China //
Prestolite AVI136

EP7006B

Diodes : 8-35A
B+ : M8x35mm
M8x35mm




Φ120mm

DONGFENG BUS,YUTONG BUS,
ZHONGTONG BUS

Valeo Rectifiers

<p>EV0135A</p> <p>Diodes: 6-50 Ampere Diameter OD: 115mm With Capacitor Without Trio</p>  <p>VA 180593 MM 940038301 TR IPR135 MB RP01 UP REC903</p> <p>Eagle (1988-1989) , Renault (1971-1979) , Renault - Europe (1979-1998) , Renault LCV - Europe (1981-1998) , Volvo - Europe (1982-1991)</p>	<p>EV0203A</p> <p>Diodes: 6-50 Ampere Diameter OD: 115mm With Capacitor With Trio</p>  <p>VA 592596, 592877, 593180 CG 131164 MB RP04 UP REC904 TR IPR203</p> <p>Citroen - Europe (1980-1989), Volvo - Europe (1981-1997)</p>	<p>EV0206A</p> <p>Diodes: 3-50 A Avalanche Without Trio With M8x30mm Battery Post</p>  <p>VA 593980 CG 332114 TR MER525</p> <p>CITROEN Jumper 2.0 HDI, 2.2 HDI 2002-; FIAT Ducato 2.0 JTD; PEUGEOT Boxer 2.0 HDI, 2.2 HDI 2002</p>
<p>EV0218A</p> <p>Diodes:3-50 A Avalanche With (M8+M6)x44.5mm Battery Post With Trio</p>  <p>VA 593555 TR MER543 CG 237155</p> <p>DACIA , NISSAN , RENAULT</p>	<p>EV0227A</p> <p>50 Amp/ diode, ID 46.00, OD 116.00, Mount. dist. 85.00, No./ diodes 6, Capacitor w/o w/ terminal W.</p>  <p>VA 104269 CG 131568 MB RP06H TR IPR227</p> <p>Carrier Transicold (1994-2007), Dodge - Europe (1982-1983), Renault Heavy Duty - Europe (1979-1988), Scania Heavy Duty - Europe (1975-2006)</p>	<p>EV0396A</p> <p>Diodes:8-50A Avalanche Diameter OD:107mm With(M8+M6) x50mm Battery Post Without Trio With "W" Terminal</p>  <p>VA 593172 CG 231396 MB RP35 WAI 233463W</p>
<p>EV0523A</p> <p>Diodes:3-50A Avalanche With M8x40mm Battery Post Without Trio</p>  <p>VA 20030412, 20030919, 20050726, 593824 TR MER523 CG 330499 MB RP43</p> <p>Hyundai (2003-2006), Hyundai - Europe (2000-2010), Kia (2003-2005), Kia - Europe (2003-2010)</p>	<p>EV0528A</p> <p>Diodes : 3-50A Avalanche With (M8+M6) x44.5mm Battery Post With Trio</p>  <p>VA 2547906, 593463 TR MER528 CG 235521 MB RP62</p> <p>SEAT Arosa 1.0 [AER] 05.1997-09.1999 1.0 [ALD] 01.1999-07.2000 1.0 [ALL] 10.1997-05.1999 PS 1.0 [ANV] 01.1999-07.2000 1.0 [AUC] 05.2000-06.2004</p>	<p>EV0531A</p> <p>Diodes: 3-60 A Avalanche With M8x30mm Battery Post Without Trio</p>  <p>VA 2650430, 593797 TR MER531</p> <p>BMW (2006-2010)</p>
<p>EV0539A</p> <p>Diodes: 6-50 Ampere Diameter OD: 115mm With Capacitor Without Trio</p>  <p>MM AMP1452, 940038309, AMP1450 VA 105135, 593194 PR 105629, 103576, 101217, 101759 LU 21225388, 21224162, UBB233 TR IPR539 CG 133689</p> <p>Citroen - Europe (1974-1990) , Citroen LCV - Europe (1987-1994) , Eagle (1988-1989) , Peugeot (1985-1991) , Renault (1981-1987) , Renault - Europe (1972-1997) , Renault LCV - Europe (1981-1991)</p>	<p>EV0539B</p> <p>Diodes: 6-50 Ampere Diameter OD: 115mm Without Capacitor Without Trio</p>  <p>VA 593194 TR IPR539 CG 133689 UP REC909, REC909H</p> <p>Citroen - Europe (1974-1990), Citroen LCV - Europe (1987-1994), Eagle (1988-1989), Peugeot (1985-1991), Renault (1981-1987), Renault - Europe (1972-1997)</p>	<p>EV0554B</p> <p>Diodes: 6-50 Ampere Diameter OD: 115mm With 82 Ohm Resistor</p>  <p>LU 21225378, UBB242 PR 105554, 2181241 VA 105754 MM AMP1453</p> <p>Citroen - Europe (1988-1997) , Peugeot (1985-1991) , Peugeot - Europe (1987-1997)</p>
<p>EV0592B</p> <p>Diodes: 6-50 A Avalanche Diameter OD: 107mm With M8x43mm Battery Post With Trio With "W" Terminal</p>  <p>VA 2523972, 592845, 592915, 2521487, 2545660 MB RP15 UP REC920 TR MER592 CG 135494</p> <p>Audi - Europe (1996-1998), BMW (1992-2000), BMW - Europe (1990-1999), Citroen - Europe (1991-2004), Citroen LCV - Europe (1994-2002), Fiat - Europe (1995-2000), Fiat LCV - Europe</p>	<p>EV0615A</p> <p>Diodes: 6-50 Ampere Diameter OD: 115mm With Capacitor Without Trio</p>  <p>VA 593190, 592880 MM 940038308, AMP1451 LU 21225390, UBB238 TR IPR615 MB RP08 CG 131573 UP REC912</p> <p>Jeep (1985-1987) , Renault - Europe (1986-1998) , Renault LCV - Europe (1981-2000)</p>	<p>EV0840A</p> <p>Diodes: 8-50A Avalanche Diameter OD: 107mm With M8x60.8mm Battery Post Without Trio With "W" Terminal</p>  <p>VA 593204, 593204, 593348, 593351, 593364, 593366 TR IPR840 CG 230031 MB RP48</p> <p>VW TRANSPORTER T4 2.0L/1.9D (90-03) 14V 90A</p>
<p>EV0840B</p> <p>Diodes: 8-50 A Avalanche Diameter OD: 107mm With M8x60.8mm Battery Post Without Trio With "W" Terminal</p>  <p>VA 593204, 593348, 593351, 593364, 593366, 593327 MB RP48 TR IPR840 CG 230031</p> <p>VW TRANSPORTER T4 2.0L/1.9D (90-03) 14V 90A</p>	<p>EV0847A</p> <p>Diodes: 6-50A Avalanche Diameter OD: 107mm With M8x60.8mm Battery Post Without Trio With "W" Terminal</p>  <p>VA 592937, 545937, 2545938 TR IPR847 MB RP18</p> <p>Mitsubishi - Europe (1997-2003), Renault - Europe (1991-2001), Volvo - Europe (1996-2003)</p>	<p>EV0848A</p> <p>Diodes: 6-50A Avalanche Diameter OD: 107mm With M8x49mm Battery Post Without "W" Terminal With Trio</p>  <p>VA 593328, 592848, 2546048, 546041 TR IPR848 UP REC919 MB RP13</p> <p>Audi (2001-2001), Citroen - Europe (1991-2010), Fiat - Europe (1995-2010), Fiat LCV - Europe (1994-2010), Lancia - Europe (1996-1999), Peugeot (2000-2008)</p>

Valeo Rectifiers

<p>EV0848B</p> <p>Diodes:6-50A Avalanche Diameter OD:107mm With M8x49mm Battery Post Without Trio Without "W" Terminal</p>  <p>VA 593328, 592848, 546041 MM 940038318 LU UBB254 TR IPR848 CG 135278 UP REC919 MB RP13</p> <p>Audi (2001-2001), Citroen - Europe (1991-2010), Citroen LCV - Europe (1994-2002), Fiat - Europe (1995-2010), Fiat LCV - Europe (1994-2010), Lancia - Europe (1996-1999)</p> <p>Φ107mm</p>	<p>EV1101A</p> <p>Diodes: 4-50 A Avalanche Without Trio With (M8+M6)x44.5mm Battery Post</p>  <p>VA 593548, 595225, 593397 TR MER540 CG 235886, 231101</p> <p>RENAULT Espace 1.9 dTi [F9Q722] 07.2000-10.2002 AC Laguna 1.9 dTi [F9Q710] 09.1999-02.2001 AC Megane 1.9 dCi [F9Q732] 03.1999-</p>	<p>EV1701A</p> <p>Diodes: 6-50 Ampere Diameter OD: 115mm With Capacitor With Trio Live "W" Circuit</p>  <p>VA 592754, 593188, 593199, 593309 MB RP02 WAI 319403 CG 131701 TR IPR551</p> <p>For use on: Volvo Penta</p> <p>Φ115mm</p>
<p>EV1773A</p> <p>Diodes:6-50 Ampere Diameter OD:115mm Without Capacitor With Trio With 82 Ohm Resistor</p>  <p>TR IPR773 MB RP04R</p> <p>Citroen - Europe (1982-1991), Peugeot (1980-1988), Peugeot - Europe (1972-1990), Volvo (1978-1979), Volvo - Europe (1977-1983)</p> <p>Φ115mm</p>	<p>EV1844A</p> <p>Diodes: 6-50A Avalanche Diameter OD: 107mm With M8x49mm Battery Post With Trio With "W" Terminal</p>  <p>VA 2546062, 2546076, 592844, 592917 MB RP14 CG 135427 TR IPR844</p> <p>For use on: Renault, Peugeot</p> <p>Φ107mm</p>	<p>EV1844B</p> <p>Diodes: 8-50A Avalanche Diameter OD: 107mm With M8x49mm Battery Post With Trio With "W" Terminal</p>  <p>TR IPR844 MB RP14 CG 135427 UP REC916 VA 2546062, 2546076, 2590884, 2590900, 592844, 592915, 592917, 593186</p> <p>Audi (1992-1999), Audi - Europe (1991-2001), BMW (1994-2002), BMW - Europe (1990-1999), Citroen - Europe (1989-2004), Fiat LCV - Europe (1994-1994), Mercedes - Europe (1989-2003)</p> <p>Φ107mm</p>
<p>EV1844C</p> <p>Diodes: 8-50A Avalanche Diameter OD: 107mm With M8x49mm Battery Post Without "W" Terminal With Trio</p>  <p>VA 593186, 590933, 592844, 2546062, 592917 UP REC917, REC916 CG 135427 MB RP14 TR IPR844</p> <p>Audi (1992-1999), BMW (1994-2002), Mercedes-Benz (1992-1998), Peugeot - Europe (1992-2003), Volkswagen - Europe (1997-1998)</p> <p>Φ107mm</p>	<p>EV1920A</p> <p>Diodes : 12-35A Avalanche With M8x37.5mm Battery Post With M4x14mm Mounting Bolt</p>  <p>VA 593287, 593499, 2809019, 2809020 CG 232199 TR MER1920</p> <p>Citroen - Europe (1994-2000), Peugeot - Europe (1995-2000)</p>	<p>EV3175A</p> <p>Diodes: 6-50A Avalanche Diameter OD: 107mm With (M8+M6) x50mm Battery Post Without Trio With "W" Terminal</p>  <p>VA 593324, 593299, 593304 MB RP22 CG 137524</p> <p>RENAULT Clio, Espace, Laguna, Megane, Scenic 1.8L, 2.0L, 1.9D 1995</p> <p>Φ107mm</p>
<p>EV3202A</p> <p>Diodes : 6-50 A Avalanche With M8x32mm Battery Post Without Trio</p>  <p>MB RP59 TR MER5209</p> <p>BMW 1 (E81, E87,) 130i, BMW 3 (E90, E91,E92, E93) 318d, 320d, 325i, 325xi, 330i, 330xi, BMW 5 (E60, E61) 523i, 525i, 525xi, 530i, 530xi, BMW 6 (E63,E64) 630i, BMW 7 (E65, E66) 730 i,Li</p>	<p>EM5205A</p> <p>6-50A press-fit avalanche diodes (20-24V) Tolerance ring Installed 130mm stator dia. M8 x 1.25 Batt. Term.</p>  <p>TR MER5205 MB RP43A</p> <p>HYUNDAI COUPE (GK) , SANTA FE 2.7L , SONATA IV 2.5L/2.7L , TRAJET 2.7L , XG 2.5L 02-> // KIA MAGENTIS 2.5L V6 01-> 110A 2.7L V6 02-></p>	<p>EV5230A</p> <p>B+/ threaded M8/14.50, OD 109.00, No./ diodes 3</p>  <p>VA 593464 CG 235555</p> <p>AUDI A4,A6 1.6-2.0L (97-05) // VW PASSAT 1.6-2.0L 90A</p>
<p>EV5555A</p> <p>B+/ threaded M8/14.50, OD 109.00, No./ diodes 3</p>  <p>VA 593408, 593439, 593372 CG 235555</p> <p>AUDI A4,A6 1.6-2.0L (97-05) // VW PASSAT 1.6-2.0L 90A</p>	<p>EV5555B</p> <p>B+/ threaded M8/14.50, OD 109.00, No./ diodes 3</p>  <p>VA 593408, 593439, 593372 CG 235555</p> <p>AUDI A4,A6 1.6-2.0L (97-05) // VW PASSAT 1.6-2.0L 90A</p>	<p>EV5558A</p> <p>Diodes: 8-50A Avalanche Diameter OD: 107mm With M8x40mm Battery Post With Trio With "W" Terminal</p>  <p>CG 235558 MB RP42 VA 593512</p> <p>Φ107mm</p>
<p>EV5652A</p> <p>Diodes: 3-60 A Avalanche Without Trio With (M8+M6)x44.5mm Battery Post</p>  <p>VA 593542, 593547 CG 235652 TR MER529</p> <p>AUDI A4,A6,ALLROAD,A8 2.4/3.0/2.7T // SKODA SUPRERB 2.8L V6/2.5TDI // VW PASSAT 2.8L V6/2.5TDI 120A</p>	<p>EV5654A</p> <p>Diodes: 3-60 A Avalanche Without Trio With M8x33.3mm Battery Post</p>  <p>VA 595343, 595346, 2650237 TR MER524 CG 235654</p> <p>CITROEN BERLINGO 2.0L D 1999-; CITROEN C5 2.0L D 2001-; CITROEN C8 2.0L D , 2.2L D 2002-; CITROEN EVASION 2.0L, 2.0L D 16V 1999-; CITROEN JUMPER 2.0L D 2002</p>	<p>EV6305A</p> <p>Diodes: 8-50A Avalanche Diameter OD: 107mm With M8x43mm Battery Post With Trio With "W" Terminal</p>  <p>VA 593667, 595382 MB RP41 CG 236305 TR IPR687</p> <p>Φ107mm</p> <p>RENAULT ESPACE IV (JK0/1) 1.9 dCi, 2.0, 2.2 dCi, RENAULT GRAND SCENIC II (JM0/1) 1.9 dCi, RENAULT MEGANE II (BM0/1, CM0/1) 1.9 dCi, RENAULT SCENIC II (JM0/1) 1.9 dCi</p>

Valeo Rectifiers

EV8303A

Diodes: 8-50A Avalanche
Diameter OD: 107mm
With M8x49mm Battery Post
Without Trio
With "W" Terminal

VA 593306, 593174
CG 138303
MB RP23




Φ107mm

OPEL MOVANO 2.5D (98-00) // RENAULT
MASTER II 2.5D/2.8D (98-01) 14V 110A;
RENAULT Megane 1.9D

EV8303B

Diodes: 8-50A Avalanche
Diameter OD: 107mm
With M8x49mm Battery Post
Without Trio
Without "W" Terminal

VA 593174, 593306, 593329
CG 138303
TR IPR841



Φ107mm

Chevrolet (1997-2003), Fiat LCV - Europe
(1999-2002)

EV8596A

Diodes: 6-50A Avalanche
Diameter OD: 107mm
With M8x59mm Battery Post
With Trio
With "W" Terminal

VA 592842
CG 138596
MB RP24, RP16



Φ107mm

CITROEN
CX
PEUGEOT
106 306 405 1.0L 1.1L 1.3L 1.4L 1.6L
[KDZ HDZ KDX KDY CDY KFX NFZ]

EV8841A

Diodes: 6-50A Avalanche
Diameter OD: 107mm
With M8x49mm Battery Post
Without Trio
Without "W" Terminal

VA 593449, 546312, 591151,
2546312
TR IPR841



Φ107mm

Chevrolet (1997-2003), Fiat LCV - Europe
(1999-2002)

Bosch Rectifiers with Bracket

EB4201A

Diodes: 6-60A Avalanche
With M8x30mm Battery Post



BO F00M256202
MB RB170HD
TR IBR2201
WAI 529866W

BMW (2000-2004), Land Rover (2003-2009), Mercedes - Europe (1999-2015), Mercedes-Benz (2001-2002)

Ford Rectifiers with Bracket

EF0035A

Diodes: 8-60 Ampere
Diameter OD: 133mm
OE-Style Leadframe
For 130A Applications



TR FR3001

Ford (1996-2007), Lincoln (1995-2005),
Mazda (2005-2006), Mercury (1996-2007)

EF0202A

Diodes : 8-50 Ampere
Diameter OD : 146mm
Drop-down Stator Terminals




TR FR202, FR202F
CG 136210
MB RF053HV
UP RECF16, RECF16H

Ford (1990-2009) , Ford - Europe (1993-
2002) , Lincoln (1991-2002) , Mazda (1998-
2009) , Mercury (1990-2008)

EF0601A

Diodes: 8-35 Ampere
Diameter OD: 136mm
Drop-down Stator Terminals



WAI 31216
CG 233208
MB RF113
TR FR6013

For use on: 1998-2003 Ford Contor, Focus,
Mercury, Cougar, Mystique 2.0L

EF0601B

Diodes: 8-35 Ampere
Diameter OD: 136mm
Drop-down Stator Terminals



TR FR6003, FR6003SP
MB RF113
CG 233208
UP RECF19

Ford (1999-2008) , Lincoln (2002-2008)

EF6011A

Diodes: 6-35 Ampere
Diameter OD: 136mm
Drop-down Stator Terminals For
Lmproved Stator-Wire
Attachment



TR FR6073
CG 233207
MB RF133

Ford (2000-2007), Ford - Europe (2001-
2003), Lincoln (2000-2002), LTI
(Carbodies) - Europe (2002-2006), Mazda
(2001-2004), Mazda - Europe (2001-2005),
Mercury (2000-2005)

EF6083A

Diodes: 6-35 Ampere
Diameter OD: 136mm
Drop-down Stator Terminals For
Improved Stator-Wire
Attachment



WAI 312191
CG 232210
MB RF153
TR FR6083

For use on:
2001-2003 Ford Escape 2.0L
2001-2003 Mazda Tribute 2.0L

Valeo Rectifiers with Bracket

EV0206B

Diodes: 6-50A Avalanche
With M8x30mm Battery Post
With M5x25mm Mounting Bolt



VA 593980
TR MER525
CG 332114

CITROEN Jumper 2.0 HDI, 2.2 HDI 2002-;
FIAT Ducato 2.0 JTD; PEUGEOT Boxer
2.0 HDI, 2.2 HDI 2002

EV5555C

Diodes: 6-50A Avalanche
With (M8+M6)x44.5mm Battery
Post
With M5x25mm Mounting Bolt



VA 593408, 593439, 593372
CG 235555

AUDI A4,A6 1.6-2.0L (97-05) // VW
PASSAT 1.6-2.0L 90A

China Rectifiers with Regulator

KQ8801A

v. 12 volt , 110 amp



GREAT WALL HOVER, H3 //
3701100E06, JFZ190, Shen Lake Isuzu

EQ9303A

Diodes : 6-35A B+ : 6*41.7mm



BAW Fenix 1044, 1065, 370101055D, on
JFZ175031

KQ9303A



Hitachi Rectifiers with Regulator

KH0508A

Diodes: 8-35A Avalanche
With M6x51mm Battery Post
REC EH0508A + REG RH5070A
24V



HI LR280508
MB RVH017B

KH0744A

HI L190G33204, L160G53201,
L160G9320
MB RH65
CG 231442
TR IHR744



Subaru (1995-1995), Subaru - Europe
(1996-1998)

KH0773A

HI L1110G4320, L1110G6320,
L1125G2320
CG 138718
TR IHR773
MB RH35



Infiniti (1996-1999), Nissan (1995-1997),
Nissan - Europe (1995-2010)

KH1315A

HI L170G1315
TR IH254V



KH1753A

HI L17023203
TR IHR753
MB RH24
UP REC687
CG 135039



NISSAN 100 NX (B13) 1.6L (90-94),
PRIMERA Traveller (W10);1.6 L, SUNNY
III (Y10)

KH3104A



KH3190A

MB RH117, RVH052B, RVH053B



KH3474A

Diodes: 8-35A Ampere
Complete set with
REC HI11402+REG (05-0031)
24V

HI LR235503C/503B
CG 333052
MB RH74A
UP REC698



ISUZU NKR 1996-1997; ISUZU NPR 4HF1
1996-1997; ISUZU NPR 4HF1 1998;
ISUZU NPR 4HG1 1996-1997; ISUZU
NPR 4HG1 1998-; ISUZU NPR 4HJ1 1998

KH3474B

B+ threaded M6/37.30, OD
120.00,
B+ type Bolt, D+ type Screw,
No./ diodes 11

HI L250G1320
CG 333052
MB RH74
UP REC698



ISUZU NKR 1996-1997; ISUZU NPR 4HF1
1996-1997; ISUZU NPR 4HF1 1998;
ISUZU NPR 4HG1 1996-1997; ISUZU
NPR 4HG1 1998-; ISUZU NPR 4HJ1 1998

KH3476A

MB RH102
TR IHR765
WAI 233454W



Infiniti (2004-2006), Nissan (2004-2007)

KH5037A



KH5070B



ISUZU ELF, BOGDAN [4HF1, 4HE1]

KH5205C



LTi (Carbodies) - Europe (1987-1997) ,
Nissan (1987-1987) , Nissan - Europe
(1986-1996) , Nissan LCV - Europe (1985-
2000)

KH5252A



Chevrolet (1986-1998) , GMC (1986-1998)
, Isuzu (1986-1997) , Opel - Europe (1994-
1998) , Opel LCV - Europe (1988-1994)

KH5314A



Nissan (2002-2006)

KH5738B



NISSAN 200 SX 1.6L 1997-1998; NISSAN
ALMERA 1.5 2000; NISSAN ALMERA 1.8
2000-2001; NISSAN ALMERA TINO 1.8
2000; NISSAN PRIMERA 1.6 2000-2002

KH5738C



NISSAN 200 SX 1.6L 1997-1998; NISSAN
ALMERA 1.5 2000; NISSAN ALMERA 1.8
2000-2001; NISSAN ALMERA TINO 1.8
2000; NISSAN PRIMERA 1.6 2000-2002

KH5738D



NISSAN 200 SX 1.6L 1997-1998; NISSAN
ALMERA 1.5 2000; NISSAN ALMERA 1.8
2000-2001; NISSAN ALMERA TINO 1.8
2000; NISSAN PRIMERA 1.6 2000-2002

Hitachi Rectifiers with Regulator

KH5738F



NISSAN 200 SX 1.6L 1997-1998; NISSAN ALMERA 1.5 2000; NISSAN ALMERA 1.8 2000-2001; NISSAN ALMERA TINO 1.8 2000; NISSAN PRIMERA 1.6 2000-2002

KH5738G



NISSAN 200 SX 1.6L 1997-1998; NISSAN ALMERA 1.5 2000; NISSAN ALMERA 1.8 2000-2001; NISSAN ALMERA TINO 1.8 2000; NISSAN PRIMERA 1.6 2000-2002

KH5742A



Subaru (2000-2002)

KH5744A



HONDA PASSPORT 3.2L 1999-2002; ISUZU AMIGO 3.2L 1998; ISUZU AXIOM 3.5L 2002; SUBARU BAJA 2.5L 2003; SUBARU FORESTER 2.5L 2003; SUBARU LEGACY 2.5L 2000-2003

KH5747A

Diodes: 12-35A Avalanche
Complete set with
REC HI11322A+REG(05-0961)
14V

WAI 48-8113
TR IH747+IHR786



Infiniti QX56 5.6L / Nissan Armada 5.6L; Pathfinder 4.0L; Titan 5.6L

KH5765C



NISSAN 240 SX 2.4L 1995-1996; NISSAN 240 SX 2.4L 1995-1998; SUBARU LEGACY 2.2L 1995-; SUBARU LEGACY 2.5L 1996-1999

RH5766A



Infiniti (1996-1997) , Nissan (1995-1997) , Nissan - Europe (1995-2010)

KH5766A



HI L1100G3340, L1100G9340
TR IH766
CG 138717
MB VRH200028
UP YR715

Infiniti (1996-1997), Nissan (1995-1997), Nissan - Europe (1995-2010)

KH5767A



HI L170G6315, L180G23401
TR IH767
CG 138727
MB VRH200038, VRH200042

Nissan (1995-1999), Nissan - Europe (1993-2000), Nissan LCV - Europe (1991-1995)

KH5767B



Nissan (1995-1999) , Nissan - Europe (1993-2000) , Nissan LCV - Europe (1991-1995)

KH5767C




Nissan (1995-1999) , Nissan - Europe (1993-2000) , Nissan LCV - Europe (1991-1995)

KH5774A

Diodes: 6-35A Avalanche

TR IHR771+IH774



INFINITI I30 3.0L; INFINITI I35 3.5L 2002; INFINITI Q45 4.1L 1997-1999; NISSAN MAXIMA 3.0L 1995-; NISSAN MAXIMA 3.5L 2002-; NISSAN MURANO 3.5L 2003-;

KH5774B



HI L1100G8340, L1110G53402
TR IH774
MB VRH200046
UP YR7201

INFINITI I30 3.0L; INFINITI I35 3.5L 2002; INFINITI Q45 4.1L 1997-1999; NISSAN MAXIMA 3.0L 1995-; NISSAN MAXIMA 3.5L 2002-; NISSAN MURANO 3.5L 2003-;

Nikko Rectifiers with Regulator

KK9228A

Diodes: 8-25 Ampere
Diameter OD: 132mm



NK 0357190060
TR IZ228
UP YR120, YR120B
CG 133696, 139331, 135296

Isuzu (1991-2007), Komatsu (1984-2007),
Link-Belt (1986-1989), MQ (1996-2002)

Poong Sung Rectifiers with Regulator

KY5711A



CG 235522
TR IH711
MB VRK05

(2001-ON) Hyundai Elantra 2.0L 16V /
Hyundai Santa FE 2.0L 16V / Hyundai
Trajet 2.0L 16V / (2004-ON) Hyundai
Tuscon 2.0L / Kia Carena 2.0L / (2005-ON)
Kia Sportage 2.0L

Denso Regulator Parts

RN6501A



ND 1262200150
MB TBND160
UP CON637
CG 234501
TR 4682202

Chrysler (1998-2004), Dodge (1998-2006),
Jeep (1999-2006), Mitsubishi (2006-2006)

ZN6893A



CG 234069
ND 1262200110

CHRYSLER CIRRUS 2.4L 1998-2000;
CHRYSLER CIRRUS 2.5L 1998-2000;
DODGE STRATUS 2.0L 1998-2000;
DODGE STRATUS 2.4L 1998-2000;
DODGE STRATUS 2.5L 1998-2000;

Bosch Regulators

RB0026A



A-Circuit
Voltage Set Point 14.50 V
Soft Start 19 %
LRC 9 sec
Field, Lamp Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
BO F00M346087, F00M346026
TR IB6026
CG 330331
MB VRB026

CITROEN JUMPER 2.2HDI 06-> // FIAT DUCATO 2.2JTD 06-> // FORD TRANSIT 2.3L 16V/2.2TDI/2.4TDCi 06-> // LAND ROVER DEFENDER 110/130/90 2.2L TD4 07-> // PEUGEOT 2.2HDI 06->

RB0044A



B-Circuit
Voltage Set Point 14.00 V
LRC 3 sec
Self Exciting Function
LIN Regulator
BO F00M346092, F00M346044,
F00M346139
CG 333575
MB VRB092

AUDI A6 2.8 FSI/3.0 TFSI/2.7 TDI/3.0 TDI 04->, Q7 3.0 TDI 06-> BOSCH 180A

RB0064A

Voltage Set Point 28.50V



RB0074A



B-Circuit
Voltage Set Point 14.00 V
LRC 3 sec
Self Exciting Function
LIN Regulator
BO F00M346074, F00M346165
CG 333357

FORD RANGER 2.2TDCI 11->, TRANSIT 2.2TDCI 11->


RB0099A



A-Circuit
Voltage Set Point 14.60 V
BO 9190547002, 9120450041

RB0104A

A-Circuit
Voltage Set Point 28.20V
Circuit Protection
Soft Start 30 % LRC 5 sec
Under/ Over Voltage Indication
DFM Function
Self Exciting Function
BO F00M144125, F00M145343



Ford Cargo

RB0105A



B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
L Terminal Drives Choke
Under/ Over Voltage Indication
DFM Function
Self Exciting Function
BO 1907107613, 0272220704,
1275105104

FIAT Grand Siena II (372), IdeaPalio Weekend (178DX), Siena II

RB0160A



B-Circuit
Voltage Set Point 14.50V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function
Self Exciting Function
BO F00M145342, F00M144160,
F00M145345, F00MA45304,
F00M144110
CG 331535, 330196
TR IB160
MB VRB160

OPEL ASTRA H, CORSA D, MERIVA, SIGNUM, VECTRA C, ZAFIRA 04->

RB0160B



B-Circuit
Voltage Set Point 14.50V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function
BO F00M145342, F00M144160,
F00M145345, F00MA45304,
F00M144110
TR IB160
CG 332132, 333273
MB VRB160

OPEL ASTRA H, CORSA D, MERIVA, SIGNUM, VECTRA C, ZAFIRA 04->

RB0200A



A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
IG Open Indication
Under Voltage Indication
Over Voltage Indication
BO F00M255200, F00M255201
MB VRB394
CG 235460
TR IB200

BMW (1999-2004), BMW - Europe (1998-2004), Land Rover (2003-2009), Land Rover - Europe (2002-2005)


RB0201A



A-Circuit
Voltage Set Point 14.60V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function
BO F00M225401, F00M255201,
01229AA0X0
CG 235528
TR IB201
MB VRB257

Mercedes - Europe (1999-2015), Mercedes-Benz (2001-2002)

RB0220A



A-Circuit
Voltage Set Point 14.60V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function
BO F00MA45206, F00M145349,
F00M145220
CG 333261
MB VRB256
TR IB220

ALFA ROMEO 147, 156, 166, GTV, SPIDER // FIAT DOBLO, MAREA, MULTIPLA, STILO // LANCIA LYBRA


RB0225A



A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function
BO F00M144128, F00M144175,
F00M145200, F00M145353,
F00M145350, F00M145862,
F00M145195
MB VRB254
CG 139925
TR IB225

AUDI // SEAT // SKODA // VW 96-> // FORD GALAXY 1.9TDI 96-> // SEAT ALHAMBRA, ALTEA, AROSA, CORDOBA

RB0225B



A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 %, LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function
Self Exciting Function
BO F00M145354, F00M145355,
F00M145891, F00M144128,
F00M144153, F00MA45303,
F00MA45208
TR IB225
CG 333252, 333244, 139925
UP YRV38
MB VRB254

AUDI // SEAT // SKODA // VW 96-> // FORD GALAXY 1.9TDI 96-> // SEAT ALHAMBRA, ALTEA, AROSA, CORDOBA


RB0227A



A-Circuit
Voltage Set Point 14.70 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under/ Over Voltage Indication
DFM Function
BO F00M145227
TR IB227
MB VRB265
CG 235856

SATURN L SERIES 2000-05


RB0229A



A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function
BO F00M145229, F00M145208,
F00M145351
MB VRB238
CG 232927
TR IB229

VOLVO S40, S60, S80, V40, V70, XC90, XC70 1.6L-2.5T 97->

RB0231A



A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function
BO F00M145201, F00M145231,
F00M145257, F00M145282,
F00M145362, F00M145370
MB VRB252
CG 139044
TR IB231

ALFA ROMEO 159, BRERA, SPIDER 05-> // OPEL AGILA 00->, ASTRA F/G, COMBO, CORSA C, MERIVA, OMEGA B, TIGRA, VECTRA, ZAFIRA 01->

RB0235A



A-Circuit
Voltage Set Point 14.60V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function
BO F00M145215, F00MA45217,
F00M145672, F00M145329,
F00M144177, F00M145235,
F00M145675
TR IB235
MB VRB253
CG 235537


FORD COUGAR 2.0L 16V (98-01), MONDEO (BAP/BFP/BNP) 1.6L/1.8L/2.0L (96-00)

Bosch Regulators

RB0236A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 32%
LRC 5 sec
Field, Shorted Circuit Protection
Sense IG Open Indication
Under Voltage Indication
Over Voltage Indication

BO F00M145873, F00M145236
MB VRB243
CG 233587
TR IB236




TOYOTA AVENSIS (00-08), COROLLA (03-09)

RB0239A

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30%
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function

BO F00M145239, F00M145204,
F00M145387
MB VRB251
CG 230624
TR IB239



RENAULT ESPACE III 2.0L ->02, GRAND SCENIC 2.0L/1.9dCi 04->, LAGUNA, LOGAN, MEGANE III, SCENIC mot. 1.4-2.0L/1.8dCi 01->

RB0241A

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30%
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function

BO F00M145224, F00M145241
TR IB241




Buick (2004-2005), Chevrolet (1999-2007), GMC (2000-2007), Oldsmobile (1999-2004), Pontiac (1999-2005)

RB0247A

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30%
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function

BO F00M145247, F00M145357
CG 235207
TR IB247




Audi (2003-2004), BMW - Europe (2004-2007), Mercedes-Benz (2003-2007), Mini (2005-2008)

RB0248A

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30%
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function

BO F00M144139, F00M145358,
F00M144139, F00M145248
TR IB248
UP YRV29
CG 333259, 233729




MERCEDES-BENZ SPRINTER 208CDI/213CDI/216CDI/308CDI/313CDI/408CDI/413CDI/416CDI (00-06)

RB0251A

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30%
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function

BO F00M145251, F00M145360,
F00M145245, F00M145236
TR IB251
CG 234263
MB VRB360




BMW 3 E46, 5 E39, X5 E53 2.2-3.0L

RB0252A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30%
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function
Self Exciting Function

BO F00M145350, F00M145243,
F00M145252, F00M145270,
F00M144189, F00M144136,
F00M145232, F00M145674
TR IB252
Mb VRB263
CG 333264




AUDI A4 (8DE), A6 (4B) 1.9TDI // SKODA SUPERB 1.9TDI // VW LT, TRANSPORTER T4 2.5TDI, PASSAT (3B) 1.9TDI

RB0255A

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30%
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function

BO F00M145235
MB VRB262
CG 233508
TR IB255




FORD TRANSIT 2.0 DI, 2.4DI 2000; FORD TRANSIT EUROLINE 2.0L 2000-2006; FORD TRANSIT FT 240K/S, 260K/S, 280K/S, 280M, 280S, 300K/S, 300L, 300M, 300S, 330K/S, 330L, 330M,

RB0260A

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30% LRC 5 sec
Field Shorted Circuit Protection
Under/ Over Voltage Indication
DFM Function
Self Exciting Function

BO F00M145249, F00M145260,
F00M145325
TR IB260
MB VRB363



Caterpillar (1990-2001), Champion (1990-1998), Chevrolet (1989-2002), Cummins Engines (1991-1992), Dodge (1970-1977), Ford (1972-2008), Freightliner

RB0266A

A-Circuit
Voltage Set Point 14.20 V
Soft Start 30%
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function

BO F00M145883, F00M144855,
F00M145377, F00M145365,
F00M144155, F00M145266
TR IB266
CG 333256, 234771
MB VRB883




MERCEDES-BENZ E-CLASS W211 E200CDI/E220CDI/E320CDI, S-CLASS S320SDI

RB0270A

A-Circuit
Voltage Set Point 14.80 V
Soft Start 17%
LRC 4 sec
Self Exciting Function

BO F00M144147, F00M145272,
F00M145367, F00M145435
TR IB293
CG 237270
MB VRB385




MERCEDES-BENZ C-CLASS (W203/SL203/S203) 02->, CLC-CLASS (CL203) 02->, E-CLASS (W211) 04->, SPRINTER 906 08->

RB0276A

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30% LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function
Self Exciting Function

BO F00M145276, F00M145368
CG 236717
TR IB276
MB VRB242




NISSAN INTERSTAR 2.2L/2.5L 02->, PRIMASTER 2.5L 06-> // OPEL MOVANO, VIVARO 2.5CDI 03-> // RENAULT LOGAN 1.6L 07->, MASTER II 2.2CDI/2.5DCI 00->, MEGANE II 1.9DCI

RB0283A

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30%
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function

BO F00M145364, F00M144168
TR IB283
CG 235700



OPEL ASTRA G 2.0DI (99-05), ZAFIRA A 2.0DI 16V (99-05) SAAB 9-3 2008-2011

RB0286B

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30% LRC 5 sec
Lamp Shorted Circuit Protection
Field Shorted Circuit Protection
P Terminal Self Exciting Function
Under/ Over Voltage Indication
DFM Function

BO F00M145286, F00M145394
TR IB286
CG 333271
MB VRB270
UP YRV33



CITROEN BERLINGO, C2, C3, C4, C5, C8, JUMPER, JUMPY, XSARA // FIAT DUCATO, SCUDO, ULISSE, // LANCIA PHEDRA // PEUGEOT 1007, 206, 307, 308, 407, 5008, 607

RB0289A

A-Circuit
Voltage Set Point 14.80 V
Soft Start 17%
LRC 4 sec
Self Exciting Function

BO F00M145882, F00M145316,
F00M145289, F00M145223
CG 236002
TR IB289




BMW 1 (E81) 116i/118i/120i 04->, 3 (E46) 316i/318i/320i (02-07), X1 2.0L 10->, Z4 2.0L 05->

RB0295A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30%
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function

BO F00MA45225, F00M145295
TR IB295




NISSAN PRIMASTER 2.0L 01-> // RENAULT LAGUNA II 2.0L 16V 02->, TRAFIC 2.0L 01->, VEL SATIS 2.0L 16V 02->

RB0297A

B-Circuit
Voltage Set Point 28.50 V
Soft Start 30% LRC 5 sec
Field Shorted Circuit Protection
Sense / IG Open Indication
Under Voltage Indication
Over Voltage Indication
DFM Function

BO F00M144103, F00M144119,
F00M145246, F00M145297
CG 233117
TR IB297




DAF CF65, LF45, LF55; IVECO EUROARGO; RENAULT; VOLVO B12, B7, B9, FH ser., FM ser., NH ser.

RB0297B

B-Circuit
Voltage Set Point 28.50 V
Soft Start 30% LRC 5 sec
Field Shorted Circuit Protection
Sense / IG Open Indication
Under Voltage Indication
Over Voltage Indication
DFM Function

BO F00M144119, F00M144103,
F00M144120, F00M145297,
F00M145246, F00M144104
TR IB297
UP YRV323
MB VRB268
CG 233117




DAF CF65, LF45, LF55; IVECO EUROARGO; RENAULT; VOLVO B12, B7, B9, FH ser., FM ser., NH ser.

Bosch Regulators

RB0298A

B-Circuit
Voltage Set Point 28.50V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
IG Open Indication
Under Voltage Indication
Over Voltage Indication
DFM function

BO F00M145256, F00M145298,
F00M145302, F00M145307,
F00M145237, F00M145299
CG 231523
TR IB298




MERCEDES-BENZ ACTROS (97-02),
ATEGO 98-> // SCANIA P,G,R,T 04-> //
DAF 95, CF, XF 02-> // VOLVO FH, FM 01->

RB0298B

B-Circuit
Voltage Set Point 28.50V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
IG Open Indication
Under Voltage Indication
Over Voltage Indication
DFM function

BO F00M145256, F00M145298,
F00M145302, F00M145307,
F00M145237, F00M145299
CG 231523
TR IB298



MERCEDES-BENZ ACTROS (97-02),
ATEGO 98-> // SCANIA P,G,R,T 04-> //
DAF 95, CF, XF 02-> // VOLVO FH, FM 01->

RB0316A

A-Circuit (Metal Can)
Voltage Set Point 28.50 V
Slip Ring OD : 28 mm

BO 1197311316
TR IB316
CG 333246



KÄSSBOHRER/MERCEDES
BUSO3451996-2008

RB0321A

A-Circuit
Voltage Set Point 14.80 V
Soft Start 17 %
LRC 4 sec
Self Exciting Function
BSS Regulator

BO F00M145492, F00M144185,
F00M144193, F00M145858,
F00M145335,
F00M144188
TR IB321
MB VRB131



RENAULT LAGUNE III, MEGANE II,
SCENIC II 1.4L/1.6L 05->

RB0330A

B-Circuit
Voltage Set Point 14.70 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under/ Over Voltage Indication
DFM Function

BO F00M145330
MB VRB330



Chevrolet AVALANCHE 8.1L, EXPRESS
VANS 4.3L(262) V6 2006-
2007, SUBURBAN 8.1L(496) V8 2006 GMC
PICKUPS 6.0L

RB0343A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication

BO 9191067046, 9191067049,
9191067059
TR IB343
MB VRB393
CG 231237



TOYOTA CAMRY SVX20 (5SFE)

RB0350A

A-Circuit (Helmet Steel)
Voltage Set Point 14.50V
Slip Ring OD: 32mm

BO 1197311090, 0192052003,
0192052002, 0192052001,
9191337305, 0192052022
CG 133095, 130676Z
UP YRTA812, YRV12H
TR IB350
MB VRB193M



Alfa Romeo - Europe (1978-1993), Allis
Chalmers (1977-1986), American Motors
(1977-1979), Audi (1970-1985), Audi -
Europe (1971-1987), BMW (1977-1995)

RB0350B

A-Circuit (Metal Can)
Voltage Set Point 14.50V
Slip Ring OD: 32mm

BO 0192052005, 0192052006,
0192052008, 0192052011,
0192052012, 0192052013,
1197311090, 0192052014
TR IB350
CG 133095, 130676
UP YRTA812, YRV12
MB VRB193M



AUSTIN MAESTRO 1984-1990; CASE
1983-1993; CATERPILLAR 4810; JCB
1985-1996; MANITOU MT1030S 1004.42
2002; MASSEY FERGUSON MF220 4.2L
1996;

RB0353A

A-Circuit (Helmet Steel)
Voltage Set Point 14.50V
Slip Ring OD: 32mm

MM 64808010, 64808011
BO 0192052022, 0192052001,
0192052002, 0192052005
CG 130676, 333253
TR IB353
UP YRV14



Alfa Romeo - Europe (1979-1993), Audi
(1986-1994), Audi - Europe (1978-1994),
BMW (1978-1995), BMW - Europe (1981-
1996), BPM (1992-1992), Case (1990-
1992), Fiat (1981-1983), Fiat - Europe

RB0355A

14 V., V. setting 14.6
w/ 68 Ohm. Resistor.

TR IB355
MB VRB195M, VRB196M
UP YRV16, YRV14
CG 133993, 132980



Citroen - Europe (1982-1994), Hyundai
(1985-1987), Mercedes - Europe (1972-
1996), Mercedes Heavy Duty - Europe
(1986-2001), Mercedes LCV - Europe
(1975-2001), Mercedes-Benz (1973-2000)

RB0358A

A-Circuit
Voltage Set Point 14.40 V

BO 0192052002, 0192052004,
0192052025
TR IB358
UP YRTA812
MB VRB192
CG b130676



John Deere 4045, 6068

RB0359A

12 Volt, A-Circuit, 14.2 Vset

BO 9121080303, 9190087003
TR IB359
CG 238936



RB0360A

A-Circuit (Helmet Steel)
Voltage Set Point 14.60 V
Low Cut-in Speed
Slip Ring OD: 28mm

BO 1197311034, 9190087028
MM AMP0025, AMP0028,
AMP0034
MB VRB104
TR IB360
CG 230200



New Holland T8000 Case Magnum, Case
STX
[6CT, 6CTA]

RB0362A

Voltage set point 24 V
For 28mm OD slip ring
Volts setting 28.3V

BO 1197311300, 1197311301,
1197311304
CG 132903
MM 940038018
MB VR-B203
TR IB362



Renault Heavy Duty - Europe (1979-1998),
Scania Heavy Duty - Europe (1978-1998),
Valtra Valmet (1985-2008), VM
(Stabilimenti Meccanici) (1978-1982),
Volvo (1996-2000)

RB0363A

A-Circuit (Metal Can)
Voltage Set Point 28.10V
Slip Ring OD: 28mm

BO 1197311304, 1197311324,
6033RD2006
MB VRB209
CG 135856
TR IB363




IVECO EUROCARGO 60 E 10- 320 E 27 T
91->, EUROSTAR LD 190 E - LD 440 E
(93-02), EUROTECH MP 180 E - MP
440/MT 180 E - MT 400 E,
EUROTRAKKER MP (93-04), P/PA (88-

RB0364A

A-Circuit (Helmet Steel)
Voltage Set Point 28.50V

BO 1197311309, 6033RD2004
CG 138756
MB VR-B210
TR IB364



RB0365A

A-Circuit (Metal Can)
Voltage Set Point 28.50V
O.E. Grade
With Wiring: 70mm

BO 6033RD2005, 1197311308,
1197311312, 0190053020,
0192053015
CG 136545
UP YRV08
TR IB365



DAF 65CF/75CF/85CF/95XF

RB0368A

A-Circuit (Metal Can)
Voltage Set Point 14.60 V
Slip Ring OD: 32mm

BO 1197311032
TR IB368
MB VRB103, VRB260
CG 230455



Caterpillar (1992-1996), Deutz-Allis (1986-
1992), Deutz-Fahr (1984-1994), Godwin
(1995-2000), Ingersoll Rand (1996-1997),
Iveco (1985-1991), Iveco Fiat LCV / Heavy
Duty - Europe

Bosch Regulators

RB0369A

A-Circuit (Metal Can)
Voltage Set Point 28.10 V
Slip Ring OD: 32mm



BO 1197311313
TR IB369
CG 136433

IVECO EUROARGO (92-00) //
MERCEDES-BENZ AXOR, CITARO,
TOURINO, TRAVEGO 98->

RB0374A

A-Circuit
Voltage Set Point 28.10 V



BO 0192053005, 0192053011,
0192053013, 0192053016,
0192053017, 0192053018
TR IB374
CG 130960
UP YRTA813C
MB VRB198

KHD, FIAT TRUCK, IVECO

RB0381A

A-Circuit (Metal Can)
Voltage Set Point 28.50 V
Slip Ring OD : 28 mm




TR IB381
UP YRV19
CG 131340
MB VRB206

BO 1197311315, 9190457051,
0192053009, 0192053012,
9190457001, 0192053025,
0192053003, 0192053014

CUMMINS // DAF // MAN // MERCEDES-
BENZ // SCANIA // RENAULT // VOLVO
(87-09)

RB0384A

A-Circuit (Metal Can)
Voltage Set Point 14.60 V




BO 1197311239
TR IB384
MB VRB208H
UP YRV02

Renault - Europe (1995-2001), Volvo
(1992-1998), Volvo - Europe (1990-2000)

RB0385A

A-Circuit (Metal Can)
Voltage Set Point 14.50 V
Slip Ring OD: 14mm




BO 1197311212, 1197311214,
1197311223, 1197311519,
1197311225, 1197311528
TR IB385
CG 234630
MB VRB200
UP YRV02

Audi (1992-2000), Audi - Europe (1991-
2001), BMW (1985-2006), BMW - Europe
(1990-2000), Cadillac (1997-2001),
Chrysler - Europe (1998-2000), Ford -
Europe (1994-2000)

RB0385B

A-Circuit (Helmet Steel)
Voltage Set Point 14.50 V




BO 1127011175, 1127311175,
1197311175
CG 134687
MM 940038012
UP YR-V02
TR IB385

Alfa Romeo (1993-1995), Alfa Romeo -
Europe (1990-2003), Audi (1992-2000),
Audi - Europe (1991-2001), BMW (1985-
2006), BMW - Europe (1990-2000),
Cadillac (1997-2001), Chrysler - Europe

RB0387A

A-Circuit (Metal Can)
Voltage Set Point 14.60 V
With 180 Ohm Resistor
Slip Ring OD: 14mm




BO 1197311556, 1197311242,
1197311541, 1197311533,
1197311213, 1197311211
CG 134761
UP YRV01
TR IB387
MB VRB201H

Daewoo - Europe (1999-2002), Mercedes -
Europe (1989-2005), Mercedes Heavy
Duty - Europe (1984-2000), Mercedes
LCV - Europe (1988-2006), Mercedes-
Benz (1987)

RB0388A

A-Circuit (Metal Can)
Voltage Set Point 14.60V
No 180 Ohm Resistor
Slip Ring OD: 14mm



BO 1197311548, 1197311530,
1197311523, 1197311531,
1197311500
CG 137183
TR IB388
UP YRV26
MB VRB222

Audi - Europe (1996-1998), Ford - Europe
(1995-2002), Ford LCV - Europe (1995-
2003), Mazda - Europe (1996-2000), Seat -
Europe (1995-2001)

RB0392A

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under/ Over Voltage Indication



BO 9190067018, 6033RD1004
TR IB392
CG 235651, 136555
UP YRV22L
MB VRB392

John Deere (1998-2007), Thermo King
(1990-2007), Westerbeke (2000-2007)

RB0408A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
L Terminal Drives Choke
Under/ Over Voltage Indication
DFM Function
Self Exciting Function




BO 0272220706, 0272220707

Clio, Sandero, Logan, Duster, Kangoo 1.6
2010->

RB0501A

A-Circuit (Helmet Steel)
Voltage Set Point 14.50 V



BO 9190041002
TR IB501
MB VRB250

NISSAN TSURU III, 1994

RB0543A

B-Circuit
Voltage Set Point 28.50 V
Soft Start 30 %
Field Shorted Circuit Protection
IG / Sense Open Indication
Under Voltage Indication
Over Voltage Indication




BO 0123500520, 1197311543
PRES 860918
MB VRB543B
TR IB543
CG 234112

IVECO EUROTECH MH 190-440E 00->,
EUROTRAKKER MP 180- MP410 (89-04),
STRALIS AD 03->, TRAKKER AD 04->

RB0545A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 32 %
LRC 5 sec
Field Shorted Circuit Protection
IG Open Indication
Under Voltage Indication
Over Voltage Indication




BO 1197311506, 1197311516,
1197311536, 1197311545,
1197311557, 1197311547
CG 138999
TR IB545
MB VRB238

BMW (1995-2003), BMW - Europe (1994-
1999), Mercedes - Europe (1993-1998),
Mercedes-Benz (1992-1993)

RB0558A

B-Circuit
Voltage Set Point 28.50 V
Soft Start 30 %
Field Shorted Circuit Protection
IG Open Indication
Under Voltage Indication
Over Voltage Indication




BO 197311558, 1197311554,
0272220217
MB VRB558B
CG 234522
TR IB558

MAN E2000 19.310-50.460 00->, F 2000
19.314 - 41.464 95->, L 2000 8.145 -
12.225 98->, LION 00->, M 2000 98->,
TGA 02-> // NEOPLAN TOURILINER 02->

RB0569A

B-Circuit
Voltage Set Point 28.50V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
IG Open Indication
Under Voltage Indication
Over Voltage Indication




BO F00M144106, F00M144122,
F00M145294, F00M145300
TR IB5300
UP YRV322

MAN E 2000, LION S 00->, TGA, TGL,
TGM, TGS, TGX 00->

RB0587A

B-Circuit
Voltage Set Point 14.00 V
LRC 3 sec
Self Exciting Function
LIN Regulator



BO F00MA45212, F00M145379
MB VRB379
CG F00MA45212

VOLVO S80 3.0 T6 (01-06), XC90 T6 02->

RB0635A

A-Circuit
Voltage Set Point 14.80 V
Soft Start 17 %
LRC 4 sec
Self Exciting Function



BO F00M346135
TR IB6135

MINI MINI ONE 1.4L/1.6L 07->, COOPER,
COOPER S 06->, CLUBMAN 07->

RB0637A

B-Circuit
Voltage Set Point 14.00 V
LRC 3 sec
Self Exciting Function




BO F00M346021, F00M346008,
F00M346080
MB VRB021
TR IB6037
CG 332016

MERCEDES-BENZ 63AMG : C-CLASS
(W204), CLK (C204), E-CLASS (W211), M-
CLASS (W164), R-CLASS (W251), SL
(R230) 06->

Bosch Regulators

RB0655A

A-Circuit
Voltage Set Point 14.80 V
Soft Start 17 %
LRC 4 sec
Self Exciting Function
BSS Regulator




MB VRB880
CG 236455
IB IB262

BMW 11 (E82), 3' (E46), 3' (E90), 3' (E91), 5' (E60), X1 (E84), Z4 E85

RB0655B

A-Circuit
Voltage Set Point 14.80 V
Soft Start 17 %
LRC 4 sec
Self Exciting Function
BSS Regulator



BO F00M145655, F00M145285, F00M145262, F00M145800, F00MA45221, F00M145880
MB VRB880
CG 236455

BMW 11 (E82), 3' (E46), 3' (E90), 3' (E91), 5' (E60), X1 (E84), Z4 E85

RB0656A

B-Circuit
Voltage Set Point 13.70 V
LRC 3 sec
Self Exciting Function
LIN Regulator



BO F00M346097, F00M346019
MB VRB056
TR IB6056
CG 235823
WAI 23536W

FORD GALAXY 06->, KUGA 09->, MONDEO V 07->, S-MAX 06-> all mot. // LAND ROVER FREELANDER 2.2TD 06-> // VOLVO C30, C70, S40, S60, S80, V70, XC60, XC70 2.0D/2.4D

RB0666A

A-Circuit
Voltage Set Point 14.80 V
Soft Start 17 %
LRC 4 sec
Self Exciting Function
BSS Regulator




BO F00M346066, F00M346061
TR IB6066

CITROEN BERLINGO 09->, C5 09->, DS3 10-> // MINI MINI 06-> // PEUGEOT 207 07->, 3008 09->, 308 09->, PARTNER 10->

RB0677A

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under/ Over Voltage Indication
DFM Function
Self Exciting Function




MB VRB266
CG 235273
TR IB677

BO F00M144169, F00M145366, F00M144129, F00M145366

SAAB 9-3 (98-03), 9-5 97-> 2.0i/2.0T/2.3T 140A

RB0678A

A-Circuit
Voltage Set Point 14.80 V
Soft Start 17 %
LRC 4 sec
Self Exciting Function
BSS Regulator



BO F00MA45219, F00M145280, F00M145679
TR IB678

BMW 5' (E60) 520i/525i/530i 03->, 7' (E65) 730i/Li 03->, X3 (E83) 2.5i/3.0i 04->

RB0696B

B-Circuit
RVC=0 Vset=13.80V
RC=70% Vset=14.45V
Soft Start 18.75 %
LRC 2.5 sec
DFM function
RVC Regulator




BO F00M144191, F00M145314, F00M145696
TR IB314, IB696

(2008-05) BUICK, CADILLAC, CHEVROLET, GMC, PONTIAC

RB0701A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
L Terminal Drives Choke
Under/ Over Voltage Indication
DFM Function
Self Exciting Function



BO 0272220701

FIAT DUCATO 2.3D/3.0D 06-> // IVECO DAILY 2.3D/3.0D 06-> // VW POLO 1.4L/1.2TDI 09->

RB0714A

A-Circuit
Voltage Set Point 14.80 V
Soft Start 17 %
LRC 4 sec
Self Exciting Function
BSS Regulator




BO F00MA45219, F00M145679, F00M145280
CG 236714

BMW 5' (E60) 520i/525i/530i, 5' (E61) 525i, 7' (E85) 730i/Li, Z4 (E85) ROADSTER

RB0809A

B-Circuit
Voltage Set Point 14.00 V
LRC 3 sec
Self Exciting Function
LIN Regulator



BO F00M145698, F00M144150, F00M145665
CG 235809

MERCEDES-BENZ SPRINTER (906) 209CDI/211CDI/215CDI/309CDI/311CDI/315CDI/413CDI/415CDI/509CDI/511CDI/515CDI 2.2CDI 06->

RB0822A

B-Circuit
Voltage Set Point 14.00 V
LRC 3 sec
Self Exciting Function
LIN Regulator



BO F00M346081, F00M346048
CG 235822
MB VRB020

MERCEDES E-CLASS W212 E350 09->, GL-CLASS X164 GL420CDI/450CDI, M-CLASS W164 ML280-450CDI, R-CLASS W251 R280/R300, S-CLASS W221 S320CDI

RB0861A

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function




TR IB861
CG 235156
MB VRB861
BO F00M144146, F00M145331, F00M145339, F00M145382

AUDI A6 (4B.) 4.2L V8 (02-05) // MINI MINI COOPER, ONE 1.6L (01-07)

RB0875A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 32 % LRC 5 sec
Field Shorted Circuit Protection
IG / Sense Open Indication
Under/ Over Voltage Indication
DFM Function




BO F00M145658, F00M145332, F00M145875
CG 330189
WAI 255668W

TOYOTA YARIS 1.4D-4D 05->

RB0881A

A-Circuit
Voltage Set Point 14.80 V
Soft Start 17 %
LRC 4 sec
Self Exciting Function
BSS Regulator



BO F00M144132, F00MA45222, F00M144108, F00M145285, F00M145881, F00M145374, F00M145884
TR IB5881
MB VRB285
CG 237736

MERCEDES C-CLASS (W203/S203/CL203) C200CDI/C220CDI, E-CLASS (W211) E200CDI/E220CDI/E280CDI/E320CDI, S-CLASS (W220) S320CDI

RB0915A

Capacitor : 2.2uF . 250V




BO F00M145250, F00M145426
MB TBB001
TR 39-9105
CG 235772

DODGE RAM 1500/2500/3500 // PT CRUISER 2.2CRD // JEEP GRAND CHEROKEE 2.7CRD

RB0963B

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function




BO F00M145351, F00MA45211, F00M145369, F00M145208, F00M145279, F00MA45207
TR IB5369
MB VRB369
CG 237267

VOLVO S40, S60, S80, V40, V70, XC90, XC70 1.6L-2.5T 97->

RB2128A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
L Terminal Drives Choke
Under/ Over Voltage Indication
DFM Function
Self Exciting Function




BO 1275200003, 0272220703, 1907107613

FORD Ranger II, FIAT Grand Siena II, Uno, Palio, Strada, Fiorino Siena Doble Idea 1.3 1.4 1.0 Fire Com Ar 2001->

RB3451A


B-Circuit
Voltage Set Point 14.50 V
Soft Start 12.5 % LRC 5 sec
Field Shorted Circuit Protection
Over Voltage Indication



Bosch Regulators

RB4113A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
L Terminal Drives Choke
Under/ Over Voltage Indication
DFM Function
Self Exciting Function
BO 0272220731, 0272220720



FIAT DUCATO 2.3D 06-> // IVECO
DAYLY 06-> // SKODA CITIGO 11->

China Regulators

RQ0057A

Voltage Set Point 28.50V



Strong China, Shen Lake, Steyr, Weichai, HOWO SHAANXI Beifang Benchi, wd61509qd

RB0400A

Voltage Set Point 14.50V



488 engine Santana, Jetta, Iveco

RQ2014A

Voltage Set Point 14.40V



RQ4033A


Voltage Set Point 14.50V



Jie Nuorui

RQ8036A

Voltage Set Point 14.50V



Zhejiang Seoul JFZ1929, Baoding Great Wall

RQ8244A

Voltage Set Point 14.50V



Xiangfan Dongfeng JFZ1601 Cummins

RQ8303A


Voltage Set Point 14.50V



Zhejiang Seoul 1720 Hippocampus GM, Wuling plug

RQ8311A

Voltage Set Point 14.50V



Hwachon Denso JFZ1910, JFZ1916, JFZ1910A Changan Star, Maple

RQ8312A

Voltage Set Point 14.50V



Hwachon Denso JFZ172, JFZ176, JFZ176L Changan Star, wind off

RQ8316A

Voltage Set Point 14.50V



Dongan Hafei, FAW Jiabao

RQ8327A

Voltage Set Point 14.50V



Zhejiang Seoul JFZ1926, Yuexiang

RQ8333A

Voltage Set Point 28.50V



RQ8335A

Voltage Set Point 28.50V



Shen Lake, Dongfeng Chaoyang diesel

RQ8339A

Voltage Set Point 14.50V



Zhejiang Seoul JFZ1658B Changhe Suzuki

RQ8340A

Voltage Set Point 14.50V



Zhejiang amounted to Seoul JFZ1658A generator Changhe Suzuki

RQ8344A

Voltage Set Point 14.50V



Chery QQ, Wuhu Jienuo Rui JFZ1723 generator

RQ8345A

Voltage Set Point 14.50V



Chery A515, Cowin, FY-2, Remy JFZ1822 generator, Wuhu Jienuo Rui Motor

RQ8349A

Voltage Set Point 28.50V



Yuchai Heavy Duty Truck, Bonite JFZ24533 generator

China Regulators

RQ8352A

Voltage Set Point 14.50V



BYD F3 473QA generator

RQ8358A

Voltage Set Point 14.50V



Dongan Engine, Hwachon Denso JFZ162
Hafei, Lobo, Treasure

RQ8372A

Voltage Set Point 14.50V



Delco generator

RQ8381A

Voltage Set Point 14.50V



Chongqing Bonite JFZ171, JFZ176,
JFZ172 Iveco, Chang'an, the era of
Superman, Jetta, Wuling

RQ8382A

Voltage Set Point 28.00V



Yuchai Bonite generator

RQ8389A

Voltage Set Point 14.00V



Yuchai Bonite JFWZ302

RQ8707A

Voltage Set Point 14.50V



UP YR8562
CG 139467
MB VRD276
TR D403

DAEWOO DC24 eng, DB33A eng.;
DAEWOO ESPERO 1.5, 1.8, 2.0L;
DAEWOO LANOS 1.3L, 1.6L; DAEWOO
NEXIA 1.5; DAEWOO NUBIRA 1.6L, 2.0L;
DAEWOO REZZO 2.0L 1999; DAEWOO

RQ9004A

Voltage Set Point 14.50V



RQ9084A

A-Circuit
Voltage Set Point 28.50 V



JFZ253C, FOTON

RQ9282A

Voltage Set Point 14.50V



Zhejiang JFZ168, Seoul Yoo, EFI Changan
Star, EFI Italy, Changhe Freda

RQ9315A

Voltage Set Point 14.50V



Zhejiang Seoul JFZ1927, BYD F3, JAC
Pinnacle, Wyatt, Refine

RQ9340A

Voltage Set Point 14.50V



Ningguo Jinxin JFZ1992 Chery A5, Eastar,
Tiggo

RQ9342A


Voltage Set Point 14.50V



Chery QQ Face 1.1 16V 12V 75Amperes .
ORIGINALS : CHY112 / S11-3701110BA /
S113701110BA / JFZ1753 JOHN DEERE
XUV 8251

RQ9342B

Voltage Set Point 14.50V



Ningguo Jinxin JFZ1753G Chery QQ Face
1.1 16V, Tiggo, Wuling Sunshine,
CHY112, S113701110BA, JOHN DEERE
XUV 8251

RQ9343A

Voltage Set Point 14.50V



MB VRY002
TR D1621

Ningguo Jinxin JFZ1621, JFZ1757,
JFZ1758 GEELY, Suzuki Big Dipper,
Toyota 8A

RQ9344A

Voltage Set Point 14.50V



Ningguo Jinxin Boyu JFZ1728,
CHEVROLET SPARK

RQ9345A

Voltage Set Point 14.50V



Deco JFZ1756 Ningguo Jinxin, Dirks

RQ9353A

Voltage Set Point 14.50V



Remy JFZ1726 Wuhu Jienuo Rui Motor,
Wuling Sunshine, Hong passers, glory

China Regulators

RQ9385A

Voltage Set Point 14.50V



Bonite JFZ193, JFZ198 Geely, Imperial, King Kong, Free Ship

RQ9505A

Voltage Set Point 28.50V



Prestolite AV1136/144

RQ9510A


Voltage Set Point 14.50V



Hwachon Denso JFZ198, JFZ183A Toyota 2RZ, Coste, Rexxar, Adams, Chevrolet, GEO, Changan Star, Cherokee, excavators

RQ9512A

Voltage Set Point 14.50V



Hwachon Denso JFZ156A, JFZ155A, Mitsubishi, Xiali, Toyota

RQ9517A

Voltage Set Point 28.50V



Steyr truck, Yuchai, Xichai

RQ9521A

Voltage Set Point 14.50V



Hwachon Denso JFZ156A, JFZ155A, Mitsubishi, Xiali, Toyota

RQ9526A

Voltage Set Point 14.50V



Zhejiang Seoul JFZ1719-700, SAIC GM, Wuling

RQ9527A

Voltage Set Point 28.50V



Renault engine Dongfeng JFZ2811 Days Kam

RQ9528A


Voltage Set Point 14.50V



Hwachon Denso JFZ1716, JFZ1715, JFZ169B Chery, Changan Star

RQ9529A

Voltage Set Point 14.50V



Hwachon Denso JFZ1918, JFZ1918A Roewe 550,750, Huatai CRV

RQ9549A

Voltage Set Point 28.50V



Xiangfan generator, EQ153

RQ9606A

Voltage Set Point 28.00V



Yuchai Dongfeng Liuzhou Motor Bonite

RQ9608A

Voltage Set Point 28.50V



Shen Lake JFZ270-112 Cummins Erving IV, 4990783 ISF3.8

RQ9614A

Voltage Set Point 14.50V



Cummins, heavy truck, Shen Lake JFZ135-700

RQ9619A


Voltage Set Point 14.50V



Shen Lake JFZ1100-392, Cummins, heavy truck, Fukuda light truck

RQ9625A

Voltage Set Point 14.50V



Hwachon Denso JFZ186 hippocampus

RQ9626A


Voltage Set Point 14.50V



Wuhu Jienuo Rui, Chery A3, Cowin, Tiggo, Eastar

RQ9631A

Voltage Set Point 14.50V



Changan, Chery QQ, Taurus, Yue Xiang V3

China Regulators

RQ9635A

Voltage Set Point 14.50 V



Zhejiang Seoul JFZ1958B Dongan
Mitsubishi, Shenyang Jinbei

RQ9636A

Voltage Set Point 14.50V



Wuling, Morning power

RQ9644A

Voltage Set Point 14.50V



Hwachon Denso JFZ156

RQ9707A

Voltage Set Point 14.50V



Zhejiang Seoul JFZ1A23, 1A26, 1858
Hippocampus, 479Q, 18300, 483Q

RQ9720A

Voltage Set Point 28.50V



Cummins, heavy truck

RQ9722A

Voltage Set Point 14.50V



Changan, Chongqing Bonite JFZ1916

RQ9726A

Voltage Set Point 14.50V



Hwachon Denso JFB1913, JFB1922,
JFB1913C Baoding Great Wall

RQ9731A

Voltage Set Point 14.50V



Zhejiang Seoul JFZ1970 Refine, BYD F3,
473

RQ9737A

Voltage Set Point 14.50V



Isuzu Shen Lake JAC pickup, JMC
Liberation, FAW

RQ9932A

Voltage Set Point 14.50V




Remy JFZ1945, BYD [371QE], F0

Delco Regulators

RD0118A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function




RD0500A

B-Circuit
Voltage Set Point 14.00 V
LRC 3 sec
Self Exciting Function
LIN Regulator



RD2019A


B-Circuit
Voltage Set Point 14.70 V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
Self Exciting Function



For use on: 11SI Alternator


RD2021A

A-Circuit
Voltage Set Point 14.10 V
Field Shorted Circuit Protection
O.E. Grade




RD2030A

A-Circuit
Voltage Set Point 28.10 V
O.E. Grade



RD2038A

A-Circuit
Voltage Set Point 28.45 V



Daewoo Doosan S210w-v


TR D21
MB VRD680
DR 1116360, 1116390, 1116433,
1116435, 1116442, 13001740,
1876388

Caterpillar (1985-2007), Champion (1975-1998), Chevrolet (1976-1993), Clark (1979-1980), Consolidated Diesel (1991-1992), Cummins Engines (1980-1993), Detroit Diesel (1988-1988), Ford (1974-2008),
TR D30, D30A
UP YR839, YR833
MB VRD672C
CG 130510
DR 1984287, 1987518, 1894460,
1116404, 1105510, 1116388

Allis Chalmers (1978-1986), Atlas Copco (1997-1997), Case (1970-1993), Caterpillar (1970-2012), Champion (1975-1998), Clark (1973-1986), Consolidated Diesel (1991-1992), Cummins Engines 1980

RD2048A

A-Circuit
Voltage Set Point 28.30 V



RD2050A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 20 %
LRC 5 sec
Field, Lamp Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication



RD2062A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 Sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function



CHEVROLET AVEO T250, T255 - 1.4 PETROL, 2008->

RD2152A

B-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function
Self Exciting Function




RD2169A

B-Circuit
Voltage Set Point 28.50 V
Soft Start 30 %
Field Shorted Circuit Protection
S, IG Open Indication
Under Voltage Indication
Over Voltage Indication



RD2198A

A-Circuit
Voltage Set Point 14.30 V



CASE, NEW HOLLAND

DR 10514474, 10516505
TR D4152
CG 331013
UP YR868

LUEBIRD 2005; FORD 2005;
FREIGHTLINER 2005; GMC 2005;
KENWORTH 2005; MACK 2005; MACK
CH SERIES, CL SERIES, CT SERIES,
CTP SERIES, CV SERIES, CX SERIES

MERCEDES ASTROS/ATEGO /AXOR
/ECONIC /VARIO /ZETROS /

DR 10535656, 10514591

TR D2198

RD2200A

B-Circuit
Voltage Set Point 14.70 V
Soft Start 30 %
LRC 5 sec
Field Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function



RD2206A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication



RD2207A

A-Circuit
Voltage Set Point 14.70 V
Soft Start 32 %
LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
DFM Function



Chevrolet Captiva, Opel Antara, Daewoo
Winstorm 3.2 2007->

DR 10458200, 10458201
MB VRD232
WAI 35162
TR D200


AM GENERAL HUMMER H2 6.0L(362-U)
V8 2003-2005; BUICK RAINIER 4.2L, 5.3L
2004; CADILLAC ESCALADE 5.3L, 6.0
2002; CHEVROLET ASTRO 4.3L, 5.3L,
8.1L 2001; CHEVROLET AVALANCHE

CHEVROLET AVEO 1.6L L4 2004-2008;
DAEWOO KALOS 1.2L 2003; DAEWOO
KALOS 1.4L 2003; DAEWOO KALOS 1.4L
DOHC 2003; DAEWOO KALOS 1.4L
SOHC 2002; DAEWOO NUBIRA 1.6L

MB VRD717
TR D2206
CG 235844
UP YR865

RD2262A

A-Circuit
Voltage Set Point 14.70 V




RD2403A

A-Circuit
Voltage Set Point 14.60 V
For use on: Daewoo Espero GM
Saturn Lemans & Prince



RD2408A

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication



Buick (1986-1993), Cadillac (1986-1987),
Chevrolet (1986-1986), GMC (1986-1986),
Oldsmobile (1986-1992), Pontiac (1986-1986)

CG 333021
TR D2262
MB VRD716

Chevrolet (2004-2008), Pontiac (2005-2008), Suzuki (2004-2008)

DR 276010
MB VRD276
CG 139467
TR D403

DAEWOO DC24 eng, DB33A eng.;
DAEWOO ESPERO 1.5, 1.8, 2.0L;
DAEWOO LANOS 1.3L, 1.6L; DAEWOO
NEXIA 1.5; DAEWOO NUBIRA 1.6L, 2.0L;
DAEWOO REZZO 2.0L 1999


DR 1116428, 13089649, 1116408
MB VRD675H
TR D408, D408XHD
CG 131904
UP YR851, YR851C

Delco Regulators

RD2410A

B-Circuit
Voltage Set Point 14.60 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication

DR 1116436, 1116429, 1116425,
1116411
UP YR851B
MB VRD694H
TR D411
CG 131905



Cadillac (1986-2000), Chevrolet (1987-2000), Dodge (1990-1992), Eagle (1988-1992), Geo (1989-1992), GMC (1987-2000), Hummer (2002-2006), Hyster (1985-1992), Isuzu (1989-1994)

RD2432A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 32 %
Field, Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication

DR 1116432
MB VRD432
TR D432
UP YR853
CG 133589



Pontiac (1988-1989)

RD2445A

B-Circuit
Voltage Set Point 14.80 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
DFM Function

DR 1116445
CG 133582
TR D445, D445XHD
UP YR851A
MB VRD445




Buick (1996-1999), Cadillac (1997-2002), Chevrolet (1995-1999), Oldsmobile (1996-1999), Pontiac (1995-1999)

RD2468A

A-Circuit
Voltage Set Point 14.55 V

MM AMP0940
MB VRD271
CG 139468
UP YR866




CHEVROLET, DAEWOO Spark, Matiz [F8CV, B10S, B10S1]

RD2475A

A-Circuit
Voltage Set Point 28.10 V
O.E. Grade

DR 1894460, 1105510
CG 134751
UP YR833W, YR839



RD2476A

B-Circuit
Voltage Set Point 28.30 V
Soft Start 32 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function
Self Exciting Function


DR 10521828, 10514476
TR D4476



RD2509A

A-Circuit
Voltage Set Point 14.10 V
Field Shorted Circuit Protection
O.E. Grade

MB VRD713, VRD669C
TR D221
CG 130509



Caterpillar (1985-2007), Champion (1975-1998), Chevrolet (1976-1993), Clark (1979-1980), Consolidated Diesel (1991-1992), Cummins Engines (1980-1993)

RD2587A

B-Circuit
RVC=0 Vset=13.80V
RC=70% Vset=14.45V
Soft Start 18.75 %
LRC 2.5 sec
DFM function
RVC Regulator

DR 07C12A0887, 10517755
TR D3587
MB VRD755




Buick (2007-2007), Cadillac (2005-2014), Chevrolet (2005-2014), GMC (2005-2014), Hummer (2008-2009), Isuzu (2007-2008), Saab (2007-2009)

RD2587B

B-Circuit
RVC=0 Vset=13.80V
RC=70% Vset=14.45V
Soft Start 18.75 %
LRC 2.5 sec
DFM function

DR 07C12A0887, 10517755
TR D3587
MB VRD755




Buick (2007-2007), Cadillac (2005-2014), Chevrolet (2005-2014), GMC (2005-2014), Hummer (2008-2009), Isuzu (2007-2008), Saab (2007-2009)

RD2608A

A-Circuit
Voltage Set Point 14.60 V

TR DE608
UP YR834
MB VRD690



RD2701A

12 Volt, A-Circuit, 14.7 Vset
Delco European CS130D Series
IR/IF Alternators
MFR:DELCO

TR DE701
UP YR854
CG 135336
MB VRD701
DR 10475019, 10479914,
10479923, 10479947, 10479955



Isuzu (1998-2001), Opel - Europe (1992-2004), Vauxhall - Europe (1993-2000)

RD2701B

A-Circuit
Voltage Set Point 14.60 V
With RFI Capacitor

DR 19009716, 10479914,
10475019, 10479923, 10479947,
10479955
TR DE701
CG 135336
UP YR854
MB VRD701




Isuzu (1998-2001), Opel - Europe (1992-2004), Vauxhall - Europe (1993-2000)

RD2702A

B-Circuit
Voltage Set Point 14.70 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication

DR 19009702, 13120469,
1116411, 1116437, 1116429,
1116436
CG 135547
TR D702HD



Buick (1994-1997), Cadillac (1999-2000), Chevrolet (1994-2002), GMC (1994-2002), Isuzu (1996-1997), John Deere (1990-2007), Oldsmobile (1993-1997), Pontiac (1994-2002), Renault - Europe 1996

RD2703A

B-Circuit
Voltage Set Point 14.80 V
Soft Start 30 % LRC 10 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication

DR 19009710, 19009703,
19009705, 19009702, 19009719
MM AMP0707, AMP0704
TR D703, D719
CG 135547
UP YR859B
MB VRD708




CADILLAC ESCALADE 5.7L 1999-2000;
CHEVROLET ASTRO 4.3L 1996;
CHEVROLET BLAZER 4.3L 1996;
CHEVROLET C/K SERIES TRUCK;
CHEVROLET EXPRESS VANS

RD2705A

B-Circuit
Voltage Set Point 14.70 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
DFM Function

TR D705, D705XHD
MB VRD705H



Buick (1996-1996), Chevrolet (1995-1998), Oldsmobile (1994-1994), Pontiac (1994-1997)

RD2707A

Voltage Set Point 14.50V

TR DE707



Deco, Beverly

RD2708A

B-Circuit
Voltage Set Point 14.70 V
Soft Start 32 %
LRC 5 sec
Field, Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication


MB VRD711
TR DE708HD, DE708
CG 231796



RD2729A

B-Circuit
Voltage Set Point 14.60 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
DFM Function

TR D729
MB VRD709
CG 231184



Buick (1996-1998), Chevrolet (1995-2003), GMC (1998-2003), Isuzu (1998-2000), Oldsmobile (1996-2001), Pontiac (1995-2002)

Delco Regulators

RD2850A

A-Circuit
Voltage Set Point 14.60 V



TR D850

Mercury (1998-2009)

RD2873A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 20 %
LRC 5 sec
Field, Lamp Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication



CG 331774
WAI 255673W

RD2902A

A-Circuit
Voltage Set Point 14.10 V
Field Shorted Circuit Protection
O.E. Grade




DR 1116438, 1116439, 1116441
TR D691
MB VRD682
CG 233204
UP YR814D

AGCO ALLIS; ALLIS CHALMERS;
CHEVROLET/GMC; CONSOLIDATED
DSL; FORD AEROMAX, B600, B700,
B800, LOUISVILLE, VARIOUS MODELS;
FREIGHTLINER ARGOSY, C112 CENT.

RD2940A

A-Circuit
Voltage Set Point 14.60 V



DR 271940
MB VRD740
TR D940
CG 233975

Crusader (2001-2004), Hyster (2001-2006),
Marine Power (1997-2008), Mercruiser
(1998-2002), Mercury (2005-2009),
Pleasurecraft (2001-2004)

RD6510A

B-Circuit
RVC=0 Vset=13.80V
RC=70% Vset=14.45V
Soft Start 18.75 %
LRC 2.5 sec
DFM function
RVC Regulator



OPEL Astra J 1.6 (2009->) 1598ccm
[A16XER] / Astra J 1.8 (2012->) 1796ccm
[A18XER]

RD9063A

B-Circuit
RVC=0 Vset=13.80V
RC=70% Vset=14.45V
Soft Start 18.75 %
LRC 2.5 sec
DFM function
RVC Regulator




Denso Regulators

RE1027A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Under / Over Voltage Indication
DFM function
Self-exciting


ND 1266007240
MB VRF161



RN3099A

B-Circuit
Voltage Set Point 14.30 V
LRC 3 sec
Self Exciting Function
LIN Regulator

ND 1266007170, 1266007120
MB VRH2005171



RN4320A

B-Circuit
Voltage Set Point 14.20 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Sense Open Indication
Under / Over Voltage Indication
DFM Function


ND 1266007320, 1260007320



RN6002A

B-Circuit
Voltage Set Point 14.30 V
Soft Start 32 %
LRC 5 sec
Field Shorted Circuit Protection
Sense open indication
Under Voltage Indication
Over Voltage Indication

ND 1266000023
TR IN6002
MB VRH200593



Lexus (2001-2003), Toyota (2001-2003)

RN6003A

B-Circuit
Voltage Set Point 14.80 V
Soft Start 32 % LRC 5 sec
Field, Lamp Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication

ND 1266000030, 1266000031
TR IN6003, IN6003SE
MB VRH200594




Buick (2004-2005), Cadillac (2001-2005),
Pontiac (2004-2005)

RN6004A

B-Circuit
Voltage Set Point 14.70 V
Soft Start 32 %
Field, Lamp Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function

CG 330637
MB VR200599
TR IN6004




Acura (2001-2002), Honda (2002-2004)

RN6009A

B-Circuit
Voltage Set Point 14.80 V
Soft Start 32 % LRC 5 sec
Field, Lamp Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function

ND 1266000090
TR IN6009
MB VRH2005104




CADILLAC CTS 3.2L(197) V6 2003-2004

RN6015A

A-Circuit
Voltage Set Point 14.20 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Sense open indication
Under Voltage Indication
Over Voltage Indication

ND 1266000150
MB VRH200591
TR IN6015




Lexus (2003-2009), Toyota (2003-2009),
Toyota - Europe (2003-2010), Toyota
LCV - Europe (2001-2010)

RN6094A

A-Circuit
Voltage Set Point 14.00 V
Soft Start 30 % LRC 5 sec
Field, Lamp Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function

MB VRH2005105
TR IN372



TOYOTA 4RUNNER (02-09), FJ CRUISER
(02-09), FORTUNER 05->, HILUX 05->,
LAND CRUISER 03->, TUNDRA 04->
mot. 1GRFE

RN6208A

12 Volt, A-Circuit, FR-IG-L
Terminals, 14.4 Vset
Denso IR/IF Alternators

TR IN208
ND 1260002080




Acura (1996-2001)

RN6215A

A-Circuit
Voltage Set Point 14.50 V
63.5mm Mounting

ND 1260003540, 1260002151,
1260002150
MM AMP0850
TR IN215
UP YR655
CG 234731
MB VRH200577




Acura (1996-1997), Isuzu (1996-1997)

RN6220A

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
IG / Sense Open Indication
Active lamp function - with output
Under / Over Voltage Indication
63.5mm Mounting

CG 131459
BO 0986192021
MM 940038077
MB VRH200544A, VRH20054DG
UP YR631
TR IN220




Chevrolet (1985-1988), Honda (1988-
1990), Honda - Europe (1987-1992), Lexus
(1990-1991), Toyota (1984-1992), Toyota -
Europe (1983-1992)

RN6221A

A-Circuit
Voltage Set Point 14.60V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
63.5mm Mounting

CG 134447
ND 1260000430, 1260001200
MB VRH20055, VRH20055H
UP YR633, YR644
TR IN221




Chevrolet (1985-1988), Geo (1989-1992),
Honda (1984-1987), Isuzu (1984-1995),
Isuzu - Europe (1986-1992), John Deere
(1998-2004), Opel LCV - Europe (1988-
1994), Pontiac (1985-1988)

RN6224A

A-Circuit
Voltage Set Point 14.50 V
DFM Function
63.5mm Mounting

ND 1260001300, 1260001030,
1260001700
TR IN224
UP YR635A
MB VRH200510
CG 132859




Acura (1988-1997), Honda (1988-1997),
Honda - Europe (1992-1998)

RN6225A

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
IG Open Indication
Active lamp function - with output
Under / Over Voltage Indication
DFM Function

CG 132831
ND 1260000570
MB VRH20058
UP YR636
TR IN225




Acura (1986-1991), Honda (1984-1987),
Honda - Europe (1986-1994), Rover
Group - Europe (1989-1993)

RN6226A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
IG / Sense Open Indication
Under / Over Voltage Indication
DFM Function
63.5mm Mounting

CG 132645
ND 1260000540, 1260001170
MB VRH20059
UP YR637, YR646
TR IN226




Acura (1991-1995), Honda (1984-1989),
Honda - Europe (1989-1996)

RN6248A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field, Shorted Circuit Protection
L Terminal Drives Choke
Under Voltage Indication
Over Voltage Indication
63.5mm Mounting

ND 1260002480
TR IN248




Acura (1998-1999), Isuzu (1998-2002)

RN6254A

A-Circuit
Voltage Set Point 14.50 V
Field Shorted Circuit Protection
Over Voltage Indication
57.5mm Mounting

ND 1260000760, 1260001160,
1260000600
TR IN254, IN254SE
MB VRH200539, VRH200515H
CG 133872, 139419




DAIHATSU CYORE II, HUJET 0.8L/1.0L
// PAGGIO PORTER 1.0L (93-98)

Denso Regulators

RN6255A

A-Circuit
Voltage Set Point 14.50 V
Field Shorted Circuit Protection
Over Voltage Indication
L Terminal Drives Choke
57.5mm Mounting

ND 1260000971, 1260001380,
1260000970
TR IN255
UP YR614, YR669
MB VRH200515H
CG 133519



DAIHATSU CYORE II, HUJET 0.8L/1.0L
// PAGGIO PORTER 1.0L /

RN6257A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
IG / Sense Loss Indication
Under / Over Voltage Indication
57.5mm Mounting

ND 1260001630
MM AMP0860
TR IN257
MB VRH200532A
CG 138662



Toyota (1993-1999), Toyota - Europe
(1993-1999)

RN6257B

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
IG / Sense Loss Indication
Under / Over Voltage Indication
57.5mm Mounting

ND 1260001630
MM AMP0860
TR IN257
UP YR662
CG 138662
MB VRH200532A



Toyota (1993-1999), Toyota - Europe
(1993-1999)

RN6259A

A-Circuit
Voltage Set Point 14.20 V
Soft Start 30 %
Field Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication
57.5mm Mounting

ND 1260003790
TR IN259
MB VRH200550A



RN6277A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Sense Open Indication
Under / Over Voltage Indication
57.5mm Mounting

ND 1260001770
TR IN277



Mercury Marine

RN6300A

B-Circuit
Voltage Set Point 14.30 V
Soft Start 32 %
Field, Lamp Shorted Circuit
Protection
Sense open indication
Under Voltage Indication
Over Voltage Indication

ND 1266003000
TR IN6300
CG 235837
MB VRH2005146




Lexus (2006-2013), Toyota (2003-2014),
Toyota - China (2007-2012)

RN6301A

B-Circuit
Voltage Set Point 14.30 V
Soft Start 32 %
LRC 5 sec
Field, Lamp Shorted Circuit
Protection
Sense open indication
Under Voltage Indication

CG 236329
ND 1266003010, 1266003040,
1266003390
MB VRH200585
TR IN6301




Lexus (2004-2013), Lexus - Europe (2003-
2006), Pontiac (2009-2010), Scion (2005-
2014), Toyota (2004-2014), Toyota -
Europe (2000-2010)

RN6308A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 32 % LRC 5 sec
Field, Lamp Shorted Circuit
Protection
Under Voltage Indication
Over Voltage Indication
DFM function

ND 1266003080
TR IN6308
MB VRH2005152



Saturn (2004-2007)

RN6330A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
IG Open Indication
Under / Over Voltage Indication
63.5mm Mounting

TR IN330
MB VRH2005173




MINI Cooper [R50, R53, R50, R53]

RN6335A

B-Circuit
Voltage Set Point 14.60 V
Soft Start 32 %
Field, Lamp Shorted Circuit
Protection
Under Voltage Indication
Over Voltage Indication
DFM Function

CG 237650
ND 1266000140, 1266003350,
1260003200
MB VRH200590
TR IN6335




Acura (2004-2008), Honda (2003-2010),
Honda - China (2007-2007), Honda -
Europe (2002-2012)

RN6365A

B-Circuit
Voltage Set Point 14.70 V
Soft Start 32 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function

ND 1266003650
TR IN6365
MB VRH2005149




Honda (2008-2012), Honda - China (2011-
2012)

RN6366A

B-Circuit
Voltage Set Point 14.60 V
Soft Start 32 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function

ND 1266003660
TR IN6366
MB VRH2005148




Acura (2009-2014), Honda (2008-2012),
Honda - China (2009-2013)

RN6369A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
IG / Sense Open Indication
Active lamp function - with output
Under/ Over Voltage Indication
DFM Function

TR IN369
ND 1260003690




Toyota (2003-2006)

RN6431A

A-Circuit
Voltage Set Point 14.60 V
DFM Function
63.5mm Mounting

ND 1260001860, 1260001880,
1260001410
MM AMP0843
TR IN431
UP YR639
MB VRH200510




Acura (1994-1995), Honda (1993-1997),
Isuzu (1996-1997)

RN6434A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
IG / Sense Open Indication
Under / Over Voltage Indication
63.5mm Mounting

ND 1260001440, 1260001441,
1260001110, 1260000610
MM AMP0831
TR IN434
UP YR643H
CG 135730
MB VRH200533A




Dodge (1992-1996), Geo (1989-1992),
Lexus (1990-1992), Lexus - Europe (1990-
1992), Toyota (1988-1992), Toyota -
Europe (1990-1994)

RN6435A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
IG Open Indication
Under / Over Voltage Indication
63.5mm Mounting

ND 1260001200
MM AMP0832
TR IN435
MB VRH200516A
CG 134447
UP YR644



Asuna (1993-1993), Geo (1990-1993),
Isuzu (1990-1993), Jaguar (1993-1997),
Jaguar - Europe (1994-1997)

RN6437A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
IG / Sense Open Indication
Under / Over Voltage Indication
63.5mm Mounting

CG 135737
ND 1260001930, 1260001730,
1260001750
MB VRH200530A
UP YR656, YR656H, YR656P
TR IN437




Lexus (1996-1997), Toyota (1993-1999),
Toyota - Europe (1992-1999)

RN6439A

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication
63.5mm Mounting

MB VRH200531A
WAI 3582381
CG 135734
TR IN439
ND 1260001640, 1260001660,
1260001670
UP YR657



TOYOTA 4 RUNNER, CAMRY 91->, CARINA E, CELICA, COROLLA, HIACE III/IV, LAND CRUISER ->97, RAV 4 ->00

Denso Regulators

RN6440A

A-Circuit
Voltage Set Point 14.10 V
Soft Start 30 % LRC 5 sec
Sense Loss Indication
Under Voltage Indication
Over Voltage Indication
63.5mm Mounting

MM AMP0851
ND 1260007100
TR IN440
CG 135734
UP YR658
MB VRH200535




Toyota (1993-1995)

RN6441A

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Sense Open Indication
Under / Over Voltage Indication
63.5mm Mounting
For use on: Toyota Camry,

MM AMP0865
ND 1260002000, 1260001870,
1260001850, 1260002260,
1260001870
UP YR661
MB VRH200536A
CG 138894
TR IN441




LEXUS ES, GS, SC 3.0L 1993-; TOYOTA
ALTIS 2002; TOYOTA AVALON 3.0L 1995-
1999; TOYOTA CAMRY 3.0L 1994;
TOYOTA SIENNA 3.0L 1998-2003;
TOYOTA SOLARA 3.0L 1999

RN6445A

A-Circuit
Voltage Set Point 14.50 V
DFM Function
63.5mm Mounting

CG 234557
MM 940038097
UP YR610, YR6101
TR IN445




Acura (1996-2006), Honda (1996-2005),
Honda - China (1998-2001), Honda -
Europe (1995-2005), Isuzu (1998-1999)

RN6447A

A-Circuit
Voltage Set Point 14.50V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under/ Over Voltage Indication
DFM Function
63.5mm Mounting

ND 1260003131, 1260003171,
1260003130
TR IN447
CG 234091
MB VRH200565



Scion (2004-2006), Toyota (2000-2005),
Toyota - Europe (1999-2010)

RN6449A

A-Circuit
Voltage Set Point 14.60 V
63.5mm Mounting

CG 138638
ND 1260001940
MB VRH200559
TR IN449



Caterpillar (1987-2003)

RN6450A

A-Circuit
Voltage Set Point 14.50 V
57.5mm Mounting

UP YR6622
TR IN450
CG 138146
MB VRH200560
ND 1260001800



Ausa (2006-2006), Bobcat (2002-2003),
Case (2005-2005), Caterpillar (1993-2014),
John Deere (1998-2012), Kubota (1980-
1999), New Holland (2006-2012),
Rigmaster Power Inc. (2006-2010)

RN6452A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field, Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
63.5mm Mounting

MB VRH200548A
CG 139268
TR IN452



Suzuki (1995-2004), Suzuki - Europe
(1993-2010)

RN6453A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
IG / Sense Open Indication
Under / Over Voltage Indication
63.5mm Mounting

CG 139584
ND 1260002250, 1260002050,
1260001960, 1260002200
MB VRH200546A
UP YR6561
TR IN453




TOYOTA 4RUNNER (95-02), CAMRY (96-
01), CELICA (93-99), HIACE (94-09),
LAND CRUISER (98-02)...

RN6453B

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Lamp Shorted Circuit Protection
Under / Over Voltage Indication
63.5mm Mounting

ND 1260002250, 1260002050,
1260001960, 1260002200
MM AMP0854
TR IN453
MB VRH200546A
CG 139584
UP YR6561




TOYOTA 4RUNNER (95-02), CAMRY (96-
01), CELICA (93-99), HIACE (94-09),
LAND CRUISER (98-02)...

RN6454A

A-Circuit
Voltage Set Point 14.70 V
Soft Start 30 %
Field, Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function
63.5mm Mounting

CG 235887
MB VRH200592
TR IN454




Hyundai (2006-2012), Kia (2006-2011)

RN6455A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
IG / Sense Open Indication
Active lamp function - with output
Under/ Over Voltage Indication
DFM Function

CG 233517
ND 1260002190, 1260002450
MB VRH200564A
UP YR613
TR IN455




ACURA RL 3.5L 1996-2004; ACURA TL
3.2L 1997-1998; TOYOTA AVENTIS 1.6L,
1.8L, 2.0L 2000; TOYOTA COROLLA 1.4L,
1.6L, 1.8L 1999

RN6460A

A-Circuit
Voltage Set Point 28.20V
63.5mm Mounting

ND 1260007120
UP YR6569
TR IN460
MB VRH200566
CG 138297




Suzuki (1986-1989), Suzuki - Europe
(1983-1995), Toyota LCV - Europe (1993-
2012)

RN6462A

A-Circuit
Voltage Set Point 28.50V
63.5mm Mounting

ND 260002310, 1260002320
UP YR6568
TR IN462
CG 333040



Komatsu (1996-2007)

RN6544A

A-Circuit
Voltage Set Point 14.55V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function
63.5mm Mounting

ND 1260002871
MB VRH200582
CG 235449



MG, ROVER ZS ZT 45 75 [20K4F.25K4F]

RN6581A

A-Circuit
Voltage Set Point 14.55 V
Soft Start 30 % LRC 5 sec
Field, Lamp Shorted Circuit
Protection
Under Voltage Indication
Over Voltage Indication
DFM function

ND 1260003040, 1260002861
TR IN304
CG 231462
MB VRH200562A




TOYOTA PLATZ / VITZ / YARIS /
YARIS/ECHO

RN6601A

A-Circuit
RC=0 Vs=13.50V
RC=55% Vs=14.25V
PCM Regulator

CG 237609
MB VRH200588
TR IN6601
TB 1266003460, 1266007140




Ford (2005-2007), Land Rover (2005-
2008), Lincoln (2006-2006)

RN6642A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under/ Over Voltage Indication
DFM Function
63.5mm Mounting

CG 237642
ND 1260003020
TR IN302



TOYOTA AVENTIS, COROLLA,
PREVIA/TARAGO, COROLLA VERSO,

RN6691A

MB TBND099
CG 235691
TR 4682204



Chrysler (2001-2006), Dodge (2001-2006),
Jeep (2005-2006)

Denso Regulators

RN6705A

A-Circuit
Voltage Set Point 28.20 V
57.5mm Mounting




ND 1260002360, 1260007050,
1260002630
TR IN705
CG 235748

Toyota (1989-1994)

RN6890A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication




ND 1266001890
MB VRH2005166

ISUZU D-TEC/D-MAX 3.0D

RN6920A

A-Circuit
Voltage Set Point 14.30 V



ND 1260000920
TR IN920
CG 133526
UP YR6661
MB VRH20052

Hino (1984-1997)

RN6920B

A-Circuit
Voltage Set Point 14.30 V
Soft Start 30 %
Field Shorted Circuit Protection
Sense Open Indication
Active lamp function - with output
Under / Over Voltage Indication




ND 1260000920
UP YR666
MB VRH20052
TR IN920
CG 133526

Hino (1984-1997)

RN9332A

A-Circuit
Voltage Set Point 14.50V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
57.5mm Mounting



ND 1260002700


BRP Lynx Yeti, Bombardier KIMPEX, Ski-Doo Grand Touring

Ford Regulators

RF2359A

A-Circuit
RC=0 Vs=13.50V
RC=55% Vs=14.25V
White with Blue Cover
PCM Regulator

WAI 352135
CG 233232
MB VR910
TR F601, F601HD



Ford (1999-2003), Mazda - Europe (2001-2005)

RF2479A

A-Circuit
Voltage Set Point 14.50 V

TR F794
UP YRF33B, YRF33
CG 136230
MB VRF786M, VRF786H




Ford (1989-2008), Lincoln (1990-1997),
Mazda (1991-2007), Mercury (1990-2005)

RF2600A

A-Circuit
Voltage Set Point 14.45 V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
Gray with Gray Cove

PRES R007520270S
TR F600
UP YRF341
MB VRF900




Ford (1998-2010), Lincoln (1998-2002),
Mercury (1998-1998)

RF2603A

A-Circuit
Voltage Set Point 14.45 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
White with Orange Cover

MB VRF930
WAI 35214
CG 233775
TR F603




Ford (1999-2004), Ford - Europe (2001-2003), Lincoln (2003-2004), LTI (Carbodies) - Europe (2002-2006), Mazda (2001-2004), Mazda - Europe (2001-2005), Mercury (1999-2002)

RF2606A

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 % LRC 5 sec
Field, Lamp Shorted Circuit Protection
Sense Loss Indication
Under Voltage Indication
Over Voltage Indication

TR F606
MB VRF931
CG 235815
UP YR345



Ford (2001-2009), Lincoln (2003-2004),
Mazda (2001-2009)

RF2610A

A-Circuit
Voltage Set Point 14.30 V
Soft Start 30 %
Field, Lamp Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication

TR F610
MB VRVN002
CG 239306



Ford - China (2004-2006)

RF2611A

A-Circuit
RC=0 Vs=13.50V
RC=55% Vs=14.25V
PCM Regulator

MB VRVN001
CG 235601
TR F611




Ford (2003-2004), Ford - Europe (2000-2015), Ford LCV - Europe (2002-2010), Jaguar - Europe (2003-2015), Mazda - Europe (2003-2008)

RF2794A

A-Circuit
Voltage Set Point 14.80 V

TR F794B




Ford (1989-2008), Lincoln (1990-2002),
Mazda (1991-2007), Mercury (1990-1998)

RF2796A

A-Circuit
Voltage Set Point 14.45 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication

TR F796
UP YRF36
CG 138663
MB VRF815




Ford (1996-2007), Lincoln (1995-2004),
Mercury (1996-2004)

RF2797A

A-Circuit
RC=0 Vs=13.50V
RC=55% Vs=14.25V
PCM Regulator

MB VRF822
TR F797




Ford (2002-2010), Lincoln (2003-2005),
Mazda (2005-2006), Mercury (2002-2007)

RF2798A

A-Circuit
Voltage Set Point 14.45 V
Field Shorted Circuit Protection
Over Voltage Indication

MB VRF817
WAI 35210
CG 230066
TR F798
UP YRF39



Ford (1996-2010), Lincoln (1996-1998),
Mercury (1997-2004)

Hitachi Regulators

RH1315A

A-Circuit
Voltage Set Point 14.70 V

HI FA8065A, L170G1315
TR IH254V



LR160412B, LR170419, LR170419B, LR170420, LR170420B, LR170422, LR170427, 8970417900, 8970423250, 8970430640, 8970730460

RH1352A

Voltage Set Point 28.40V



C240

RH2490A

A-Circuit
Voltage Set Point 28.40 V

HI L2258315
TR IH253V



NISSAN Patrol 3.2 Diesel (1983-1988)

RH3702A



Nissan Interstar 3.0 dCi 140, Opel Movano 3.0 CDTI, Renault Master III 3.0 dCi 2003-2005

RH5037A



ISUZU [4HF1, 4HE1]

RH5055A

A-Circuit
Voltage Set Point 28.60 V

MB VRH200055B
CG 333038
UP YR692
HI TR2Z251B




Isuzu : 8871112670
Hitachi : TR2Z251B

RH5057A

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication


MB VRH200057



RH5070A

A-Circuit
Voltage Set Point 28.40 V
Soft Start 30 %
Field Shorted Circuit Protection
Sense Open Indication
Under/ Over Voltage Indication

HI LR280508
MB VRH200070B



RH5107A

A-Circuit
Voltage Set Point 14.45 V
Soft Start 30 %
Field Lamp Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication

MB VRH200087




Nissan Tiida Latio, SC11 [HR15], [HR15DE], BLUEBIRD, SYLPHY, LIVINA C-GEAR, LIVINA GENISS, QASHQAI PRCPMAKE, TIIDA

RH5201A

A-Circuit
Voltage Set Point 14.70 V

MB VRH200031
TR IH201




Nissan (1978-1981)

RH5203A

A-Circuit
Voltage Set Point 14.30 V

HI L15043151, L15063151
WAI 358134
CG 130832
BO 0986192028
TR IH203




Nissan (1978-1986)

RH5205A

A-Circuit
Voltage Set Point 14.70 V

HI L15093155, L16023153
MB VRH200030
CG 137189
WAI 358136
TR IH205




LTi (Carbodies) - Europe (1987-1997), Nissan (1987-1987), Nissan - Europe (1986-1996), Nissan LCV - Europe (1985-2000)

RH5205B

A-Circuit
Voltage Set Point 14.60 V

HI L15093155, L16023153
MB VRH200030
CG 137189, 133543
TR IH205



LTi (Carbodies) - Europe (1987-1997), Nissan (1987-1987), Nissan - Europe (1986-1996), Nissan LCV - Europe (1985-2000)

RH5210A

A-Circuit
Voltage Set Point 14.70 V

HI TR1Z56, TR1Z33, TR1Z34, TR1Z47, TR1Z48, TR1Z27
BO 0986192026
TR IH210
MB VRH20001
UP YRIN677B
CG 130834




Nissan (1978-1989), Nissan - Europe (1979-1990), Nissan LCV - Europe (1980-1991), Subaru (1982-1994), UD (1992-1994)

RH5248A

A-Circuit
Voltage Set Point 14.30 V

HI L1808315
TR IH248
MB VRH200017
UP YR693
CG 135158



INFINITI G20 2.0L 1994; NISSAN 100 NX 2.0 GTI 1991-1994; NISSAN NX 2.0L 1991-1992; NISSAN PRIMERA 2.0i 1990-1994; NISSAN SENTRA 2.0L 1991-1994; NISSAN SUNNY 2.0 GTI 1990-1995

RH5252B

A-Circuit
Voltage Set Point 14.70 V
Without Capacitor

HI L15033155
MM 940038071
TR IH252
CG 133544
MB VRH200029
UP YRIN678B



Chevrolet (1986-1998), GMC (1986-1998), Isuzu (1986-1997), Opel - Europe (1994-1998), Opel LCV - Europe (1988-1994)

RH5253A

A-Circuit
Voltage Set Point 28.40 V
Without Capacitor

HI I2258315, TR2Z49
TR IH253
CG 231292, 233893
MB VRH200029B
UP YR708B



NISSAN Patrol

RH5254A

A-Circuit
Voltage Set
Without Capacitor

HI L170G1315
TR IH254
UP YRB678
MB VRH200047
CG 137841




Isuzu and Opel
Vauxhall Astra 1.7D Ventra

Hitachi Regulators

RH5273A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
Field Shorted Circuit Protection
Sense Open Indication
Under/ Over Voltage Indication




HI L180G53401, L180G3340,
L1100G6340, L180G2341,
L180G33401
CG 234273

NISSAN 240 SX 2.4L 1995-1996; NISSAN
240 SX 2.4L 1995-1998; SUBARU
LEGACY 2.2L 1995-; SUBARU LEGACY
2.5L 1996-1999

RH5314A

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication



HI L190G5340, L190G33401
CG 234314
MB VRH200043
TR IH782
UP YR719

Infiniti (1997-1997), Nissan (1996-2000)

RH5314B

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
LRC 10 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication




HI L1100G7340
UP YR719
CG 234314
MB VRH200045
TR IH737

Nissan (2002-2006)

RH5432A


A-Circuit
Voltage Set Point 14.70 V



HI L15073154
MB VRH200036
CG 132432

RH5470A

A-Circuit
Voltage Set Point 28.40 V



HI L2259315
CG 234701
UP YR6809

NISSAN ATLAS/CONDOR /PATROL

RH5708A

A-Circuit
Voltage Set Point 28.10V



TR IH708
UP YR700
CG 133516
MB VRH20013

Nissan
Bus Truck & Industrial Hino

RH5716A

A-Circuit
Voltage Set Point 28.40 V




MM 940038072
HI TR2Z37, TR2Z49
LU 21511106, UCJ113
TR IH716
CG 132292
MB VRH20003A
UP YR683

Isuzu (1992-1993)

RH5738A

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication




HI LR180756B, LR1100702
MB VRH200044
CG 234612
TR IH738

Nissan (1998-2002), Nissan - Europe
(2000-2010)

RH5740A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
Field Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication




HI TR1Z123, TR1Z108B,
TR1Z108
CG 138740
MB VRH200039
UP YR711

NISSAN ALMERA / AVENIR / BLUEBIRD
/CEDRIC/GLORIA / CREW / LARGO
/RIMERA /PRIMERA WAGON / PULSAR/
SERENA

RH5741A

A-Circuit
Voltage Set Point 14.30 V
Soft Start 26 %
LRC 4 sec
Vset of "C" is controlled by duty cy



TR IH741

Nissan (2005-2014), Suzuki (2009-2012)

RH5742A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function
Self exciting function



MB VRH200063
TR IH742

Subaru (2000-2002)

RH5744A

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication



HI L185G5340
TR IH744
UP YR722
CG 235438
MB VRH200062

HONDA PASSPORT 3.2L 1999-2002;
ISUZU AMIGO 3.2L 1998; ISUZU AXIOM
3.5L 2002; SUBARU BAJA 2.5L 2003;
SUBARU FORESTER 2.5L 2003;
SUBARU LEGACY 2.5L 2000-2003

RH5745A

14 V., Terminal type L-S




HI L180G63401
MB VRH200088
UP YR722
TR IH745

HONDA PASSPORT 3.2L 1999-2002;
ISUZU AMIGO 3.2L 1998; ISUZU AXIOM
3.5L 2002; SUBARU BAJA 2.5L 2003;
SUBARU FORESTER 2.5L 2003;
SUBARU LEGACY 2.5L 2000-2003

RH5746A

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
Field Lamp Shorted Circuit
Protection
Under/ Over Voltage Indication




CG 235661
TR IH746
WAI 255683W
MB VRH200085

(2006-04) Infiniti QX56 5.6L / (2006-04)
Nissan Titan Pickup 5.6L; Armada 5.6L

RH5758A

PD Regulator



MB VRH200051
TR IH758
CG 235145

Mazda (1999-2000), Mazda - Europe (1998-
2005)

RH5761A

A-Circuit
Voltage Set Point 14.30 V
Field Lamp Shorted Circuit
Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication




HI L180G2340
MM AMP0252
TR IH761
MB VRH200016
CG 135021
UP YR690, YR699

NISSAN 100 NX (B13) PRIMERA
Traveller SUNNY III (Y10) III (Y10)

RH5762A

A-Circuit
Voltage Set Point 14.30 V
Field Lamp Shorted Circuit
Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication



HI L1805340, L180G5340
CG 135022
WAI 358123
TR IH762
UP YR689

Nissan (1993-1996)

RH5765A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
Field Shorted Circuit Protection
Sense Open Indication
Under/ Over Voltage Indication
Without Brush Holder



HI L185G2340
TR IH765
CG 234311
UP YR718
MB VRH200027

NISSAN 240 SX 2.4L 1995-1996; NISSAN
240 SX 2.4L 1995-1998; SUBARU
LEGACY 2.2L 1995-; SUBARU LEGACY
2.5L 1996-1999

Hitachi Regulators

RH5765B

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
Field Shorted Circuit Protection
Sense Open Indication
Under/ Over Voltage Indication

HI L185G2340
CG 234311
TR IH765, IH765HD
UP YR718
MB VRH200027



NISSAN 240 SX 2.4L 1995-1996; NISSAN 240 SX 2.4L 1995-1998; SUBARU LEGACY 2.2L 1995-; SUBARU LEGACY 2.5L 1996-1999

RH5766B

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
Field Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication
Without Brush Holder

HI L1100G3340, L1100G9340
MM AMP0257
TR IH766
MB VRH200028
CG 138717
UP YR715



Infiniti (1996-1997) , Nissan (1995-1997) , Nissan - Europe (1995-2010)

RH5767A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
Field Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication

HI L170G5315
TR IH767
UP YR714
MB VRH200038, VRH200042
CG 138727




Nissan (1995-1999) , Nissan - Europe (1993-2000) , Nissan LCV - Europe (1991-1995)

RH5767B

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
Field Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication
Without Brush Holder

HI L170G5315
TR IH767
CG 138727
MB VRH200042, VRH200038
UP YR714



Nissan (1995-1999) , Nissan - Europe (1993-2000) , Nissan LCV - Europe (1991-1995)

RH5769A

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication

HI LR150511, LR1100502F,
LR170509E
MB VRH200050
CG 232443
TR IH769
UP YR716



Honda - Europe (2002-2005) , Opel - Europe (2000-2015) , Opel LCV - Europe (2000-2010) , Vauxhall - Europe (2000-2015)

RH5774A

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication

CG 231534
HI L1100G8340, L110G8340,
L1110G43402
MB VRH200046
TR IH774
UP YR7201



INFINITI I30 3.0L; INFINITI I35 3.5L 2002; INFINITI Q45 4.1L 1997-1999; NISSAN MAXIMA 3.0L 1995-; NISSAN MAXIMA 3.5L 2002-; NISSAN MURANO 3.5L 2003

RH5776A

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication

HI L170G3319, L170G6308,
L170G7315
TR IH776
CG 139980
MB VRH200053
UP YR713



OPEL ASTRA F T/COMBO /CORSA B /VECTRA B / DIESEL 1995-1999

RH6111A

A-Circuit
Voltage Set Point 14.30 V
Soft Start 26 %
LRC 4 sec
Vset of "C" is controlled by duty cycle

MB VRH200091




Nissan Tiida Latio, SC11 [HR15], [HR15DE], BLUEBIRD, SYLPHY, LIVINA C-GEAR, LIVINA GENISS, QASHQAI PRCMAKE, TIIDA

Iskra Regulators

RI9044A

A-Circuit (Helmet Steel)
Voltage Set Point 14.60 V
Low Cut-in Speed
Slip Ring OD: 32mm

CG 231044
MB VRIK01
IS 16915221



RI9045A

A-Circuit (Metal Can)
Voltage Set Point 14.60 V

IS 11125204, 16915220,
16906352
MB VRIK15, VRIK02
CG 231045



RI9509A

A-Circuit (Metal Can)
Voltage Set Point 28.50 V

IS 16908883, 16908762
CG 235509



DEUTZ AG (KHD) BF4M2012C

Lada Regulators


RR3666A



GAZ Cummins ISF 2.8

RR4130A

A-Circuit
Voltage Set Point 14.50 V



VAZ 2108, 21099, GAZ 3110

RR9010A

A-Circuit (Metal Can)
Voltage Set Point 28.10 V



KAMAZ EURO-2

RR9032A

A-Circuit (Metal Can)
Voltage Set Point 14.50 V



VAZ 2110

RR9057A


A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Lamp Choke Shorted
Circuit Protection
Under Voltage Indication
Over Voltage Indication



VAZ 2110, PRIORA

RR9058A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 18 %
LRC 10 sec
Field Lamp Choke Shorted
Circuit Protection
Under Voltage Indication
Over Voltage Indication



LADA KALINA (VAZ 1117,1118,1119,2118)

Lucas Regulators

RL2005A

A-Circuit
Voltage Set Point 14.50 V



LUCAS-TVS TATA 12 VOLT

RL7223A

A-Circuit
Voltage Set Point 14.60 V



LU 54048473, 54205986,
54206177
TR IL223
UP YR818
MB VRCL111
CG 131277

FORD SCORPIO 2.9 i 24V 1994-1998;
LAND ROVER 200; LAND ROVER 400;
LAND ROVER RANGE ROVER 3.5 Vogue
1981-1990; LAND ROVER SHERPA 1986-
1989; LDV 200 1.7; MG MAESTRO 2.0

RL7225A

A-Circuit
Voltage Set Point 28.50 V




LU 54022415, 84959, UCB148
CG 135231
MB VRCL111B
TR IL225
UP YR820

Perkins (1992-2006)

Magneti Marelli Regulators

RF2190A

A-Circuit
Voltage Set Point 14.50 V




FORD Mustang F 250 E 350

MM AMP0811
CG 131907, 232414
MB VRF784H, VRF784M
TR F784, F784HD

RE4110A

A-Circuit
Voltage Set Point 14.50 V



Alfa Romeo - Europe (1988-1994), Case (2002-2006), Citroen LCV - Europe (1987-1994), Fiat (1976-1982), Fiat - Europe (1971-2004), Fiat LCV - Europe (1979-2000), Fiat-Allis (1970-1995)

WAI 359304
MB VRF119
CG 131283
TR IX110

RE4118A

14 V., V. setting 14.6



Renault - Europe (1982-1996), Renault LCV - Europe (1986-1998)

MM 64808184, 64808241,
64808243, 83607041, 83607111
TR IX118
UP YR387
MB VRF118
CG 133956

RE4121A

14 V., V. setting 14.7



Fiat - Europe (1994-2006), Fiat LCV - Europe (1994-2004)

MM 85561291, 83611361,
83617171
TR IX121
CG 136432, 331850
MB VRF151A
UP YR388

RE4121B

A-Circuit
Voltage Set Point 14.50 V
Soft Start 32 % LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
Self-exciting



Fiat - Europe (1994-2006), Fiat LCV - Europe (1994-2004)

MB VRF151A
CG 136432
UP YR388
TR IX121

RE4122A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 32 % LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
Self-exciting



Fiat - Europe (2001-2007), Opel - Europe (2004-2010), Subaru - Europe (2003-2003), Suzuki - Europe (2003-2010)

ND 1266007470
MM RTM151B, RTM152A,
RTM154A, RTM151C
TR IX122
CG 136432

RE4123A

Voltage Set Point:14.7V
W/Capacitor
W/Choke




Case (2002-2006), JCB (1998-2007), Land Rover (1995-1998), Land Rover - Europe (1989-2002), New Holland (1998-2004), Rover Group - Europe (1991-1997)

CG 138789
MM 85563011
TR IX123
MB VRF153A

RE4123B

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
Self-exciting



Case (2002-2006), Land Rover (1995-1998), Land Rover - Europe (1989-2002), New Holland (1998-2004), Rover Group - Europe (1991-1997)

MM 85561921, 85563011,
RTM153B
MB VRF153A
TR IX123
CG 138789

RE4124A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
Self-exciting



TR IX124

RE4131A

A-Circuit
RC=0 Vs=13.50V
RC=55% Vs=14.25V
PCM Regulator



Ford - Europe (1998-2015)

CG 230790
TR IX131, IX131HD
MB VRF156
MM 85562801

RE4579A

Voltage Set Point:14.7V
W/Capacitor
W/Choke



Alfa Romeo - Europe (2011-2013), Mini - Europe (2007-2012), Opel - Europe (2005-2010), Saab - Europe (2004-2010), Vauxhall - Europe (2005-2010)

CG 136432, 239306
MM
085563051010, 58120053, 58120056
MB VRF158

RE4594A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 32 % LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
DFM function
Cut-in Speed: 1200rpm
Self-exciting



Smart (MMC) - Europe (2003-2007)

MM 85563481, RTM20003
CG 233636
MB VRF160
TR IX594

RE4595A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 32 % LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
DFM function
Cut-in Speed: 1200rpm



OPEL ASTRA H / SIGNUM / VECTRA C / ZAFIRA / SAAB 9-3 2002-2009

MM RTM20013
ND 1266007060
TR IX595
CG 239983
MB VRF159

RE4634A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 32 % LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
Self-exciting



ND 1266007020
MM RTM159B, 855561801,
85561801
CG 233634, 233613

RE4741A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 32 % LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
Self-exciting



ND 0216802630, 1266007160
MM 83615921, RTM150B
WAI 255670W
MB VRF150A
CG 138798

RE4741B

14.7 V setting, Dist. mount.
holes 57.60,
D+ type Screw




CITROËN - C1 / PEUGEOT - 107 / TOYOTA - AYGO - 1.0 L. 2004-2010

ND 0216802630, 1266007160
MM 83615921
CG 138798
MB VRF150A

RE4865A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 32 % LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function




Ford - Europe (2000-2002), Ford LCV - Europe (2000-2003)

MM 85563491
MB VRF157
CG 238265
TR IX597

RE7796A

A-Circuit
Voltage Set Point 28.50 V




CG 138796
UP YR390
MM 83606411

Magneti Marelli Regulators

RE9022A

A-Circuit
Voltage Set Point 28.50 V
Soft Start 30 %
Under Voltage Indication
Over Voltage Indication

MB VRF154B




Magneton Regulators

RG8291A

A-Circuit
Voltage Set Point 14.50 V

CG 133417
TR MP291
MB VRMP134



Atlas Copco (1995-2007), Compac
Equipment Mfg. (1997-2007), Dynapac
(1996-2007), Ingersoll Rand (1996-2007),
John Deere (1994-2007), Skoda - Europe
(1989-1993), Skoda LCV - Europe (1991-

Mando Regulators

RA1028A

A-Circuit
Voltage Set Point 14.50V



MD TA500C09001
MB VRMD06
TR IY028
CG 234654

Hyundai (2000-2002), Hyundai - Europe (2000-2010)

RA1058A

A-Circuit
Voltage Set Point 14.50V




MD TA500C02401
TR IY058
MB VRH200986
CG 138204

Hyundai (1996-2001), Hyundai - Europe (1995-2002)

RA1072A

A-Circuit
Voltage Set Point 28.50 V



TR IY203

RA1094A

A-Circuit
Voltage Set Point A 14.50V




CG 231425
MB VRMD07
TR IY094

For use on : Alternators Mando
AB170094 OK2A218300

Kia (1998-2005), Kia - Europe (2000-2005)

RA1100A

A-Circuit
Voltage Set Point 28.65V




TR IY704
MB VRH2009192B

HYUNDAI COUNTY

RA1126A

A-Circuit
Voltage Set Point 14.50 V
DFM function



MB VRH200989
TR IY126
CG 235702
MD TA500C07101

Hyundai (1999-2003), Hyundai - Europe (1998-2007), Kia (2001-2003), Kia - Europe (2003-2010)

RA1205A


A-Circuit
Voltage Set Point 14.40 V



CG 235205

RA1224A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
Self exciting function




VA 2455023
CG 236224
MB VRPR5023

HYUNDAI ACCENT, GETZ, LAVITA, MATRIX, TIBURON, TRAJET, TUSCON // KIA CARENS, RIO, SPORTAGE

RA1326A


A-Circuit
Voltage Set Point 14.50V



CG 234326
TR IY702

RA1422A

A-Circuit
Voltage Set Point 14.50 V




MB VRMD01
TR IY422
UP YR557
MD TA500C02201E
CG 139669

Hyundai - Europe (1998-2003), Hyundai LCV - Europe (1994-2005)

RA1525A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under/ Over Voltage Indication
Self Exciting Function




TR M525
MB VRPR3389
CG 236390
VA 593389, 593818, 2614772, 2548923

NISSAN MICRA K12 1.0L/1.2L 03->

RA1525B

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Sense Open Indication
Under / Over Voltage Indication
DFM function




VA 593389, 593818
TR M525
MB VRPR3389
CG 236390

NISSAN MICRA K12 1.0L/1.2L 03->

RA1531A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
Self exciting function



VA 20051012, 2655001, 2655479
MB VRV5001
TR M531

HYUNDAI SANTA FE 2.7L 2004;
HYUNDAI SONATA 2.7L 2004; HYUNDAI TIBURON 2.7L 2004; KIA MAGENTIS 2.7L 2004

RA1532A

Voltage Set Point 14.80V



MD BN3737022650
TR M532
MB VRV005

HYUNDAI ACCENT 00->, COUPE 01->, ELANTRA 00->, GETZ 02->, MATRIX 06->, TRAJET 00->, TUSCON 04-> // KIA CARENS (02-06), CERATO (04-06), RIO 06->, SPORTAGE 04

RA1532B

Voltage Set Point 14.80V




MD BN3737022650
TR M532
MB VRV005

HYUNDAI ACCENT 00->, COUPE 01->, ELANTRA 00->, GETZ 02->, MATRIX 06->, TRAJET 00->, TUSCON 04-> // KIA CARENS (02-06), CERATO (04-06), RIO 06->, SPORTAGE 04

RA1534A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication



VA 2650030C, 702154
MB VRV0030
TR M534

Nissan (2004-2009)

RA1536A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under/ Over Voltage Indication
DFM Function
Self Exciting Function




VA 20030410, 20031203, 20050725, 2655479
TR M536
CG 237456
MB VRV5428

Hyundai (2003-2006), Hyundai - Europe (2000-2010), Kia (2003-2005), Kia - Europe (2003-2010)

RA1544A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
Self exciting function




MD 20080710
VA 133421122
CG 330917
TR M544
MB VRV9938

Hyundai (2007-2012), Kia (2010-2011)

Mando Regulators

RA1550A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
Self exciting function
MD 20050526
MB VRV5745



Hyundai (2007-2012), Kia (2010-2011)

RA1551A

Voltage set point 12 V




MB VRH2009128
TR IY727
CG 235551

Hyundai - Europe (2003-2010), Hyundai LCV - Europe (2002-2007), Kia - Europe (2001-2009)

RA1563A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under/ Over Voltage Indication
DFM Function
Self Exciting Function




VA 20071017, 20080622
MB VRPR5011
TR M563
UP YR9621
CG 333045

Hyundai (2003-2003), Kia (2003-2006)

RA1620A

A-Circuit
Voltage Set Point 14.50V




CG 234620

HYUNDAI H-1 01->, SANTA-FE 00->, SONATA 01->, TRAJET 00-> // KIA OPTIMA (00-05), SORENTO (02-06)

RA1713A

A-Circuit
Voltage Set Point 28.65V




TR IY713
MD TA500C07401D
VA TA500C07401D

Hyundai alternator 3730041701

RA1715A


A-Circuit
Voltage Set Point 14.40 V



CG 234286
WAI 255680W

RA1794A

A-Circuit
Voltage Set Point 14.50 V




MB VRH2009116
MD AB170036
TR IY794
CG 234252

Kia (1994-1997), Kia - Europe (1996-2004), Mazda - Europe (1989-1997)

RA1796A


A-Circuit
Voltage Set Point 14.50 V



Hyundai - Europe (1998-2010)

RA1798A

A-Circuit
Voltage Set Point 14.50 V




CG 237153
TR M569
VA 13480351, 9RC6131,
W20100714

Hyundai - Europe (2003-2006), Kia - Europe (2003-2006)

RA1798B

A-Circuit
Voltage Set Point 14.60 V




VA 13480351, 9RC6131,
W20100714
TR M569
CG 237153
MB VRV6131

Hyundai - Europe (2003-2006), Kia - Europe (2003-2006)

RA1903A

A-Circuit
Voltage Set Point 14.50V




MD TA500C09001
MB VRMD06
TR IY028

Hyundai (2000-2002), Hyundai - Europe (2000-2010)

Mitsubishi Regulators

RM0572A

A-Circuit
Voltage Set Point 14.50 V




MB VRH2009129

SUBARU FORESTER 2.5L 1998;
SUBARU IMPREZA 1.6i 1992-1998;
SUBARU IMPREZA 1.8i 1992-1998;
SUBARU IMPREZA 1.8L 1997; SUBARU
IMPREZA 2.0i 1993-1998

RM3003A

A-Circuit
Voltage Set Point 14.50V




TR IY105
MB VRH2009117

CHERY AMULET, Southeast Delica, Jinbei
491Q

RM3003B

A-Circuit
Voltage Set Point 14.50V
With B+ Bolt




MD TA500C06101
TR IY105
MB VRH2009117

CHERY AMULET, Southeast Delica, Jinbei
491Q

RM3086A

A-Circuit
Voltage Set Point 28.50 V



RM3091A


A-Circuit
Voltage Set Point 28.50 V
Soft Start 30 %
Field, Lamp Shorted Circuit
Protection
IG Open Indication
Sense Loss Indication
Under Voltage Indication

MB VRH2009154B,
VRH2009183B



RM3095A

A-Circuit
Voltage Set Point 28.35 V



RM3098A


A-Circuit
Voltage Set Point 28.50 V
Soft Start 30 %
Field, Lamp Shorted Circuit
Protection
IG Open Indication
Sense Loss Indication
Under Voltage Indication

MB VRH2009125B




RM3102A

A-Circuit
Voltage Set Point 28.70 V




RM3103A

A-Circuit
Voltage Set Point 14.80V



RM3113A

A-Circuit
Voltage Set Point 28.35 V




MB VRH2009151B

RM3119A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Lamp Shorted Circuit
Protection
Over Voltage Indication

MB VRH2009119
TR IM582




Honda (2007-2008)

RM3121A


A-Circuit
Voltage Set Point 14.80 V
Soft Start 17 %
LRC 4 sec
Self Exciting Function
BSS Regulator

MB VRH2009160



RM3153A


A-Circuit
Voltage Set Point 14.30V



CG 235078
MB VRH2009153

RM3203A

A-Circuit
Voltage Set Point 28.50 V




TR IM203
MB VRH200921
CG 137397

TCV Equipment [FD20Z FD23Z FD25Z
FD28Z FD30Z]

RM3204A

A-Circuit
Voltage Set Point 14.60 V




MM 940038076
BO 0986192016
LU UCJ200, 21513103
TR IM204
MB VRH2009
CG 130835
UP YR558

Chrysler (1982-1985), Clark (1985-1994),
Dodge (1978-1987), Ford (1982-1982),
Gehl (1982-1993), Hyster (1970-1992),
Hyundai - Europe (1981-1991)

RM3205A

A-Circuit
Voltage Set Point 14.60 V




MM 940038083
MB VRH200918
CG 131290
TR IM205
UP YR566

Dodge (1983-1985), Mazda (1984-1985),
Mitsubishi (1983-1985)

RM3207A


A-Circuit
Voltage Set Point 14.60 V



TR IM207
UP YR562
MB VRH200948
UP YR562

RM3212A

A-Circuit
Voltage Set Point 28.50 V




CG 137396
MB VRH200947
TR IM212

Kobelco (1967-1993), Mitsubishi (1985-
2007), Mitsubishi Fuso (1984-1989)

Mitsubishi Regulators

RM3213A

A-Circuit
Voltage Set Point 28.50 V




MITSUBISHI CANTER 4D31,
MITSUBISHI FUSO

TR IM213
CG 131517
MB VRH200912
UP YR563

RM3216A

A-Circuit
Voltage Set Point 14.70 V




GALANT III, SAPPORO III, (SPACE
WAGON (D0_V/W) 2.0 GLXi (D04W)
1988 - 1991

MD TA500C062
MM AMP0800
TR IM216
CG 131524
UP YR570, YR573
MB VRH20094H

RM3217A

A-Circuit
Voltage Set Point 14.50V




Caterpillar (1992-1997), Chrysler (1987-
1989), Clark (1995-2000), Dodge (1987-
1995), Eagle (1988-1994), Hyundai (1989-
1999), Hyundai - Europe (1989-2010),
Hyundai LCV - Europe (1993-2000),

CG 131523
TR IM217
MB VRH20096H
UP YR571

RM3222A

A-Circuit
Voltage Set Point 14.50V




Caterpillar (1992-1997), Clark (1995-2000),
Dodge (1992-1996), Eagle (1992-1996),
Hyundai - Europe (1991-2001), Hyundai
LCV - Europe (1993-2000), Mercury (1993-
1998)

MM AMP0801
CG 230885
MB VRH200937
TR IM222

RM3232A

A-Circuit
Voltage Set Point 14.80 V




Ford - Europe (1992-2000), Ford LCV -
Europe (1991-1996)

CG 139043
MB VRH200949
TR IM232

RM3263A

A-Circuit
Voltage Set Point 14.50 V



NISSAN 200SX; NISSAN 300ZX; NISSAN
MICRA; NISSAN PULSAR; NISSAN
STANZA

CG 132102
MB VRH20098H
UP YR587
TR IM263

RM3271A

A-Circuit
Voltage Set Point 14.50V




Ford Probe

TR IM271
UP YR574
MB VRH200915

RM3275A

A-Circuit
Voltage Set Point 14.50 V



Asuna (1992-1993), Chevrolet (1989-
1998), Geo (1989-1995), GMC (1989-
1991), Pontiac (1994-1994), Suzuki (1989-
1994), Suzuki - Europe (1986-1998)

CG 135033
MB VRH200914N
TR IM275, 358321

RM3278A

A-Circuit
Voltage Set Point 14.50V



Nissan (1989-2006), Nissan - Europe
(1986-1995)

TR IM278
UP YR578
MB VRH200926
CG 134088

RM3281A

A-Circuit
Voltage Set Point 14.50 V




Mitsubishi - Europe (1986-1998),
Mitsubishi Fuso (1989-1991), Mitsubishi
LCV - Europe (1986-1996)

MB VRH200928
TR IM281

RM3282B

A-Circuit
Voltage Set Point 14.50 V




Mitsubishi Pajero 2500
Diesel, Delica 2300 Van Diesel, Mirage
1800 Diesel, Galant 1800 Diesel, Sava
1800 Diesel, Shariot 1800 Diesel

MM AMP0796
TR IM282
MB VRH200928
CG 136549, 131471

RM3284A

A-Circuit
Voltage Set Point 14.50V




Nissan (1990-1993), Nissan - Europe
(1988-2001)

CG 135030
MB VRH200915
TR IM284
UP YR575

RM3286A

A-Circuit
Voltage Set Point 28.70 V




Mitsubishi Fuso (1988-1988)

MB VRH200969B
TR IM286
CG 235884

RM3290A

A-Circuit
Voltage Set Point 14.40 V




Kubota (1998-2009)

MB VRH200963
TR IM290
CG 138309

RM3291A

A-Circuit
Voltage Set Point 14.50V




INFINITI G20; NISSAN SENTRA

CG 135030
TR IM291
UP YR576

RM3292A

A-Circuit
Voltage Set Point 14.40 V
Sense Open Indication
Under Voltage Indication
Over Voltage Indication




Infiniti (1993-1997), Nissan (1994-1996),
Nissan - Europe (1996-2000)

CG 137182
MB VRH2000945
TR IM292

RM3341A

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 %
Field, Lamp Shorted Circuit
Protection
Sense Loss Indication
Under Voltage Indication
Over Voltage Indication



MITSUBISHI CARISMA 1.8 GDI 1997;
MITSUBISHI COLT 1.3i, 1.6; MITSUBISHI
GALANT 2.0 1996-; MITSUBISHI IO 1.8
GDI 2000; MITSUBISHI LANCER 1.3, 1.6,
2.0 1995-2001; MITSUBISHI MIRAGE

TR IM341
UP YR591
CG 138340
MB VRH200970A

RM3342A

A-Circuit
Voltage Set Point 14.40V
Soft Start 30 %
LRC 5 Sec
Field Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication




SUBARU IMPREZA 1.8/OUTBACK 1.8L
1993-1996;

TR IM342
MB VRH2009115

Mitsubishi Regulators

RM3345A

Inactive Lamp
D-P Terminals
* Traditional test method will immediately damage P-D regulator.




TR IM345
MB VRH200995
UP YR591A
CG 138872

MAZDA 323, 626, DEMIO, MAZDA3,
MAZDA5, MPV, PREMACY, RX-8

RM3350A

A-Circuit
Voltage Set Point 14.40V
Soft Start 30 % LRC 5 Sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
Without Sense Open Indication



TR IM350
UP YR5911

SUBARU FORESTER 2.5L 1998;
SUBARU IMPREZA 1.6i 1992-1998;
SUBARU IMPREZA 1.8i 1992-1998;
SUBARU IMPREZA 1.8L 1997; SUBARU
IMPREZA 2.0i 1993-1998

RM3350B

A-Circuit
Voltage Set Point 14.40V
Soft Start 30 % LRC 5 Sec
Field Shorted Circuit Protection
Sense Open Indication
Under / Over Voltage Indication




TR IM350
UP YR5911

SUBARU FORESTER 2.5L 1998;
SUBARU IMPREZA 1.6i 1992-1998;
SUBARU IMPREZA 1.8i 1992-1998;
SUBARU IMPREZA 1.8L 1997; SUBARU
IMPREZA 2.0i 1993-1998

RM3362A

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
LRC 5 Sec
Field Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication



CG 333039, 230043
MB VRH2009118
UP YR5916
TR IM362

NISSAN SENTRA 180 2000

RM3381A

A-Circuit
Voltage Set Point 14.70 V
Soft Start 30 %
LRC 5 sec
Field Lamp Shorted Circuit Prote




TR IM381
CG 333041
MB VRH200990
UP YR5971 YR5977

HONDA CIVIC 1998

RM3465A

P D Terminals




TR IM465, IM465HD
MB VRH2009100
CG 235665
UP YR5913

Mazda (2000-2005), Mazda - Europe (2002-2008)

RM3473A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 Sec
Field Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication



MB VRH2009122, VRH2009123
TR IM473

Nissan Navara; Pathfinder 2.5L

RM3473B

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 Sec
Field Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication



MB VRH2009123
TR IM473

Nissan - Europe (2005-2010), Nissan
LCV - Europe (2005-2010)

RM3476A

A-Circuit
Voltage Set Point 14.40V
Soft Start 30 % LRC 5 Sec
Field Shorted Circuit Protection
Sense Open Indication
Under / Over Voltage Indication




CG 231510
MB RH200999
TR IM476
UP YR5912

Infiniti (2003-2008), Nissan (2003-2006)

RM3498A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 Sec
Field, Lamp Shorted Circuit
Protection
Under Voltage Indication
Over Voltage Indication



MB VRH2009105SE,
VRH2009105
CG 235450
TR IM498

RM3503A

A-Circuit
RC=0 Vs=13.50V
RC=55% Vs=14.25V
AS-RC-LI Terminals




TR IM503
CG 331005
MB VRH2009102

Ford - Europe (2001-2010), Mazda -
Europe (2003-2007)

RM3505A

Works with PCM
Traditional test method will
immediately damage P-D




CG 331633
TR IM505
MB VRH2009114

Mazda (2002-2014), Mazda - China (2003-2008), Mazda - Europe (2005-2012)

RM3516A

A-Circuit
Voltage Set Point 28.50 V



MB VRH200919
UP YR502

RM3529A

A-Circuit
RC=0 Vs=13.50V
RC=55% Vs=14.25V




TR IM529
MB VRH200998

Ford Escape/Mazda Tribute /Mercury
Mariner 2008-2013

RM3541A


A-Circuit
Voltage Set Point 14.50V



CG 235541

RM3543A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Lamp Shorted Circuit
Protection
Under Voltage Indication
Over Voltage Indication




MB VRH2009120
CG 235543

CHALLENGER/ DELICA SPACE
GEAR/CARGO/ L200 / NATIVA
/PAJERO / PAJERO SPORT
/PAJERO/MONTERO

RM3545A

Voltage Set Point:14.5V
Fr-L Terminals
Soft Start
2.5 sec LRC
Self Exciting




TR IM545
MB VRH2009169, VRH2009168

Holden Commodore VZ, 2004-2006

RM3554A

A-Circuit
Voltage Set Point 14.50 V
Field Shorted Circuit Protection
Over Voltage Indication
Without Trio Diode Application




CG 235547
MB VRH2009112, VRH2009112S

Mitsubishi Regulators

RM3558A

A-Circuit
Voltage Set Point 14.60 V
Soft start
Stator activated

TR IM558
MB VRH2009113




HONDA CIVIC , FR-V 2007-2011

RM3564A

A-Circuit
Voltage Set Point 14.50V
Soft Start 30 %
LRC 5 Sec
Field Shorted Circuit Protection
Sense Open Indication
Under / Over Voltage Indication

CG 235836
TR IM564
MB VRH2009148



Nissan (2007-2014), Nissan - Europe (2007-2014)

RM3622A

A-Circuit
RC=0 Vs=13.50V
RC=55% Vs=14.25V

TR IM622
MB VRH2009140



MAZDA CX-5 (2011 ->)/2011 MY/ KE/AEKS01, MAZDA3 (2013 ->)/2013 MY/BM/AEBA14, MAZDA6(2012 ->)/2012 MY/GJ/AEGA12

RM3688A

A-Circuit
Voltage Set Point 28.50 V
Soft Start 30 %
Field, Lamp Shorted Circuit Protection
IG Open Indication
Sense Loss Indication
Under Voltage Indication

MB VRH2009132B
TR IM688




NISSAN 200 SX 1.6L 1995-1996; NISSAN ALMERA 1.4 16V N15EGA 1995-2000; NISSAN ALMERA 1.6 16V 1995-2000; NISSAN ALMERA 1.6 16V N15EGA 1995-2000; NISSAN PRIMERA 1.6L 16V 1990-

RM3691A

A-Circuit
Voltage Set Point 14.80V

MB VRH200980
TR IM849




mitsubishi A003TN2581A; SUZUKI 3140084A10, 3140084A11

RM3757A

A-Circuit
Voltage Set Point 14.40 V

MM AMP0795
TR IM757, IM757HD
UP YR597
MB VRH200982
CG 230985




FORD TOURNEO , TRANSIT 1998-2000

RM3830A

A-Circuit
Voltage Set Point 14.40 V
Sense Open Indication
Under Voltage Indication
Over Voltage Indication

CG 135233
MD TA500C02001
MB VRH200922
UP YR569
TR IM830




NISSAN 200 SX 1.6L 1995-1996; NISSAN ALMERA 1.4 16V N15EGA 1995-2000; NISSAN ALMERA 1.6 16V 1995-2000; NISSAN ALMERA 1.6 16V N15EGA 1995-2000; NISSAN PRIMERA 1.6L 16V 1990-

RM3831A

A-Circuit
Voltage Set Point 14.50 V

TR IM831
UP YR5821
MB VRH200978




HYUNDAI ELANTRA 1.6L 1992-1995; HYUNDAI ELANTRA 1.8L 1993-1995; HYUNDAI SONATA 2.0L 1992-1998

RM3832A

A-Circuit
Voltage Set Point 14.50V

MM 940038103
TR IM832
UP YR579A
CG 230003




FORD; MITSUBISHI; NISSAN

RM3834A

A-Circuit
Voltage Set Point 14.50 V

TR IM834
CG 139667
MB VRH200944



Chevrolet (1989-2001), Geo (1989-1997), Pontiac (1989-2000), Suzuki (1992-2001)

RM3843A

A-Circuit
Voltage Set Point 28.60 V

MM AMP0794
UP YR5569
CG 333354
TR IM843
MB VRH200977B




MITSUBISHI FUSO AERO MIDI; MITSUBISHI FUSO AERO STAR; MITSUBISHI FUSO CNG; MITSUBISHI FUSO FIGHTER; MITSUBISHI FUSO KV20J

RM3845A

A-Circuit
Voltage Set Point 14.50 V
Sense Open Indication
Under/ Over Voltage Indication
DFM Function

MM AMP0806
TR IM845
CG 234313
MB VRH200973
UP YR594A




EAGLE TALON 2.0L 1995-1997; EAGLE TALON 2.0L 1995-1998; MITSUBISHI ECLIPSE 2.0L1995; MITSUBISHI ECLIPSE 2.4L 1996-1997

RM3846A

A-Circuit
Voltage Set Point 28.65 V

MB VRH200980B
TR IM846




MITSUBISHI A003TN5288, A003TN5883; MITSUBISHI 32B68-00200, ME017614, ME017615

RM3846B

A-Circuit
Voltage Set Point 28. 70V

MM AMP0808
TR IM846
MB VRH200980B




MITSUBISHI FUSO AERO MIDI; MITSUBISHI FUSO AERO STAR; MITSUBISHI FUSO CNG; MITSUBISHI FUSO FIGHTER; MITSUBISHI FUSO KV20J

RM3847A

A-Circuit
Voltage Set Point 14.50V

CG 137075, 235762
MB VRH200980
UP YR596, YR598
TR IM847




MAZDA HA 3.5L 1991; MAZDA T3500; MAZDA T4000; MAZDA XA 3.5L 1991; MITSUBISHI DELICA 1987; MITSUBISHI L200 2.5 TD 1996.

RM3848A

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
LRC 5 Sec
Field Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication

CG 235102
TR IM848
UP YR5972
MB VRH2009107




SUBARU BAJA 2.5L 2003; SUBARU FORESTER 2.0 1998-2002; SUBARU FORESTER 2.5L 2003-2005; SUBARU IMPREZA 1.6 1998-2000

RM3850A

A-Circuit
Voltage Set Point 14.60 V
Soft start
LRC 5 sec
Stator activated

TR IM850
UP YR5793
CG 230260
MB VRH200971




Acura Integra 1.8L

RM3851A

A-Circuit
Voltage Set Point 14.60 V
Soft start
LRC 5 sec
Stator activated

CG 235278
MB VRH200994
UP YR5974
TR IM851




ACURA EL 1.7L 2001-2005; HONDA CIVIC 1.4 i 2001; HONDA CIVIC 1.6 i 2001; HONDA CIVIC 1.7L 2001-2005

Mitsubishi Regulators

RM3853A

A-Circuit
 Voltage Set Point 14.50 V
 Soft Start 30 %
 LRC 5 sec
 Field Lamp Shorted Circuit Protection
 Under Voltage Indication
 Over Voltage Indication

CG 238493
 TR IM853, IM853HD




Honda (1999-2000)

RM3854A

A-Circuit
 Voltage Set Point 14.40V
 Sense Open Indication
 Under Voltage Indication
 Over Voltage Indication

MM AMP0857
 CG 139110
 UP YR5792
 MB VRH200979
 TR IM854




Mitsubishi - Europe (1994-2010),
 Mitsubishi LCV - Europe (1996-2010)

RM3949A

A-Circuit
 Voltage Set Point 28.50 V
 Soft Start 30 %
 IG / Sense Open Indication
 L Terminal Drives Choke
 Under/ Over Voltage Indication

UP YR5979
 CG 238949
 MB VRH2009135B




IVECO EUROTECH, EUROTRAKKER,
 STRALIS, TRAKKER 7.8L; IVECO
 EUROSTAR LD, MH, MP; IVECO STRALIS

RM3973A

A-Circuit
 Voltage Set Point 14.50 V
 Soft Start 30 %
 LRC 5 sec
 Field, Lamp Shorted Circuit Protection
 Under Voltage Indication
 Over Voltage Indication

CG 235450
 MB VRH2009105SE



Motorola Regulators

RT8111A




Isuzu Shen Lake, JMC Collection

MO 9RC2106

RT8329A

A-Circuit
Voltage Set Point 28.20 V
Field, Lamp Shorted Circuit
Protection
Over Voltage Indication
With Battery Operation

TR M5329A
PRES 105329, 105360




Ford (1982-2008), Freightliner (1989-2007), International (1984-2008), Kenworth (1988-2007), Mack (1978-2007), Massey Ferguson (1993-2006), Peterbilt (1991-2007), Sterling (1999-2007), Vermeer

RT8396A

A-Circuit
Voltage Set Point 27.50V
Field Shorted Circuit Protection
Over Voltage Indication
Without Battery Operation

PRES 8RL3024S, 105229,
105351, 105352, 105396
MB VRVW006
TR M5396
YP YRIL39
CG 131181




Volvo Penta (1965-2005)

Nikko Regulators

RK9228B

A-Circuit
Voltage Set Point 29.30 V



UP YR120
TR IZ228
CG 135296
MB VRH20032B

Isuzu (1991-2007), Komatsu (1984-2007),
Link-Belt (1986-1989), MQ (1996-2002)

RK9228C

A-Circuit
Voltage Set Point 28.80 V




CG 135296
MB VRH20032B
TR IZ228, 358401
UP YR120

Isuzu (1991-2007), Komatsu (1984-2007),
Link-Belt (1986-1989), MQ (1996-2002)

RK9321A

A-Circuit
Voltage Set Point 29.20 V



NK 7440000901
CG 135321

JCB
JS130, JZ140, JS145W, JS160, JS180, JS200,
JS210, JS220, JS240, JS260, JS300, JS330

RK9999A

A-Circuit
Voltage Set Point 28.40 V



NK 0375190151, 0375190150
CG 234999

Poong Sung Regulators

RY5711A

A-Circuit
Voltage Set Point 14.40 V



CG 235522
TR IH711
MB VRK05

(2001-ON) Hyundai Elantra 2.0L 16V /
Hyundai Santa FE 2.0L 16V / Hyundai
Trajet 2.0L 16V / (2004-ON) Hyundai
Tuscon 2.0L / Kia Carena 2.0L / (2005-ON)
Kia Sportage 2.0L

RY9035A

A-Circuit
Voltage Set Point 14.50V



CG 235035
TR PG104

RY9102A

A-Circuit
Voltage Set Point 14.50V



MB VRK02
TR PG102

KIA SPORTAGE (1999-2002);
BESTA(EC/GEN)99/7 (1995-2000)

RY9103A

A-Circuit
Voltage Set Point 28.60V



POO VRK01B
TR PG133
MB VRK01B

RY9469A

A-Circuit
Voltage Set Point 14.80V




POO 1215000011
MM AMP0125
TR PG101
CG 139469
MB VRK01

Prestolite Regulators

RP0064B

A-Circuit (Metal Can)
Voltage Set Point 28.50 V
With 430 OHM Resistor
Slip Ring OD: 14mm




Prestolite generator JFZ198

RP1415A

A-Circuit
Voltage Set Point 28.50 V
Field, Shorted Circuit Protection

PRES JFZ2915000ZU,
AVE21195000ZU,
AVE21195000ZU




CUMMINS PAZ-3204, PAZ-4234

RP3002A

A-Circuit
Voltage Set Point 28.20V
Field Shorted Circuit Protection



RP4048A



RP5324A

Voltage Set Point 14.50V



RP8023A

Voltage Set Point 28.50V




UP YRIL38

THERMO KING

RP8047A

A-Circuit
Voltage Set Point 28.00V
Field, Lamp Shorted Circuit
Protection
Over Voltage Indication
With Battery Operation


PRES 8RG3078S
MO 8RG3078C
UP YR8159
CG 333047



RP8292A

A-Circuit
Voltage Set Point 14.50 V

PRES 8RG2029A
MO 105292
TR M5292A
UP YR8151
CG 235353



Ford (1974-1999), Freightliner (1975-2005), International (1975-2000), Kenworth (1988-2005), Mack (1978-2007), Peterbilt (1991-2005), Sterling (1999-2004), Volvo (1989-2007)

RP8617A

A-Circuit
Voltage Set Point 28.20 V

PRES 1861762



Regulator AC172TRA 155 Amp

RP8760A

A-Circuit
Voltage Set Point 28.20 V

PRES 1861760




Regulator 28.0 Vset AC172

RP8887A

A-Circuit
Voltage Set Point 27.50 V
Field, Shorted Circuit Protection

PRES 8RG3082



RP8888A

Voltage Set Point 28.50V



Prestolite AC172R Bus, Jinlong, Yutong

RP9236A

Voltage Set Point 28.50V



Steyr WD615/Dongfeng

RP9504A

Voltage Set Point 14.50V



Prestolite AV1136/144

RP9508A

Voltage Set Point 28.50V



Prestolite JFZ/AVE27 series KAMAZ, CMB, Urban public transport, Wei Chai series

Sawafuji Regulators

RW9493A


A-Circuit
Voltage Set Point 28.80 V



CG 233493
MB VRH2005102B

RW9700A

A-Circuit
Voltage Set Point 28.70 V




HINO; NISSAN

TR IW700
CG 136168
MB VRH20021
UP YR668

RW9700B

A-Circuit
Voltage Set Point 28.60 V
Lamp Shorted Circuit Protection
L Terminal Does Not Drive
Choke



HINO; NISSAN

TR IW700
UP YR668
MB VRH20021
CG 136168

Valeo Regulators

RV0035A

A-Circuit
Voltage Set Point 28.50 V



RV1060A

A-Circuit
Voltage Set Point 14.70 V



RV1069A

B-Circuit
RVC=0 Vset=13.80V
RC=70% Vset=14.45V
Soft Start 18.75 %
LRC 2.5 sec
DFM function
RVC Regulator



MB VRV5460
VA 2605581
IK 140191

RV1103A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function




CG 231103
MB VRPR2292
TR M521
VA 2541940, 2542292C,
2542332, 2542529, 593368,
593371

UNIVERSAL 93->

RV1103B

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function
Self exciting function



VA 593368, 593392, 593455,
593480, 593522, 593813
TR M521, M547
MB VRPR2292H
CG 231103

Audi (2002-2013), Audi - Europe (2001-2012), Ford - Europe (2002-2006), Mitsubishi - Europe (2005-2010), Seat - Europe (2000-2012), Skoda - Europe (2004-2012)

RV1115A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
Self exciting function



CG 234115
MB VRPR3534
UP YR962
VA 593477, 593505, 593534,
593947
TR M551

OPEL ASTRA 1.4L-2.0L 2001; OPEL ASTRA F 1.4i 1997-2001; OPEL ASTRA G 1.4, 1.6, 1.8, 1.9, 2.0 1998; OPEL CORSA C 1.4, 1.8 2000; OPEL MERIVA 1.6 2003; OPEL OMEGA B 2.2 1999

RV1201A

B-Circuit
Voltage Set Point 14.50 V




UP YR965, YR9651

For SG7S062, CARRIER TRANSICOLD

RV1201B

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
Self exciting function



UP YR9651, YR965

For SG7S062, CARRIER TRANSICOLD

RV1256A

A-Circuit
Voltage Set Point 14.80 V
Soft Start 17 %
LRC 4 sec
Self Exciting Function
BSS Regulator



VA 595256

BMW 1- (E81), 3- (E46/E90), 5- (E60), X1, Z4 01->

RV1318A

B-Circuit
Voltage Set Point 14.80 V
Soft Start 17 %
LRC 4 sec
Self exciting function
COM regulator



VA 595318, 2543591, 599149

RV1369A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function
Self exciting function



VA 593406
MB VRV3406SE
CG 235369

BMW 3' (E46) 318D/320D/330D 01->, X3 2.0D/3.0D 03->, X5 3.0D // LAND ROVER FREELANDER 2.0TD4 00-> 14V 150A

RV1506A

A-Circuit
Voltage Set Point 14.20 V



CG 131224
MM 940038151
MB VRVW005, VRVW005N
TR M506
VA 2519124, 2519490, 2522939,
2523198

Audi - Europe (1985-1992), BMW (1988-2000), BMW - Europe (1988-1999), Fiat - Europe (1975-1993), Seat - Europe (1991-1993), Volkswagen (1984-1992), Volkswagen - Europe (1983-1993),

RV1511A

A-Circuit
Voltage Set Point 14.50 V




CG 134475
MM 940038186
MB VRVW010
UP YR963

TR M511
VA 2521335, 2541392, 2541404,
2541433

Audi (1992-1999), Audi - Europe (1991-2001), BMW (1992-2002), BMW - Europe (1990-1999), Citroen - Europe (1989-2004), Citroen LCV - Europe (1994-2002), Fiat - Europe (1995-2002), Fiat LCV -

RV1513A

A-Circuit
Voltage Set Point 14.50 V



VA 9RC2055, 9RC2062
TR M513
CG 135434
UP YR961
MB VRPR1667

Mitsubishi; Renault R19; Megane, Valeo 12V / 70-110 Amp. I/R Alternators.

RV1514A

A-Circuit
Voltage Set Point 14.50 V



VA 593138, 2541715, 2808323
MM AMP0502
TR M514
CG 136546
MB VRPR1669

FIAT CROMA 2.0L 16V (92-96), DUCATO (230/230L) 2.5D/2.5TD/2.8D/2.8TD (94-02) 14V 80A; CITROEN Jumper 1999-

RV1516A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field, Lamp Shorted Circuit Protection
Under / Over Voltage Indication
DFM Function
Self exciting function



CG 139440, 139441, 235819
MB VRPR1620
TR M516
VA 2541952, 2541952B,
2542248C, 2542362B, 5933316,
593338

NISSAN Kubistar 1.2 2003-; RENAULT CLIO II, Kangoo, Symbo, Twingol 1.0, 1.1, 1.2

RV1516B

B-Circuit
Voltage Set Point 14.05 V
Soft Start 30 % LRC 5 sec
Field, Lamp Shorted Circuit Protection
Under / Over Voltage Indication
DFM Function
Self exciting function



VA 593338, 2542362B,
2541952B, 593411
MM AMP0504
CG 139441
TR M516
MB VRPR1424H, VRPR1620H

NISSAN Kubistar 1.2 2003-; RENAULT CLIO II, Kangoo, Symbo, Twingol 1.0, 1.1, 1.2

RV1517A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
Self exciting function



CG 139456
TR M517
VA 2541668, 2541669B, 593290,
593303, 593310

Citroen - Europe (1994-2010), Mitsubishi - Europe (1997-2003), Opel LCV - Europe (1997-2002), Peugeot - Europe (1997-2010), Renault - Europe (1991-2005), Renault LCV - Europe (1998-2003), Volvo -

Valeo Regulators

RV1519A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
Self exciting function

VA 235082, 593284, 2541834
TR M519
CG 235082
MB VRPR6603H



CITROEN BERLINGO 2.0L D 1999-;
CITROEN C5 2.0L D 2001-; CITROEN C8
2.0L D, 2.2L D 2002-; CITROEN EVASION
2.0L, 2.0L D 16V 1999-; CITROEN
JUMPER 2.0L D 2002-

RV1520A

B-Circuit
Voltage Set Point 14.45 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication

VA 2542499
MB VRV2499
TR M520



Chevrolet (2002-2014), Oldsmobile (2002-
2004), Pontiac (2002-2005)

RV1524A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Sense Open Indication
Under / Over Voltage Indication
DFM function

MB VRPR2765
TR M524
VA 2542765




Buick (2002-2007), Chevrolet (2002-2009),
GMC (2004-2006), Hummer (2006-2006),
Isuzu (2006-2006), Oldsmobile (2002-
2004), Pontiac (2001-2007), Saturn (2002-
2007)

RV1527A

B-Circuit
Voltage Set Point 14.30 V
Soft Start 32 %
LRC 5 sec
Field, Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
Self Exciting Function

CG 230944
MB VRPR3617
TR M527
VA 2542207B, 2542208B,
593333, 593353



BMW 3 (E36, E46) 320 i, 323 i 2.5, 328 i;
BMW 5 (E39) 520 i, 523 i, 528 i; BMW Z3
(E36) 2.0, 2.8,

RV1538A

A-Circuit
Voltage Set Point 14.80 V
Soft Start 17 %
LRC 4 sec
Self Exciting Function
BSS Regulator

VA 593538, 593536




BMW 3 V (E92, E92N, E90, E90N, E91,
E91N, 5 V (E60, E60N, E61, E61N)

RV1540A

B-Circuit
RVC=0 Vset=13.80V
RC=70% Vset=14.45V
Soft Start 18.75 %
LRC 2.5 sec
DFM function
RVC Regulator

VA 2650441, 2650561
TR M540
MB VRV0441



Buick (2005-2007), Chevrolet (2005-2012),
GMC (2007-2012), Hummer (2007-2010),
Isuzu (2007-2008), Pontiac (2005-2010),
Saturn (2005-2010)

RV1545A

B-Circuit
Voltage Set Point 14.80 V
Soft Start 15 %
LRC 2.5 sec
Self exciting function
COM regulator

VA 2543503, 593873, 593780
TR M545
MB VRV3780
CG 236597



MERCEDES-BENZ SLK 200
KOMPRESSOR, C180/C200/C230
KOMPRESSOR, CLK 200KOMPRESSOR
mot. 1.8L

RV1546A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
Self exciting function
DFM function

VA 2542299, 2542638, 593689,
593546, 593535
TR M546
MB VRV3689
CG 330319




Nissan - Europe (2002-2010), Nissan
LCV - Europe (2003-2010), Renault -
Europe (2000-2012), Renault LCV -
Europe (2002-2010)

RV1546B

12 Volt, B-Circuit, L-NC
Terminals, 14.4 Vset
Valeo IR/IF Alternators

TR M546
CG 330319
VA 593535, 593546, 593689,
2542638, 2542299
IK 140041




Nissan - Europe (2002-2010), Nissan
LCV - Europe (2003-2010), Renault -
Europe (2000-2012), Renault LCV -
Europe (2002-2010)

RV1546C

12 Volt, B-Circuit, L-NC
Terminals, 14.4 Vset
Valeo IR/IF Alternators

TR M546
CG 330319
VA 593535, 593546, 593689,
2542638, 2542299
IK 140041



Nissan - Europe (2002-2010), Nissan
LCV - Europe (2003-2010), Renault -
Europe (2000-2012), Renault LCV -
Europe (2002-2010)

RV1549A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function
Self exciting function

CG 330319
TR M549
VA 2603741



OPEL; RENAULT; FG15T050; SG12B052;
SG12B055; SG12B071

RV1560A

B-Circuit
Voltage Set Point 14.80 V
Soft Start 32 %
LRC 5 sec
Field, Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication

VA 237938, 593423, 593839,
593846
CG 237938
TR M523
MB VRPR2206




BMW 3' (E46) (98-05), BMW 5' (E39) (99-
03), BMW 7' (E38) 95->, X5 (E53) 00->,
Z3 (E36)

RV1561A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function
Self exciting function

VA 593532, 593828
CG 235657
TR M561




CITROEN BX (XB-) 1.6, 1.9 RD, CITROEN
C5 (DC) 2.0 HDi, 2.0 16V, 2.2 HDi,
CITROEN C8 (EA, EB) 2.0, 2.0 HDi, 2.2
HDi, CITROEN EVASION (22, U6) 2.0
16V, 2.0 HDi, CITROEN JUMPER

RV1562A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function

CG 234982
MB VRPR3529
VA 593529, YR6620PF
TR M562




CITROEN BERLINGO 1.1 i, 1.4, 1.6, 1.9
D, CITROEN C4 (LC) 1.6 16V, 1.6 HDi, 2.0
16V, CITROEN C5 (DC) 1.8 16V, 2.0 16V,
CITROEN C8 (EA, EB) 2.0, CITROEN
JUMPY 2.0 i, 1.9

RV1564A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under/ Over Voltage Indication
DFM function with duty cycle
limitation
Self exciting

CG 333347
MB VRV3419
TR M564
VA 593419, 233633, 2542449



CITROEN BERLINGO 02->, XSARA 97->
// PEUGEOT 206CC, SW, PEUGEOT
PARTNER 1.4/1.6L 14V 70A

RV1571A

B-Circuit
Voltage Set Point 14.80 V
Soft Start 15 %
LRC 2.5 sec
Self exciting function
COM regulator

VA 595252, 595253, 595379,
2604774, 2543208
TR M571
CG 330202



RENAULT KANGOO 1.6L 08-> 14V 110A;
RENAULT Clio3/ Modus/Twingo 3

RV1573A

B-Circuit
Voltage Set Point 14.00 V
LRC 3 sec
Self Exciting Function
LIN Regulator

CG 235808, 332102
TR M573
VA 2542964, 2543279, 2580469



MERCEDES BENZ Sprinter, Viano, Vito
CDi 2003->

RV1576B

B-Circuit
Voltage Set Point 14.00 V
LRC 3 sec
Self Exciting Function
LIN Regulator

VA 599182, 595393
CG 332115



FORD Fiesta 1.25, 1.4, 1.6; Mondeo 1.6,
1.8

Valeo Regulators

RV1601A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function

VA 593793
CG 236601



L DFM



BMW 3 (E46) 318D/320D/330D 01->, X3 2.0D/3.0D 03->, X5 3.0D // LAND ROVER FREELANDER 2.0TD 00-> 14V 150A

RV1652A

A-Circuit
Voltage Set Point 14.50 V

CG 130657, 130657Z
MM 940038162
MB VRPR1652H, VRPR1654,
VRYL1652
UP YR950
TR IP125, IP1652



AMC; RENAULT; VOLVO

RV1661A

A-Circuit
Voltage Set Point 14.60 V

VA 182120, YV1924, YV1925,
YV1933, YV2925
LU 21225417, 21225183,
21225371
MM 940038161, AMP0925
CG 130661
TR IP125
UP YR951
MB VRPR2000H, VRPR2000



A13N108, A13N125; MASERATI;
PEUGEOT; RENAULT; VOLVO

RV1853A

A-Circuit
Voltage Set Point 14.80 V
Soft Start 17 %
LRC 4 sec
Self Exciting Function
BSS Regulator

VA 595200, 593983, 595271
CG 235853
MB VRV3231



BMW 7 (E38) 740 d [M 67 D 39] 1998-
2001 7 (E65, E66) 730 d [M57N2306D2]
2001-2008; X5 (E70) 3d

RV1866A

A-Circuit
Voltage Set Point 14.50 V



MB VRV8326

RV1882A

A-Circuit
Voltage Set Point 14.50 V



HYUNDAI ELANTRA 06->, I20, I30 07-> //
KIA CARENS 06->, CEED 06->, CERATO
06->, SOUL 09->

RV1885A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under/ Over Voltage Indication
DFM function with duty cycle
limitation

VA 593498, 593993
IKA 140221



CITROEN C2 03->, C3 02->, C4 03-> //
PEUGEOT 1007 05->, 206 00->, 207 06->,
307 00->

RV1885B

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under/ Over Voltage Indication
DFM function with duty cycle
limitation
Self exciting function

VA 593498, 593993
IKA 140221



CITROEN C2 03->, C3 02->, C4 03-> //
PEUGEOT 1007 05->, 206 00->, 207 06->,
307 00->

RV1915A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
Self exciting Function

VA 593915
TR M572
CG 330504



NISSAN MICRA K12 1.0L/1.2L/1.6L 03->,
NOUT E11 1.4L 06->

RV1939A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function

CG 234533
VA 2541939B, 593362, YM1610F




AUDI 100, 80, A3, A4, A6, TT // BMW 7,
Z3 ->03 // CITROEN BERLINGO, BX,
C5, JUMPER, XANTIA, XSARA // FIAT
ULYSSE // MERCEDES C-CLASS, E-
CLASS, SPRINTER 903/904 // PEUGEOT

RV1961A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
Self exciting function

VA 593454, 2541851, 2580368,
2602251, 593863, 593440,
593550
WAI 255714W
CG 234961
TR M557



LAND ROVER Discovery II (LJ, LT) /
Mercedes - Europe (1997-2005)

RV1970A

B-Circuit
Voltage Set Point 14.00 V
LRC 3 sec
Self Exciting Function
LIN Regulator

TR M576
VA 2543298, 593970



MERCEDES 180, 200 OM640940,
OM640941, OM640942

RV1970B

B-Circuit
Voltage Set Point 14.00 V
LRC 3 sec
Self Exciting Function
LIN Regulator

VA 593970
TR M576



MERCEDES 180, 200 OM640940,
OM640941, OM640942

RV4811A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 32 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
Self exciting function

VA 493811
TR M529



Bosch Terminals

HB0615A

Capacitor : 2.2uF . 250V



BO F00M145264
CG 235615

DODGE Durango 5.7 V8 2003-2010//
DODGE Ram 2500 5.7 V8 2002-2009
[EZA]

ZB3919A

Mount. hole I.D. 9.00, L. 57.50,
H. 14.00
Terminal 6.30 mm. B+.



BO F00M05A400
CG 233919

Denso Terminals

ZN2205A



ND 1262200230
MB TBND167
TR 4682205

CHRYSLER PACIFICA V6 3.5L 2004-06

RN6502A



Hitachi Terminals

ZH0054A

Capacitor:2.2uF.250V



CG 138731

300 ZX 300ZX BLUEBIRD CARAVAN
CEDRIC CEDRIC SEDAN
CEDRIC/GLORIA CIMA KING CAB
NISSAN TRUCK PATHFINDER PATROL

Magneti Marelli Terminals

ZE2465A

Servicing 633 21679
B+ Terminal



CG 232465

ZE4331A



CG 234331

CITROEN C2 /C3 /C4 / // PEUGEOT 1007
/206 / 207 /307 2000-2008

Mitsubishi Terminals

ZM3252A



CG 133252
TR WAF10

ZM4069A



CG 234069

CITROEN/PEUGEOT 1.1L 1.4L 1.4L,

ZM5298A



361°

CG 235298

Nikko Terminals

RK9228A

A-Circuit
Voltage Set Point 29.30 V



NK 0357190060
UP YR120, YR120B
MB VRH20032B
TR IZ228
CG 135296, 133696

Isuzu (1991-2007), Komatsu (1984-2007),
Link-Belt (1986-1989), MQ (1996-2002)

Other Terminals

ZZ4100A



Valeo Terminals

ZV0056A



CG 235458

ZV2213A

Capacitor:2.2uF.250V



VA 593251
CG 232213

ZV2215A

Mount. hole I.D. M8



VA 593421
CG 232215

ZV3451A



CG 139451
VA 593288

ZV5430A



ZV5433A

Capacitor:2.2uF.250V



VA 592852
CG 135433

ZV6644A

Capacitor:2.2uF.250V



VA 592934
CG 136644

ZV6661A

Mount. hole I.D. 55.65, L. 72.25,
H. 26.45



VA 592849
CG 136661

ZV7522A

Capacitor:2.2uF.250V



VA 593233
CG 137522

ZV8201A

O.D. 16.10, L. 24.50
For Plug 55 and 72.



CG 238201